



COMBINE REPAIR PARTS

REVISED DATE 10/23

PARTS CATALOGUE

SECTION 16

Westward has the part!

WESTWARDPARTS.COM

INDEX

CASE IH

Elevator Chain2

Feederhouse Chain2

Grain Diverter2

Rotor Bars2

Chopper Blades3

Sieves3

Sprockets3

JOHN DEERE

Elevator Chain4

Feederhouse Chain4

Sprockets4

Sieves5

Straw Chopper Knives/Blades & Bushings5

Threshing Element Kits5

Tines5

NEW HOLLAND

Rasp Bars6

Sieves6

Serrated Wear Lugs7

Sprockets7

Straw Chopper Knives/Blades, Bushings7

STRAW CHOPPER BLADES

Straw Claw™ Chopper Blades8

Hardware Kits8

KX7 CONCAVES

For Case IH: Mid Series9

For Case IH: Flagship10-11

For John Deere12

Replacement Lights13

CASE IH

Feederhouse Chain

Part Number	Replaces	Description	Make	Models
COM84179639	87646015 84179639	Feederhouse Chain, U Slats with Rock Trap (4 Chain)	Case IH	7120, 7230, 7240, 8120, 8230, 8240, 9120, 9230, 9240

All chains come with connector links.



Elevator Chain

Part Number	Replaces	Description	Make	Models
COM87281911	87281890 87280487 87281911	Clean Grain Elevator Chain	Case IH	7010, 7120, 7230, 8010, 8120, 8230, 8240, 9120, 9230, 9240, AFX8010



Our Clean Grain Elevator Chains have been designed to help carry more grain and keep the bottom of the elevator clean, especially in moist conditions. Paddles are fastened to the chain with grade 8.8 plated bolts and locknuts for easy replacement of paddles.

The construction of these chains is what makes them more durable and able to meet OEM standards. All chains come with connector links.

REPLACEMENT PARTS

Part Number	Replaces
COM87282471	Paddle For COM87281911

Rotor Bars

Part Number	Replaces	Description	Make	Models
COM1318976C2	86996392 278821A1 1968743C2 1968743C1 1318976C2	Rotor Separator Bar	Case IH	2388, 2688, 7120, 7130, 7230, 7240, 8230, 9230
COM278821A2	1309336C1 278821A2	Rotor Bar, w/o Spike, Chrome	Case IH	1420, 1440, 1460, 1470, 1480, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388, 2588, 5088, 5130, 5140, 6088, 6130, 6140, 7010, 7088, 7120, 7140, 7230, 7240, 8120, 8230, 8240, 9120, 9230, 9240, AFX8010
COM87368806	47603368 87368806	Rasp Bar, w/ Spike	Case IH	5088, 6088, 7010, 7088, 7120, 8010, 8120, 9120



Grain Diverter

Part Number	Description	Make	Models
COM80567	IH 2388 Grain Diverter	Case IH	1480, 1680, 1688, 2188, 2388, 2588, 5088, 6088, 7088



CASE IH

Chopper Blades

Part Number	Replaces	Description	Make	Models
CUT314-196	47677377	Straw Claw™ Double Bevel Universal Replacement Blade for Case/IH	Case IH	7240, 7250, 8240, 8250, 9240, 9250, 7230, 8230, 9230 (40-blade chopper)




Sprockets

Part Number	Replaces	Description	Make	Models
COM87283101	87283101	Sprocket, Upper Clean Grain Elevator	Case IH	5130, 5140, 6130, 6140, 7010, 7120, 7130, 7140, 7230, 7240, 8010, 8120, 8230, 8240, 9120, 9230, 9240, AFX8010 (BSN HAJ105101)
COM87283438	86998052 87283438	Elevator Chain Sprock- et, 9 Tooth, 35 mm Round Bore	Case IH	7010, 7120, 7230, 7240, 8010, 8120, 8230, 8240, 9120, 9230, 9240, AFX8010
COM87731456	86999488 87283677 87731456	Upper Clean Grain Elevator Sprocket - 17 Teeth	Case IH	AFX8010, 7010, 7120, 8010, 8120, 9120
COM87283695	87108702 86975916 87283695	Upper Clean Grain Elevator Sprocket - 23 Teeth	Case IH	AFX8010 SN(HAJ105101-), 7010, 7120, 8010, 8120, 9120



Sieves

Part Number	Replaces	Description	Make	Models
COM84319323	87109846 84320021 84319323	Lower Sieve - Closz Slat 1-1/8" Spacing, Galvanized	Case IH	8010, AFX8010, 8120, 9120
COM87109830	87109830	Upper Sieve - Closz Slat 1-1/8" Spacing, Galvanized	Case IH	8010, AFX8010, 8120, 9120



These sieves are resilient and long-lasting, competitively priced and are used for effective harvesting. The sieves meet OEM specifications and standards, are easy to set, easy to repair and easy to clean.

JOHN DEERE

Feederhouse Chain

Part Number	Replaces	Description	Make	Models
COMAH217633	AH209913, AH217632, AH212232 or AH209915, AH217633	Feeder House Chain - 3-Chain 90-Link CA557 (T-Slats w/ Chrome Pins, Wide Spaced)	John Deere	9650STS, 9660STS (BSN720300), 9750STS, 9760STS (BSN720300), 9860STS (BSN720500)



All chains come with connector links.

REPLACEMENT PARTS

Part Number	Replaces
COMH206436	Slat For COMAH217633

Elevator Chain

Part Number	Replaces	Description	Make	Models
COMAH162059	AXE28559 AH162059	Clean Grain Elevator Chain 144-Links 8-3/4" x 4-7/8" Paddle 4th Link CA550	John Deere	9450, 9550, 9550SH, 9560, 9560SH, 9560STS, 9650, 9650STS, 9650CTS, 9660, 9660STS, 9750STS, 9760STS, 9860STS
COMAH148021	AH148021	Return Grain Elevator Chain 155-Links 5-7/8" x 3" Paddle 6th link CA550	John Deere	9650STS, 9660STS, 9750STS, 9760STS, 9860STS

All chains come with connector links.

REPLACEMENT PARTS

Part Number	Replaces
COMH135235	Paddle For COMAH148021
COMH144667	Paddle For COMAH162059



Sprockets

Part Number	Replaces	Description	Make	Models
COMH164796	H164796	Sprocket, Clean Grain Elevator, Upper	John Deere	9450, 9550, 9560, 9560STS, 9650, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9860STS, S550, S650, S660, S760, S770 (with Standard Capacity Chain), S680, S680HM, S690, S690HM, S780, S790
COMH133143	H133143	Sprocket, Return Grain Elevator, Lower	John Deere	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9560STS, 9600, 9610, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, CTS, CTS II, S550, S650, S660, S670, S670HM, S680, S680HM, S690, S690HM, S760, S770, S780, S790
COMH177988	H128576 H177988	Return Grain Elevator Chain Sprocket, Upper	John Deere	9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, CTS, CTS II, S550, S650, S660, S670, S670HM, S760, S770
COMH159615	H159615	Sprocket, Upper Feederhouse, Outer	John Deere	9560STS, 9570STS, 9650STS, 9660STS, 9670STS (BSN 730100), 9750STS, 9760STS, 9770STS (BSN 730100), 9860STS, 9870STS (BSN 730100)
COMH159616	H159616	Sprocket, Feeder House Center, Upper	John Deere	9560STS, 9570STS, 9650STS, 9660STS, 9670STS (BSN 730100), 9750STS, 9760STS, 9770STS (BSN 730100), 9860STS, 9870STS (BSN 730100)
COMHXE123463	H227474 HXE123463	Feederhouse Upper Drive, 2-1/4" Bore	John Deere	9670STS, 9770STS, 9870STS s/n 730101 & up; S650, S660, S670, S680, S690, S760, S770, S780, S790



JOHN DEERE

Straw Chopper Knives, Blades & Bushings

Part Number	Replaces	Description	Make	Models
COMH215004	H142141 H215004	Blade, Straw Chopper, Stationary	John Deere	9400, 9410, 9450, 9500, 9510, 9550, 9560, CTS, CTSII, 9650CTS, 9660CTS, 9600, 9610, 9650, 9660, 9560STS, 9760STS, 9860STS, 9650STS to s/n 700500, 9750STS to s/n 700600, 9650STS s/n 700501 & up, 9750STS s/n 700601 & up, 9570STS, 9670STS, 9770STS, 9870STS, S550, S650, S660, S670, S680, S690
COMAH205910	AH205910	Blade, Straw Chopper, Fine Cut Set, (Set of 8)	John Deere	9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9750STS, 9760STS, 9860STS
COMAH205909	AH203131 AH205909	Curved Straw Chopper Knife, Set of 8	John Deere	9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9750STS, 9760STS, 9860STS
COMAH225937	AH225939 AH225937	Curved Knife	John Deere	9670STS 9770STS 9870STS S690
COMH156101	H156101	19 mm Knife Bushing	John Deere	9500, 9510, 9550, 9560, CTS, CTSII, 9600, 9610, 9650, 9660, 9650CTS, 9660CTS, 9650STS, 9660STS, 9750STS, 9760STS, 9860STS
CUT314-191	KXE10255 KXE10151	Straw Claw™ Universal Replacement Blade for John Deere	John Deere	9550, 9560, 9570, 9650, 9660, 9670, 9750, 9760, 9770, 9860, 9870, S660, S670, S680, S690, S760, S770, S780, S790



Sieves

Part Number	Replaces	Description	Make	Models
COMAXE20456	AH212241 AXE20456	Bottom Sieve	John Deere	9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS
COMAXE20455	AH212239 AXE20455	Chaffer, Upper Sieve	John Deere	9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS



Tines

Part Number	Replaces	Description	Make	Models
COMAH208554	AH208554	Tines (Set of 3)	John Deere	S670, S680, S690, S760, S770, S660STS, 9560STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS



Threshing Element Kits

Part Number	Replaces	Description	Make	Models
COMAH216674	AH216674	Kit, Threshing Element; Corn & Grain, High Wear, Set of 3	John Deere	9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS, S650, S660, S670, S670HM, S680, S680HM, S690, S690HM, S760, S770, S780, S790
COMAH216675	AH216675	Kit, Threshing Element; 2nd Row; Corn & Grain, High Wear, Set of 3 (Bullet Rotor)	John Deere	9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, S650, S660, S670, S670HM, S680, S680HM, S690, S690HM, S760, S770, S780, S790
COMAH216678	AH216678	Kit, Threshing Element; Corn & Grain, High Wear, Set of 3 (Bullet Rotor)	John Deere	9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, S650, S660, S670, S680, S690, S760, S770, S780, S790



NEW HOLLAND


Rasp Bars

Part Number	Replaces	Description	Make	Models
COM84060998	89800346 84060998	Rasp Bar, (Trailing); 3 Pk.	New Holland	CR920, CR940, CR960, CR970, CR9040, CR9060, CR9080, CR9090, TR86 (ASN 529739), TR87, TR88, TR89, TR96 (ASN 529779), TR97, TR98, TR99
COM84050519	89800345 9800345 84050519	Rasp Bar, LH Rotor, (Lead- ing); 3 Pk.	New Holland	CR920, CR940, CR960, CR970, CR9040, CR9060, CR9080, CR9090, TR86 (ASN 529739), TR87, TR88, TR89, TR96 (ASN 529779), TR97, TR98, TR99
COM84060997	9800347 84060997	Rasp Bar, (Trailing); 3 Pk.	New Holland	CR920, CR940, CR960, CR970, CR9040, CR9060, CR9080, CR9090, TR86 (ASN 529739), TR87, TR88, TR89, TR96 (ASN 529779), TR97, TR98, TR99
COM84050520	89800344 9800344 84050520	Rasp Bar, RH Rotor, (Lead- ing); 3 Pk.	New Holland	CR920, CR940, CR960, CR970, CR9040, CR9060, CR9080, CR9090, TR86 (ASN 529739), TR87, TR88, TR89, TR96 (ASN 529779), TR97, TR98, TR99



Sieves

Part Number	Replaces	Description	Make	Models
COM84319323	87109846 84319323	Lower Sieve - Closz Slat 1-1/8" Spacing, Galvanized	New Holland	CX840, CX860, CX880, CR970, CX820, CR980, CX8060, CX8070, CX8080, CX8090, CR9070
COM87109830	87109830	Sieve, Closz Slat, Upper	New Holland	CR960; CR980; 8030-8090
COM84320021	84320021	Lower sieve, Closz Slat 1-1/8"	New Holland	CR8070; 8080; 9060-9090; 960; 980; 720; 740; 760; 780; 8030- 8090; 820; 840; 860; 880
COM84076561	87109817 84076561	Presieve, Closz Slat, 1-1/8"	New Holland	CR 8070, 8080, 9060, 9070, 9080, 9090, 960 - 980, 720 - 780, 820 - 880, 8030 - 8090
COMACH1815	7564640	Adjustable Sieve Wide Body Jet Stream Sieve (1855mm x 773mm)	New Holland	-



These sieves are resilient and long-lasting, competitively priced and are used for effective harvesting. The sieves meet OEM specifications and standards, are easy to set, easy to repair and easy to clean.

NEW HOLLAND

Straw Chopper Knives/Blades, Bushings

Part Number	Replaces	Description	Make	Models
COM87318316	87318316	Chopper Blade – Straight 20 mm Hole	New Hol- land	CR9060, CR9070, CR9080, CR9090, CR7.90, CR8.90, CR9.90, CR10.90
COM87384918	87384918	Straw Chopper Knife (LH)	New Hol- land	CR9040, CR9060, CR9070, CR9080, CX8070, CX8080, CX8090
COM87384920	87384920	Straw Chopper Knife (RH)	New Hol- land	CR9040, CR9060, CR9070, CR9080, CX8070, CX8080, CX8090
COM87378123	87378123	Knife Bushing , 20 mm	New Hol- land	CR9040, CR9060, CR9070, CR9080, CX8070, CX8080, CX8090



Sprockets

Part Number	Replaces	Description	Make	Models
COM766379	80766379 766379	Feederhouse Sprocket	New Holland	TR95, TR96, TR97, TR98, TR99, CR920, CR940, CR960, CR970, CR9040 (ASN HAJ111001), CR9060 (ASN HAJ111001), CR9070 (ASN HAJ111073)
COM766380	80766380 766380	Feederhouse Sprocket	New Holland	TR95, TR96, TR97, TR98, TR99, CR920, CR940, CR960, CR970, CR9040 (ASN HAJ111001), CR9060 (ASN HAJ111001), CR9070 (ASN HAJ111073)
COM84437648	84437715 86523531 84437648	Sprocket, Upper; Clean Grain Ele- vator	New Holland	CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080



Serrated Wear Lugs

Part Number	Replaces	Description	Make	Models
COM87700825	87700825	Serrated Wear Lug, Large, LH, 3 Pk.	New Holland	CR920, CR940, CR960, CR970, CR980, CR6090, CR7090, CR8080, CR8090, CR9040, CR9060, CR9065, CR9070, CR9080, CR9090, CR6.80, CR6.90, CR7.90, TR75, TR85, TR86, TR87, TR88, TR89, TR96, TR97, TR98, TR99
COM87700823	87700823	Serrated Wear Lug, Large, RH, 3 Pk.	New Holland	CR920, CR940, CR960, CR970, CR980, CR6090, CR7090, CR8080, CR8090, CR9040, CR9060, CR9065, CR9070, CR9080, CR9090, CR6.80, CR6.90, CR7.90, TR75, TR85, TR86, TR87, TR88, TR89, TR96, TR97, TR98, TR99




Straw Claw™ Chopper Blades

Straw Claw™ chopper blades deliver the ultimate value in residue management and product performance. The patented, self-serrating design uses a laser cladding additive on a through-hardened blade to control product wear and maintain blade sharpness longer. Controlled wear results in less chipping and blade damage, which in turn helps better maintain rotor balance and minimize maintenance.

- Double Bevel Cutting Edge
- Optimized Residue Management
- Greater Efficiency & Fuel Savings
- Patented, Stay-Sharp Design
- Longer Maintained Balance
- Extended Blade Life

Patent number 9,686,911



- Double Bevel Cutting Edge
- Optimized Residue Management
- Greater Efficiency & Fuel Savings
- Patented, Stay-Sharp Design
- Longer Maintained Balance
- Extended Blade Life

IMPROVED RESIDUE MANAGEMENT

The performance of your straw chopper blades is a critical factor in residue management. Side-by-side testing proves Straw Claw™ creates smaller, more consistent particles than traditional blades. This produces a thinner, more evenly distributed crop mat that maximizes ground contact for the fastest microbial breakdown.

STAY-SHARP DESIGN

A sharp knife is an efficient knife. Straw Claw™ features a self-serrating design that sharpens as it cuts. Gained from the Tungstrong™ laser cladding enhancement that directs the wear pattern of the blade edge, this design also allows for easier cutting and a reduction in fuel consumption. Unlike the hard facing techniques used on traditional knives, Straw Claw's™ laser cladding application won't easily chip off, preventing premature blade dulling, inconsistent wear or imbalance, and replacement. Straw Claw™ provides a consistent wear pattern to keep your rotor balanced and prevent damage to bushings and bearings.

STRAW CHOPPER BLADES

Part Number	Replacement	Description	Make	Models	Blade Count
CUT314-191	AH225937 KXE10255 KXE10256 KXE10151	Straw Claw™ Universal Replacement Blade for John Deere	John Deere	9550, 9560, 9570, 9650, 9660, 9670, 9750, 9760, 9770, 9860, 9870, S660, S670, S680, S690, S760, S770, S780, S790	44 (fine) or 96 (extra fine)
CUT314-196	47677377	Straw Claw™ Universal Replacement Blade for Case IH	Case IH	7230, 7240, 7250, 8230, 8240, 8250, 9120, 9230, 9240, 9250	24 or 40
CUT314-193	71431884 71485615	Straw Claw™ Universal Replacement Blade for Gleaner	Gleaner	S67, S68, S77, S78, S88, S96, S97, S98	16 or 24
CUT314-205	0736 872 0 0553 860 0	Straw Claw™ Universal Replacement Blade for Claas	Claas	670, 670TT, 730, 730P, 740, 740TT, 750, 750TT, 760, 760TT, 780, 780TT	60 (MAV), 88 (Turbo), 314-205 or 108 (Pro)
CUT314-195	0353 195 0 1815 999 0				
CUT711-082	47677377	Straw Claw™ Universal Replacement Blade for Case IH	Case IH	7230, 7240, 7250, 8230, 8240, 8250, 9120, 9230, 9240, 9250	24 or 40
CUT314-201	87318316	Straw Claw™ Universal Replacement Blade for New Holland	New Holland	CR and CX Series	28, 70, or 88

HARDWARE KITS

Part Number	Description
CUT711-177	JD 50 Series & 9560 8-Blade
CUT711-178	JD 9660, 9760 & 9860 8-Blade

Part Number	Description
CUT711-179	JD 70 Series 8-Blade
CUT711-180	JD S Series 8-Blade

KX7 Concaves

For select models of Case IH: Mid Series



KX7 concaves feature a patented box design with its unique angled bars to meet the crop head-on. Inclusive of MaxThresh™ and MaxRound™ options, these concaves not only deliver a better thresh, but also increase airflow disruption for greater capacity, improved combine productivity, and grain-on-grain threshing. KX7 concaves provide more immediate threshing, so you can finish the job faster.

- The unique design results in many end user benefits, including:
- Significantly improved grain quality
- Dramatically cleaner samples
- Decreased rotor loss - approximately 80% less than traditional concaves
- 10 - 15% improved capacity and productivity
- Little to no plugging, even in high-moisture conditions
- Decreased fuel consumption



Part Number	Description	Make	Models
COMBA1-L05	Case IH Mid Series Front Ramp	Case IH	Case IH Mid Series Models: 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 5130, 5140, 5150, 6088, 6130, 6140, 6150, 7088, 7130, 7140, 7150
COMBA1-R05	Case IH Mid Series Maxround		
COMBA1-X05	Case IH Mid Series Std Maxthresh		

Description	Standard Configuration				Tough-Thresh Configuration				ThreshStart™			
	Full Kit	Individual Components			Full Kit	Individual Components			Kit	Individual Components		
	Part No.	Part No.	Qty	Installation	Part No.	Part No.	Qty	Installation	Part No.	Qty	Part No.	Installation
Cereals	716-039	BA1-L05	1	Front Lip	716-042	BA1-L05	1	Front Lip	716-059	1	BA1-L05	Front Lip
		BA1-X05	3	Rows 1 - 3		BA1-X05	4	Rows 1 - 4		2	BA1-X05	Rows 1 - 2
		BA1-R05	3	Rows 4 - 6		BA1-R05	2	Rows 5 - 6				
Small Seed	716-041	BA1-L05	1	Front Lip	716-039	BA1-L05	1	Front Lip	716-059	1	BA1-L05	Front Lip
		BA1-X05	2	Rows 1 - 2		BA1-X05	3	Rows 1 - 3		2	BA1-X05	Rows 1 - 2
		BA1-R05	4	Rows 3 - 6		BA1-R05	3	Rows 4 - 6				
Corn/ Soybeans					716-043	BA1-L05	1	Front Lip	716-063 (alternate: 716-059)	1	BA1-L05	Front Lip
						BA1-X05	1	Row 1		1	BA1-X05	Row 1
						BA1-R05	5	Rows 2 - 6		1	BA1-R05	Row 2



716-045
Standard Cereal/
Small Seed Kit



716-047
Tough-Thresh
Cereal/Small Seed Kit



716-048
Tough-Thresh
Corn/Soybean Kit



716-060
ThreshStart Kit*



716-064
ThreshStart Kit*

KX7 Concaves For Case IH: Flagship

Part Number	Description	Make	Models
COMBA1-R55	Case IH Flagship LH Maxround w/Ramp	Case IH	Case IH Flagship Models: 7010AFX, 7120, 7230, 8010AFX, 8120, 8230, 9120, 9230
COMBA1-X45	Case IH Flagship RH Std Maxthresh		
COMBA1-X55	Case IH Flagship LH Std Maxthresh		
COMBA1-R15	Case IH Flagship RH Maxround	Case IH	Case IH Flagship Models: 7010AFX, 7120, 7230, 7240, 7250, 8010AFX, 8120, 8230, 8240, 8250, 9120, 9230, 9240, 9250
COMBA1-R25	Case IH Flagship LH Maxround		
COMBA1-X15	Case IH Flagship RH Std Maxthresh		
COMBA1-X25	Case IH Flagship LH Std Maxthresh		

Description	Standard Configuration				Tough-Thresh Configuration				ThreshStart™			
	Full Kit	Individual Components			Full Kit	Individual Components			Kit	Individual Components		
	Part No.	Part No.	Qty	Installation	Part No.	Part No.	Qty	Installation	Part No.	Qty	Part No.	Installation
Cereals/ Small Seed	716-045	BA1-X55	1	LH Row 1	716-047	BA1-X55	1	LH Row 1	716-060	1	BA1-X55	LH Row 1
		BA1-X25	2	LH Rows 2-3		BA1-X25	3	LH Rows 2-4		1	BA1-X25	LH Row 2
		BA1-R25	1	LH Row 4		BA1-X45	1	RH Row 1		1	BA1-X45	RH Row 1
		BA1-X45	1	RH Row 1		BA1-X15	3	RH Rows 2-4		1	BA1-X15	RH Row 2
		BA1-X15	2	RH Rows 2-3								
		BA1-R15	1	RH Row 4								
Corn/ Soybeans					716-048	BA1-R55	1	LH Row 1	716-064	1	BA1-R55	LH Row 1
						BA1-R25	3	LH Rows 2-4		1	BA1-R25	LH Row 2
						BA1-X45	1	RH Row 1		1	BA1-X45	RH Row 1
						BA1-X15	1	RH Row 2		1	BA1-X15	RH Row 2
						BA1-R15	2	RH Rows 3-4				



716-045
Standard Cereal/
Small Seed Kit



716-047
Tough-Thresh
Cereal/Small Seed Kit



716-048
Tough-Thresh
Corn/Soybean Kit



716-060
ThreshStart Kit*



716-064
ThreshStart Kit*

ADDITIONAL KX7 COMPONENTS



BA1-041
Empty Front
Frame (RH)



BA1-051
Empty Front
Frame (LH)



BA1-011
Empty Mid/Rear
Frame (RH)



BA1-021
Empty Mid/Rear
Frame (LH)

COMBB7-X04
MaxThresh™ Box
(Mid/Rear)



COMBB6-X04
MaxThresh™
Box (Front)



COMBB6-R05
MaxRound™
Box (Front)



BB7-R05
MaxRound™ Box
(Mid/Rear)



KX7 Concaves For Case IH: Flagship

Description	Standard Configuration				Tough-Thresh Configuration				ThreshStart™			
	Full Kit	Individual Components			Full Kit	Individual Components			Kit	Individual Components		
	Part No.	Part No.	Qty	Installation	Part No.	Part No.	Qty	Installation	Part No.	Qty	Part No.	Installation
Cereals/ Small Seed	716-054	BA1-X25	3	LH Rows 1-3	716-056	BA1-X25	4	LH Rows 1-4	716-061	2	BA1-X25	LH Rows 1-2
		BA1-R25	1	LH Row 4		BA1-X15	4	RH Rows 1-4		2	BA1-X15	RH Rows 1-2
		BA1-X15	3	RH Rows 1-3								
		BA1-R15	1	RH Row 4								
Corn/ Soybeans					716-057	BA1-R25	4	LH Rows 1-4	716-065	2	BA1-R25	LH Rows 1-2
						BA1-X15	2	RH Rows 1-2		2	BA1-X15	RH Rows 1-2
						BA1-R15	2	RH Rows 3-4				



716-054
Standard Cereal/
Small Seed Kit



716-056
Tough-Thresh
Cereal/Small Seed Kit



716-057
Tough-Thresh
Corn/Soybean Kit



716-061
TheshStart Kit*



716-065
TheshStart Kit*

ADDITIONAL KX7 COMPONENTS



BA1-011
Empty Frame (RH)



BA1-021
Empty Frame (LH)




COMBB7-X04
MaxThresh™
Box

BB7-R05
MaxRound™
Box


KX7 Concaves For John Deere

Part Number	Description	Make	Models
COMBA2-L02	JD Front Ramp KX7	John Deere	John Deere Models: S550/S650, S660, S670, S680, S690, S760, S770, S780, S790, 9650 STS, 9660 STS, 9670 STS, 9750 STS, 9760 STS, 9770 STS, 9860 STS, 9870 STS
COMBA2-R05	JD Maxround KX7		
COMBA2-X05	JD Standard Maxthresh KX7		
COMBA2-X06	JD Small Hole Maxthresh KX7		


Description	Standard Configuration				Tough-Thresh Configuration				ThreshStart™			
	Full Kit	Individual Components			Full Kit	Individual Components			Kit	Individual Components		
	Part No.	Part No.	Qty	Installation	Part No.	Part No.	Qty	Installation	Part No.	Qty	Part No.	Installation
Cereals	716-049	BA2-L02	1	Front Lip	716-052	BA2-L02	1	Front Lip	716-062	1	BA2-L02	Front Lip
		BA2-X05	3	Rows 1 - 3		BA2-X05	4	Rows 1 - 4		2	BA2-X05	Rows 1 - 2
		BA2-R05	3	Rows 4 - 6		BA2-R05	2	Rows 5 - 6				
Small Seed	716-049	BA2-L02	1	Front Lip	716-073	BA2-L02	1	Front Lip	716-062	1	BA2-L02	Front Lip
		BA2-X05	3	Rows 1 - 3		BA2-X06	1	Row 1		2	BA2-X05	Rows 1 - 1
		BA2-R05	3	Rows 4 - 6		BA2-X05	2	Rows 2 - 3				
Corn/ Soybeans	716-053	BA2-L02	1	Front Lip	716-051	BA2-L02	1	Front Lip	716-066 (alternate: 716-062)	1	BA2-L02	Front Lip
		BA2-X05	1	Row 1		BA2-X05	2	Rows 1 - 2		1	BA2-X05	Row 1
		BA2-R05	5	Rows 2 - 6		BA2-R05	5	Rows 3 - 6		1	BA2-R05	Row 2



716-049
Standard Cereal Kit/
Tough-Thresh Small Seed Kit



716-051
Standard
Small Seed Kit



716-052
Tough-Thresh
Cereal Kit



716-053
Tough-Thresh
Corn/Soybean Kit



716-062
ThreshStart
Kit*



716-066
ThreshStart
Kit*



NEW
front position concave
for 716-073 kit

BA2-X06
MaxThresh™
Small Hole Concave

ADDITIONAL KX7 COMPONENTS



BA2-001
Empty Frame



COMBB6-X04
MaxThresh Box



COMBB6-R05
MaxRound™ Box



904-695
Wedge Lock



BA2-H01
Keyway Lock



BA2-L02
Front Lip



Please see Agriculture Catalogue Section 13 to find Plug & Play LED Lighting options available for combines from Tiger Lights!



Scan this QR code to view all of our newest catalogues.