WESTWARD PARTS

FIMCO INDUSTRIES

2025 CATALOGUE SPRAYERS

WESTWARD PARTS

Westward has the part! That's our commitment to you, and that's what sets us apart. Westward Parts has over 52 years of expertise with all makes of agricultural parts, sprayer parts, sprayers, as well as ground maintenance and estate equipment. Our Canadian dealers are served from three different warehouse locations across the country. Westward Parts offers our dealers the most comprehensive product portfolio and exclusive product offerings. And it will all be delivered on time, with an enjoyable customer service experience that won't let you down.

Westward Parts Distribution:



Red Deer, Alberta
6517 - 67 Street
Red Deer, AB T4P 1A3

Regina, Saskatchewan
201 Henderson Drive
Regina, SK S4N 7E2

Winnipeg, Manitoba
1435 St. James Street
Winnipeg, MB R3H 0W9

1-888-937-7278

WWW.WESTWARDPARTS.COM

INDEX

A
Accessories, Tank 69
Additives, Tank 80
ATV Mounted Sprayers 27-33, 52-53

B
Boom Assemblies 71-73
Broadcast Nozzles 70-73, 77

C
Caps, Nozzle 68

D
Dry Material Spreader, ATV 56-57
Dry Material Spreader, ATV Pull Behind 58-59
Dry Material Spreader, 3 Point Hitch 60
Dry Material Spreader, Truck Hitch 56

E
Electric Diaphragm Pump (12 Volt) 76-77

F
Foam For Marker 80

G
Gasoline Engine Skid Sprayers 47-50

H
Hitch (3 Point) Sprayers 38-46
Hose Barbs 70
Hose Reels 79

K
Kits, Spray Wands 77-78

L
Lawn Attachments 61-67
Lawn Rollers 61

M
Manifolds 70
Multifunction Sprayer 4
Multi-Lid 74

P
Packaged Parts 69-70
Pro Series Spot Sprayer 51
Pro Series ATV Sprayers 52-53
Pro Series 3PT Sprayer 54
Pro Series Trailer Sprayers 55
Pump Repair Kits 69
Pumps 75-76

R
Remote Control Kit (Remote Switch) 74
Roller, Lawn 61
Row Crop Sprayers 44-46

S
Skid Sprayers (Lawn & Garden) 47
Skid Mounted Sprayers (Ag.) 48-50
Skid Mounted Commercial Sprayers 48-50
Spot Sprayers 4-17, 51
Spray Wands 5, 77-78
Spray Wands & Parts 5, 69, 77-78
Spray Wand Kits 77-78
Spray Wand, Lithium Ion Powered 5,78

T
Tank Accessories 69,74
Tank Cleaning Agent 80
Tank Repair Parts 69
Three Point Hitch Sprayers 38-46, 54
Trailer Carts 64-67
Trailer Type Sprayers Lawn & Garden 18-26, 55

U
UTV Sprayer 34-37

W
Wheeled Spot Sprayers 4, 6-7

4 GALLON PORTABLE SPOT SPRAYER

BEST IN CLASS PUMP

- Rechargable Lithium Ion Spray Wand
- 65 Minute Run Time / Charge
- 10 ft Vertical Spray, 20 ft Horizontal Spray

REINFORCED STEEL HANDLE

- Durable Build
- Premium Materials

4 GALLON TANK

SUPERIOR TANK STRENGTH

- High Density Polyethylene Tank with UV Stabilizer
- Delivers Years of Dependable Use

BACKPACK STRAPS

- Fully Adjustable Strap Length
- Attached To Tank For Backpack Carry

RECHARGABLE BATTERY

- Rechargable Lithiom Ion Battery
- 3.6V Charger Included
- 2.5 Hour Recharge Time

LAWN GUARD BY FIMCO INDUSTRIES

LWN-GRD-4

Sprayer Weight	Water Weight	Sprayer W/Water Weight
20 lbs	33 lbs	53 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
LWN-GRD-4	5303079	4 Gallon	11#	14 x 11 x 23	150	2.1	GROUND	733029119995

LITHIUM ION POWERED SPRAY WAND PUMP

BEST IN CLASS PUMP

- Rechargable Lithium Ion Spray Wand
- 65 Minute Run Time / Charge
- Includes 3.6V Charger
- 10 ft Vertical Spray, 20 ft Horizontal Spray

NO MORE PUMPING

Easily Upgrade Your Pump-Up Sprayer To A Lithium Ion Powered Sprayer For Effortless Spraying

LAWN GUARD

SPRAYER & HOSE NOT INCLUDED

Model #	Code #	UPC Code
7772105	7772105	733029120212

5 GALLON WHEELED SPOT SPRAYER

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 1.2 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming
- Can Run Dry Without Damage
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

LEVER GRIP SPRAY WAND

- Up To 25 Feet Horizontal Spray
- Up To 15 Feet Vertical Spray
- Adjustable Spray Pattern

15 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

5 GALLON TANK

SUPERIOR TANK STRENGTH

- High Density Polyethylene Tank with UV Stabilizer
- Delivers Years of Dependable Use

RECHARGABLE PORTABLE POWER

12 Volt Rechargeable Battery with Charger.

LG-5-P

Sprayer Weight	Water Weight	Sprayer W/Water Weight
36 lbs	42 lbs	78 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
LG-5-P	5302165	5 Gallon	33#	22 x 17 x 22	150	4.8	GROUND	733029002211

8 GALLON WHEELED SPOT SPRAYER

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 1.2 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming
- Can Run Dry Without Damage
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

8 GALLON TANK

SUPERIOR TANK STRENGTH

- High Density Polyethylene Tank with UV Stabilizer
- Delivers Years of Dependable Use

RECHARGABLE PORTABLE POWER

12 Volt Rechargeable Battery with Charger.

LEVER GRIP SPRAY WAND

- Up To 25 Feet Horizontal Spray
- Up To 15 Feet Vertical Spray
- Adjustable Spray Pattern

15 FEET OF COILED HOSE

- Chemical Resistant Polyurethane Hose
- Coils for Easy Storage
- Provides Up To 30 Feet of Spraying Diameter

LG-8-P

Sprayer Weight	Water Weight	Sprayer W/Water Weight
23 lbs	67 lbs	90 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
LG-8-P	5302164	8 Gallon	26#	19 x 17 x 23	150	4.3	GROUND	733029007841

15 TO 25 GALLON SPOT SPRAYER

12 VOLT PUMP

- 1.0 GPM 12 Volt Electric Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming
- Fuse Protected
- Can Run Dry Without Damage
- 1 Year Pump Warranty

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

5 INCH TANK LID

- Lid Tethered To Tank
- Splash Prevention Flap In Lid
- Venting Reduces Tank Pressure

IN TANK / INLINE STRAINER

- 3/8 Inch Hose Barb Connection
- Minimizes Chemical Waste

LEVER GRIP SPRAY WAND

- Up To 20 Feet Horizontal Spray
- Up To 12 Feet Vertical Spray
- Adjustable Spray Pattern

15 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

SOLD AS A 9 PACK (15-SP-GS-B)
OR AS A SINGLE UNIT BOX (15-SP-GS)

15-SP-GS & 25-SP-GS

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
15-SP-GS-B*	5303643	15 Gallon	140#	47 X 33 X 40	150	35.9	LTL	733029124753
15-SP-GS	5303644	15 Gallon	14#	32 X 15 X 14.75	150	4.1	GROUND	733029124760
25-SP-GS	5303645	25 Gallon	20#	32 X 14.75 X 20.25	150	5.5	GROUND	733029124777

*** Only Available in Bulk Packaging of 9 in Multiples of 18. Minimum Order of 18.**

10 TO 30 GALLON STANDARD SPOT SPRAYERS

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 1.2 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming
- Can Run Dry Without Damage
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

LEVER GRIP SPRAY WAND

- Up To 25 Feet Horizontal Spray
- Up To 15 Feet Vertical Spray
- Adjustable Spray Pattern

15 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

LG-10-EC, LG-15-EC, LG-20-EC, LG-25-EC, LG-30-EC

Sprayer Model	Sprayer Weight	Water Weight	Sprayer W/Water Weight
LG-10-EC	13 lbs	83 lbs	96 lbs
LG-15-EC	14 lbs	125 lbs	139 lbs
LG-20-EC	16 lbs	167 lbs	183 lbs
LG-25-EC	18 lbs	209 lbs	227 lbs
LG-30-EC	21 lbs	250 lbs	271 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
LG-10-EC	5301547	10 Gallon	12#	31 x 14 x 12	150	3.1	GROUND	733029005250
LG-15-EC	5301302	15 Gallon	15#	34 x 14 x 16	150	4.5	GROUND	733029003058
LG-20-EC	5301548	20 Gallon	20#	38 x 18 x 15	150	6.0	GROUND	733029005267
LG-25-EC	5301378	25 Gallon	23#	40 x 16 x 19	150	7.1	GROUND	733029003195
LG-30-EC	5301561	30 Gallon	74#	42 x 19 x 16	150	8	GROUND	733029005472

15 TO 30 GALLON SPOT SPRAYERS

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 2.4 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming
- Can Run Dry Without Damage
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

LG-28-S
LG-30-S

DELUXE PISTOL GRIP SPRAY WAND

- Up To 40 Feet Horizontal Spray
- Up To 25 Feet Vertical Spray
- Adjustable Spray Pattern

LG-13-P
LG-29-P

LEVER GRIP SPRAY WAND

- Up To 30 Feet Horizontal Spray
- Up To 16 Feet Vertical Spray
- Adjustable Spray Pattern

15 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

LG-13-P, LG-29-P, LG-28-S, LG-30-S

Sprayer Model	Sprayer Weight	Water Weight	Sprayer W/Water Weight
LG-13-P	16 lbs	125 lbs	141 lbs
LG-29-P	20 lbs	209 lbs	229 lbs
LG-28-S	21 lbs	209 lbs	230 lbs
LG-30-S	24 lbs	250 lbs	274 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
LG-13-P	5300393	15 Gallon	18#	34 x 14 x 16	150	4.5	GROUND	733029001009
LG-29-P	5300632	25 Gallon	24#	40 x 16 x 19	150	7.1	GROUND	733029001443
LG-28-S	5301063	25 Gallon	24#	40 x 16 x 19	150	7.1	GROUND	733029002310
LG-30-S	5301478	30 Gallon	28#	42 x 19 x 16	150	7.4	GROUND	733029004246

15 & 25 GALLON SPOT SPRAYERS

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 2.4 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming
- Can Run Dry Without Damage
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

LEVER GRIP SPRAY WAND

- Up To 30 Feet Horizontal Spray
- Up To 16 Feet Vertical Spray
- Adjustable Spray Pattern

15 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

LG-14-PM & LG-25-PM

Sprayer Model	Sprayer Weight	Water Weight	Sprayer W/Water Weight
LG-14-PM	16 lbs	125 lbs	141 lbs
LG-25-PM	22 lbs	209 lbs	231 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
LG-14-PM	5301144	15 Gallon	18#	34 x 14 x 16	150	4.5	GROUND	733029002549
LG-25-PM	5301146	25 Gallon	24#	40 x 16 x 19	150	7.1	GROUND	733029002563

15 & 25 GALLON SPOT SPRAYERS

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 2.4 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming
- Can Run Dry Without Damage
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

DELUXE PISTOL GRIP SPRAY WAND

- Up To 40 Feet Horizontal Spray
- Up To 25 Feet Vertical Spray
- Adjustable Spray Pattern

15 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

LG-14-SM & LG-25-SM

Sprayer Model	Sprayer Weight	Water Weight	Sprayer W/Water Weight
LG-14-SM	16 lbs	125 lbs	141 lbs
LG-25-SM	21 lbs	209 lbs	230 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
LG-14-SM	5301145	15 Gallon	18#	34 x 14 x 16	150	4.5	GROUND	733029002556
LG-25-SM	5301147	25 Gallon	24#	40 x 16 x 19	150	7.1	GROUND	733029002570

25 GALLON SPOT SPRAYER

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 4.5 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming
- Can Run Dry Without Damage
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

DELUXE PISTOL GRIP SPRAY WAND

- Up To 40 Feet Horizontal Spray
- Up To 28 Feet Vertical Spray
- Adjustable Spray Pattern

15 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

LG-25-HV

Sprayer Weight	Water Weight	Sprayer W/Water Weight
22 lbs	209 lbs	231 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
LG-25-HV	5301222	25 Gallon	24#	40 x 16 x 19	150	7.1	GROUND	733029002990

40 GALLON DELUXE SPOT SPRAYER

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 2.4 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming
- Can Run Dry Without Damage
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

DELUXE PISTOL GRIP SPRAY WAND

- Up To 40 Feet Horizontal Spray
- Up To 25 Feet Vertical Spray
- Adjustable Spray Pattern

15 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

LG-40-DLX

Sprayer Weight	Water Weight	Sprayer W/Water Weight
28 lbs	334 lbs	362 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
LG-40-DLX	5302186	40 Gallon	30#	30 x 20 x 24	150	8.4	GROUND	733029107336

45 GALLON SPOT SPRAYER

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 4.5 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming - Can Run Dry Without Damage
- Fuse Protected
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

5 INCH TANK LID

- Lid Tethered To Tank
- Splash Prevention Flap In Lid
- Venting Reduces Tank Pressure

DELUXE PISTOL GRIP SPRAY WAND

- Up To 40 Feet Horizontal Spray
- Up To 28 Feet Vertical Spray
- Adjustable Spray Pattern

25 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

LG-45-SS

Sprayer Weight	Water Weight	Sprayer W/Water Weight
32 lbs	375 lbs	407 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
LG-45-SS	5303260	45 Gallon	32#	37.5 X 23.25 X 21.5	150	10.8	GROUND	733029123800

65 GALLON SPOT SPRAYER

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 4.5 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming - Can Run Dry Without Damage
- Fuse Protected
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

5 INCH TANK LID

- Lid Tethered To Tank
- Splash Prevention Flap In Lid
- Venting Reduces Tank Pressure

22" HIGH PRESSURE SPRAY WAND

- Ergonomic Design Lends To Less Fatigue
- Up To 38 Ft Horizontal & 27 Ft Vertical Spray
- Adjustable Spray Pattern

25 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

LG-65-HP

Sprayer Weight	Water Weight	Sprayer W/Water Weight
40 lbs	542 lbs	582 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
LG-65-HP	5303623	65 Gallon	40#	44.25 X 25.25 X 23.5	150	15.2	GROUND	733029123824

BRUSH SPOT SPRAYERS

DESIGNED TO CONTROL TOUGHER INVASIVE SPECIES SUCH AS WOODY PLANTS AND VINES.

BEST IN CLASS PUMP

- 2.2 GPM Pro Series 12 Volt Pump
- Maximum Pressure Of 100 PSI
- For Use With Oil-Water Emulsions, Oil Based Products And Harsh Chemicals
- Self Priming
- Can Run Dry Without Damage

HIGH FLO PRO SERIES PROFESSIONAL GRADE

15 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

LEVER GRIP SPRAY WAND

- Up To 30 Feet Horizontal Spray
- Up To 20 Feet Vertical Spray
- Adjustable Spray Pattern

BR-15-SP-EC, BR-25-SP-EC & BR-40-SP-EC

Sprayer Model	Sprayer Weight	Water Weight	Sprayer W/Water Weight
BR-15-SP-EC	15 lbs	125 lbs	140 lbs
BR-25-SP-EC	18 lbs	209 lbs	227 lbs
BR-40-SP-EC	19 lbs	334 lbs	353 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
BR-15-SP-EC	5303152	15 Gallon	18#	32 x 15 x 16	150	4.4	GROUND	733029121561
BR-25-SP-EC	5303153	25 Gallon	24#	32 x 15 x 21	150	5.9	GROUND	733029120755
BR-40-SP-EC	5303154	40 Gallon	22#	30 x 20 x 24	150	8.3	GROUND	733029121578

2-NOZZLE TRAILER SPRAYERS

15 Gallon 2-Nozzle Trailer Sprayer

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 1.2 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On/Off As Needed
- Self Priming
- Can Run Dry Without Damage
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

FUSE PROTECTED 8 FT LEAD WIRE

- Industry Leader In Safety
- Protects Vehicle Wiring
- Clips And On / Off Switch Included

Y MANIFOLD

- Lever Ball Valves Allow Flow & Pressure Control
- Garden Hose Threading Enables Fast Configuration

LEVER GRIP SPRAY WAND

- Up To 25 Feet Horizontal Spray
- Up To 15 Feet Vertical Spray
- Adjustable Spray Pattern

15 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Remains Flexible
- Less Prone To Kinking

2-NOZZLE RIGID STEEL BOOM

- 2-Nozzle Boom Delivers 7 Feet Of Spray Coverage

TURF TIRES

- 12” Diameter Pneumatic Turf Tires
- 5/8” Solid Steel Axle
- Sealed Ball Bearings

25-2N-TRL-GS & 15-2N-TRL-GS

Sprayer Model	Sprayer Weight	Water Weight	Sprayer W/Water Weight
15-2N-TRL-GS	38 lbs	125 lbs	163 lbs
25-2N-TRL-GS	40 lbs	209 lbs	249 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
25-2N-TRL-GS	5303199	25 Gallon	40#	40 X 15.75 X 21.25	150	7.7	GROUND	733029122063
15-2N-TRL-GS	5303198	15 Gallon	38#	40 X 15.75 X 15	150	5.5	GROUND	733029122056

25 GALLON TRAILER SPRAYERS

25 Gallon 2-Nozzle Trailer Sprayer

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 2.4 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming - Can Run Dry Without Damage
- Fuse Protected
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

LEVER GRIP SPRAY WAND

- Up To 30 Feet Horizontal Spray
- Up To 16 Feet Vertical Spray
- Adjustable Spray Pattern

15 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Remains Flexible
- Less Prone To Kinking

PREMIUM SPRAY TIPS

- TeeJet Turbo Floodjet TF-VP3
- Reduces Chemical Drift
- Includes Check Valve Strainer

AVAILABLE BOOM OPTIONS

3-NOZZLE BOOM

- 10 Foot Spray Coverage
- Folding Steel Boom

2-NOZZLE BOOM

- 7 Feet Spray Coverage
- Rigid Steel Boom

TURF TIRES

- 12” Diameter Pneumatic Turf Tires
- 5/8” Solid Steel Axle
- Sealed Ball Bearings

25-3N-TRL-GS & 25-2N-TRL-12V-GS

Sprayer Model	Sprayer Weight	Water Weight	Sprayer W/Water Weight
25-3N-TRL-GS	43 lbs	209 lbs	252 lbs
25-2N-TRL-12V-GS	43 lbs	209 lbs	252 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
25-3N-TRL-GS	5303649	25 Gallon	43#	40 X 15.75 X 21.25	150	7.7	GROUND	733029124784
25-2N-TRL-12V-GS	5303816	25 Gallon	43#	40 X 15.75 X 21.25	150	7.7	GROUND	733029128263

20 GALLON 2-NOZZLE TRAILER SPRAYER

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 2.4 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming
- Can Run Dry Without Damage
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included
- Includes 5 foot lead wire extension

INNOVATIVE BREAK AWAY BOOM

- Boom Folds Backwards If Striking An Obstacle
- Boom Folds Forward For Compact Storage

DELUXE PISTOL GRIP SPRAY WAND

- Up To 40 Feet Horizontal Spray
- Up To 25 Feet Vertical Spray
- Adjustable Spray Pattern

15 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

PREMIUM SPRAY TIPS

- Premium Wide Angle Tips
- Reduces Chemical Drift
- Includes Anti-Drip Strainer

2-NOZZLE BREAKAWAY STEEL BOOM

- 2-Nozzle Boom Delivers 7 Feet Of Spray Coverage
- Folding Steel Boom

TURF TIRES

- 12” Diameter Pneumatic Turf Tires
- 5/8” Solid Steel Axle
- Sealed Ball Bearings

LG-20-TRL

Sprayer Weight	Water Weight	Sprayer W/Water Weight
51 lbs	167 lbs	218 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
LG-20-TRL	5302316	20 Gallon	46#	36 x 20 x 17	150	7.1	GROUND	733029110008

30 GALLON 2-NOZZLE TRAILER SPRAYER

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 2.4 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming
- Can Run Dry Without Damage
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included
- Includes 5 foot lead wire extension

INNOVATIVE BREAK AWAY BOOM

- Boom Folds Backwards If Striking An Obstacle
- Boom Folds Forward For Compact Storage

DELUXE PISTOL GRIP SPRAY WAND

- Up To 40 Feet Horizontal Spray
- Up To 25 Feet Vertical Spray
- Adjustable Spray Pattern

15 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

PREMIUM SPRAY TIPS

- Premium Wide Angle Tips
- Reduces Chemical Drift
- Includes Anti-Drip Strainer

2-NOZZLE BREAKAWAY STEEL BOOM

- 2-Nozzle Boom Delivers 7 Feet Of Spray Coverage
- Foldable Steel Boom

TURF TIRES

- 16” Diameter Pneumatic Turf Tires
- 3/4” Solid Steel Axle
- Heavy Duty Roller Bearings

LG-30-TRL

Sprayer Weight	Water Weight	Sprayer W/Water Weight
58 lbs	250 lbs	313 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
LG-30-TRL	5302317	30 Gallon	62#	45 x 20 x 20	150	11	GROUND	733029110015

45 GALLON 4-NOZZLE 12V TRAILER SPRAYER

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 2.4 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming - Can Run Dry Without Damage
- Fuse Protected
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included
- Includes 5 foot lead wire extension

DELUXE PISTOL GRIP SPRAY WAND

- Up To 40 Feet Horizontal Spray
- Up To 25 Feet Vertical Spray
- Adjustable Spray Pattern

25 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

PREMIUM SPRAY TIPS

- TeeJet AIXR11002 Air Induction XR Flat Spray Tips
- Reduces Chemical Drift
- Includes Check Valve Strainer

4-NOZZLE FOLDING STEEL BOOM

- 4-Nozzle Boom
- Delivers 10 Feet Of Spray Coverage
- Folding Steel Boom

TURF TIRES

- 16” Diameter Pneumatic Turf Tires
- 3/4” Solid Steel Axle
- Heavy Duty Roller Bearings

TRL-45-12V-4

Sprayer Weight	Water Weight	Sprayer W/Water Weight
103 lbs	375 lbs	478 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
TRL-45-12V-4	5303635	45 Gallon	103#	39.75 X 23.5 X 25.5	150	13.8	GROUND	733029124135

65 GALLON 12V TRAILER SPRAYERS

65 Gallon 3-Nozzle Broadcast Trailer Sprayer

BEST IN CLASS PUMP

- 4.5 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming - Can Run Dry Without Damage
- Fuse Protected
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

HIGH-FLO HIGH PERFORMANCE

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

TURF TIRES

- 18" Diameter x 8.5" Wide Pneumatic Turf Tire
- 1" Solid Steel Axle
- Heavy Duty Greaseable Roller Bearings

DELUXE PISTOL GRIP SPRAY WAND

- Up To 40 Feet Horizontal Spray
- Up To 28 Feet Vertical Spray
- Adjustable Spray Pattern

25 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included
- Includes 5 foot lead wire extension

AVAILABLE BOOM OPTIONS

3-NOZZLE BROADCAST

- 36 Foot Spray Coverage
- Each Nozzle Sprays Independently
- FIMCO Exclusive Nozzle Bodies & Tips

7-NOZZLE BOOM

- 12 Feet Spray Coverage
- Folding Steel Boom
- TeeJet AIXR11003 Tips

TRL-65-12V-BL & TRL-12V-65-7

Sprayer Model	Sprayer Weight	Water Weight	Sprayer W/Water Weight
TRL-65-12V-BL	137 lbs	542 lbs	679 lbs
TRL-65-12V-7	153 lbs	542 lbs	695 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
TRL-65-12V-BL	5303638	65 Gallon	137#	46 X 34.25 X 28.25	150	25.8	LTL	733029124470
TRL-65-12V-7	5303637	65 Gallon	153#	46 X 34.25 X 28.25	150	25.8	LTL	733029124463

65 GALLON GAS TRAILER SPRAYERS

65 Gallon 7-Nozzle Trailer Sprayer

CONSUMER 1 YEAR WARRANTY COMMERCIAL 90 DAYS

BRIGGS & STRATTON ENGINE

- 127cc Gas Engine
- 4 Roller Pump - 7.2 GPM
- Pressure Relief Valve
- 2" 0-200 PSI Dry Gauge
- Suction Line Sump
- 3/4 Inch Black Poly Strainer

25 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

TURF TIRES

- 18" Diameter x 8.5" Wide Pneumatic Turf Tire
- 1" Solid Steel Axle
- Heavy Duty Greaseable Roller Bearings

AVAILABLE BOOM OPTIONS

3-NOZZLE BROADCAST

- 36 Foot Spray Coverage
- Each Nozzle Sprays Independently
- FIMCO Exclusive Nozzle Bodies & Tips

7-NOZZLE BOOM

- 12 Feet Spray Coverage
- Folding Steel Boom
- TeeJet AIXR11003 Tips

DELUXE PISTOL GRIP SPRAY WAND

- Up To 45 Feet Horizontal Spray
- Up To 30 Feet Vertical Spray
- Adjustable Spray Pattern

TRL-65-4R-BL & TRL-65-4R-7

Sprayer Model	Sprayer Weight	Water Weight	Sprayer W/Water Weight
TRL-65-4R-BL	214 lbs	542 lbs	756 lbs
TRL-65-4R-7	230 lbs	542 lbs	772 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
TRL-65-4R-BL	5303640	65 Gallon	214#	73 X 26 X 30.5	150	33.5	LTL	733029124494
TRL-65-4R-7	5303639	65 Gallon	230#	73 X 26 X 30.5	150	33.5	LTL	733029124487

200 GALLON TRAILER SPRAYER

BRIGGS & STRATTON ENGINE

- 127cc Gas Engine
- XR550 Engine
- 5.50 ft-lb Gross Torque

EASY ACCESS TO COMPONENTS

- Direct Drive Hypro 4 Roller Pump
- 7.2 GPM Max Flow
- 150 PSI Max Pressure
- Pressure Regulator
- Anti Vortex Suction Bulkhead
- 0-400 PSI Liquid Filled Pressure Gauge

HEAVY DUTY WHEELS

- 23” Diameter x 10.5” Wide Pneumatic Turf Tires
- 12” 5 Bolt Rims

TRAILER HITCH

- Height Adjustable
- Fold Away Tongue Stand

HEAVY DUTY SPRAY NOZZLE

- Rubber Grip
- Adjustable Spray Pattern

MANUAL HOSE REEL

- 100 Feet
- 600 PSI 1/2” PVC Hose

MAXIMUM TOW SPEED 10 MPH

FT-200-4R

Sprayer Weight	Water Weight	Sprayer W/Water Weight
550 lbs	1670 lbs	2220 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
FT-200-4R	5303634	200 Gallon	550#	84 X 60 X 54	150	157.5	LTL	733029123909

200 GALLON PASTURE SPRAYER

CONSUMER 1 YEAR WARRANTY COMMERCIAL 90 DAYS

BRIGGS & STRATTON ENGINE

- 127cc Gas Engine
- Hypro 4 Roller Cast Iron Pump
- The Long-Life OHV Design Runs Cool And Clear To Deliver Exceptional Power And Fuel Economy
- The Forged Crankshaft And Dura-Bore Cast Iron Cylinder Sleeve Withstand Wear And Tear For A Long Engine Life

PRESSURE GAUGE / RELIEF VALVE

- 2" Pressure Gauge 0-200 PSI
- TeeJet Pressure Regulator
- TeeJet Directo Valves For Left And Right Boom Control

200 GALLON TANK

SUPERIOR TANK STRENGTH

- High Density Polyethylene Tank with UV Stabilizer
- Delivers Years of Dependable Use
- 10” Tethered Lid

2-NOZZLE BROADCAST

- Stainless Steel Fittings With 32’ Coverage At 4.8 GPM
- Hypro XT024 Boom X Tender Spray Nozzles
- Toolless Nozzle Height Adjustment

TRAILER HITCH

- Height Adjustable
- Fold Away Tongue Stand

22” HIGH PRESSURE SPRAY WAND

- Ergonomic Design Lends To Less Fatigue
- Up To 38 Ft Horizontal & 27 Ft Vertical Spray
- Adjustable Spray Pattern

25 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

HEAVY DUTY WHEELS

- 23” Diameter x 10.5” Wide Pneumatic Turf Tires
- 12” 5 Bolt Rims

MAXIMUM TOW SPEED 10 MPH

ATVTS-200-4R-BL

Sprayer Weight	Water Weight	Sprayer W/Water Weight
550 lbs	1670 lbs	2220 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
ATVTS-200-4R-BL	5303223	200 Gallon	550#	84 X 60 X 54	150	157.5	LTL	733029122339

15 GALLON 2-NOZZLE VALUE ATV SPRAYER

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 1.2 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On/Off As Needed
- Self Priming
- Can Run Dry Without Damage
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

FUSE PROTECTED 8 FT LEAD WIRE

- Industry Leader In Safety
- Protects Vehicle Wiring
- Clips And On / Off Switch Included

Y MANIFOLD

- Lever Ball Valves Allow Flow & Pressure Control
- Garden Hose Threading Enables Fast Configuration

LEVER GRIP SPRAY WAND

- Up To 25 Feet Horizontal Spray
- Up To 15 Feet Vertical Spray
- Adjustable Spray Pattern

15 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Remains Flexible
- Less Prone To Kinking

2-NOZZLE RIGID STEEL BOOM

- 2-Nozzle Boom Delivers 7 Feet Of Spray Coverage

15-2N-ATV-GS

Sprayer Model	Sprayer Weight	Water Weight	Sprayer W/Water Weight
15-2N-ATV-GS	26 lbs	125 lbs	151 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
15-2N-ATV-GS	5303197	15 Gallon	26#	40 X 15.75 X 15	150	5.5	GROUND	733029122049

25 GALLON 3-NOZZLE ATV SPRAYER

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 2.4 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming - Can Run Dry Without Damage
- Fuse Protected
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

LEVER GRIP SPRAY WAND

- Up To 30 Feet Horizontal Spray
- Up To 16 Feet Vertical Spray
- Adjustable Spray Pattern

15 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Remains Flexible
- Less Prone To Kinking

PREMIUM SPRAY TIPS

- TeeJet Turbo Floodjet TF-VP3
- Reduces Chemical Drift
- Includes Check Valve Strainer

3-NOZZLE FOLDING STEEL BOOM

- Delivers 10 Feet of Spray Coverage
- 40 Inch Nozzle Spacing
- 82” Folding Steel Boom

25-3N-ATV-GS

Sprayer Weight	Water Weight	Sprayer W/Water Weight
30 lbs	209 lbs	239 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
25-3N-ATV-GS	5303648	25 Gallon	30#	40 X 15.75 X 21.25	150	7.7	GROUND	733029124814

15 & 20 GALLON 2-NOZZLE ATV SPRAYERS

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 2.4 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming
- Can Run Dry Without Damage
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

QUICK RELEASE BOOM CLAMPS

- Quickly And Easily Install Or Remove Boom
- Securely Clamps Boom Into Place

LEVER GRIP SPRAY WAND

- Up To 30 Feet Horizontal Spray
- Up To 16 Feet Vertical Spray
- Adjustable Spray Pattern

15 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

PREMIUM SPRAY TIPS

- Premium Wide Angle Tips
- Reduces Chemical Drift
- Includes Anti-Drip Strainer

2-NOZZLE RIGID STEEL BOOM

- 2-Nozzle Boom Delivers 7 Feet Of Spray Coverage
- Solid Steel Boom

ATV-15-2-QR & ATV-20-2-QR

Sprayer Model	Sprayer Weight	Water Weight	Sprayer W/ Water Weight
ATV-15-2-QR	25 lbs	125 lbs	192 lbs
ATV-20-2-QR	27 lbs	209 lbs	194 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
ATV-15-2-QR	5302318	15 Gallon	26#	40 x 19 x 16	150	7.1	GROUND	733029110022
ATV-20-2QR	5302319	20 Gallon	27#	40 x 19 x 16	150	7.1	GROUND	733029110039

25 GALLON 7-NOZZLE ATV SPRAYER

SPRAYER 1 YEAR WARRANTY PUMP 2 YEAR

HIGH-FLO HIGH PERFORMANCE

BEST IN CLASS PUMP

- 2.4 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming
- Can Run Dry Without Damage
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

QUICK RELEASE BOOM CLAMPS

- Quickly And Easily Install Or Remove Boom
- Securely Clamps Boom Into Place

LEVER GRIP SPRAY WAND

- Up To 30 Feet Horizontal Spray
- Up To 16 Feet Vertical Spray
- Adjustable Spray Pattern

15 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

PREMIUM SPRAY TIPS

- Premium Air Induction Tips
- Reduces Chemical Drift
- Includes Anti-Drip Strainer

7-NOZZLE FOLDING STEEL BOOM

- 7-Nozzle Boom Delivers 12 Feet Of Spray Coverage
- Folding Steel Boom

ATV-25-700-QR

Sprayer Weight	Water Weight	Sprayer W/Water Weight
50 lbs	209 lbs	268 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
ATV-25-700-QR	5302320	25 Gallon	56#	56 x 20 x 21	150	13.7	GROUND	733029110046

25 GALLON 7-NOZZLE DELUXE ATV SPRAYER

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 4.5 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming
- Can Run Dry Without Damage
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

QUICK RELEASE BOOM CLAMPS

- Quickly And Easily Install Or Remove Boom
- Securely Clamps Boom Into Place

DELUXE PISTOL GRIP SPRAY WAND

- Up To 40 Feet Horizontal Spray
- Up To 28 Feet Vertical Spray
- Adjustable Spray Pattern

15 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

PREMIUM SPRAY TIPS

- Premium Air Induction Tips
- Reduces Chemical Drift
- Includes ChemSaver Drip-Free Shut Off

7-NOZZLE FOLDING STEEL BOOM

- 7-Nozzle Boom Delivers 12 Feet Of Spray Coverage
- Shielded Folding Steel Boom

ATV-25-71-QR

Sprayer Weight	Water Weight	Sprayer W/Water Weight
64 lbs	209 lbs	273 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
ATV-25-71-QR	5302321	25 Gallon	65#	56 x 20 x 21	150	13.7	GROUND	733029110053

25 GALLON 2-NOZZLE BROADCAST ATV SPRAYER

SPRAYER 1 YEAR WARRANTY PUMP 2 YEAR

HIGH-FLO HIGH PERFORMANCE

BEST IN CLASS PUMP

- 4.5 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming
- Can Run Dry Without Damage
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

GARDEN HOSE MANIFOLD

- Allows User to Fine Tune Chemical Application
- Standard Garden Hose Fittings

DELUXE PISTOL GRIP SPRAY WAND

- Up To 40 Feet Horizontal Spray
- Up To 25 Feet Vertical Spray
- Adjustable Spray Pattern

15 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

PREMIUM SPRAY TIPS

- FIMCO Exclusive Long Range Spray Nozzles
- Reduces Chemical Drift

QUICK RELEASE BOOM CLAMPS

- Quickly And Easily Install Or Remove Boom
- Securely Clamps Boom Into Place

2-NOZZLE BROADCAST BOOM

- 2 Nozzle Spray Pattern
- Delivers 28 Feet Of Spray Coverage

LG-25-BL-QR

Sprayer Weight	Water Weight	Sprayer W/Water Weight
31 lbs	209 lbs	240 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
LG-25-BL-QR	5302323	25 Gallon	37#	39 x 19 x 16	150	6.9	GROUND	733029110077

25 GALLON 3-NOZZLE BROADCAST ATV SPRAYER

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 4.5 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming
- Can Run Dry Without Damage
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

QUICK RELEASE BOOM CLAMPS

- Quickly And Easily Install Or Remove Boom
- Securely Clamps Boom Into Place

DELUXE PISTOL GRIP SPRAY WAND

- Up To 40 Feet Horizontal Spray
- Up To 28 Feet Vertical Spray
- Adjustable Spray Pattern

15 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

PREMIUM SPRAY TIPS

- Exclusive nozzle bodies and spray tips
- Includes on/off valves & drip free nozzles
- Each nozzle can be used independently

3-NOZZLE BROADCAST BOOM

- Broadcast Boom Delivers 36 Feet Of Spray Coverage
- End Nozzles Sprays 15 Feet
- Center Nozzle Sprays 6 Feet

LG-3025-QR

Sprayer Weight	Water Weight	Sprayer W/Water Weight
31 lbs	209 lbs	240 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
LG-3025-QR	5302322	25 Gallon	35#	39 x 19 x 16	150	6	GROUND	733029110060

45 GALLON 3-NOZZLE UTV SPRAYER

SPRAYER 1 YEAR WARRANTY PUMP 2 YEAR

HIGH-FLO HIGH PERFORMANCE

BEST IN CLASS PUMP

- 2.4 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming - Can Run Dry Without Damage
- Fuse Protected
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

LEVER GRIP SPRAY WAND

- Up To 30 Feet Horizontal Spray
- Up To 16 Feet Vertical Spray
- Adjustable Spray Pattern

15 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Remains Flexible
- Less Prone To Kinking

PREMIUM SPRAY TIPS

- TeeJet AIXR11002 Air Induction XR Flat Spray Tips
- Reduces Chemical Drift
- Includes Check Valve Strainer

3-NOZZLE FOLDING STEEL BOOM

- Delivers 7.5 Feet of Spray Coverage
- 30 Inch Nozzle Spacing
- 62" Folding Steel Boom
- Boom Mounts To Standard 2" Receiver

45-3N-UTV-GS

Sprayer Weight	Water Weight	Sprayer W/Water Weight
45 lbs	375 lbs	420 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
45-3N-UTV-GS	5303650	45 Gallon	45#	37.5 X 23.25 X 21.5	150	10.8	GROUND	733029124791

65 GALLON 5-NOZZLE UTILITY VEHICLE SPRAYER

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 2.4 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming - Can Run Dry Without Damage
- Fuse Protected
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

LEVER GRIP SPRAY WAND

- Up To 30 Feet Horizontal Spray
- Up To 20 Feet Vertical Spray
- Adjustable Spray Pattern

15 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Remains Flexible
- Less Prone To Kinking

PREMIUM SPRAY TIPS

- TeeJet AIXR11002 Air Induction XR Flat Spray Tips
- Reduces Chemical Drift
- Includes Check Valve Strainer

5-NOZZLE FOLDING STEEL BOOM

- Delivers 12.5 Feet of Spray Coverage
- 30 Inch Nozzle Spacing
- 122” Folding Steel Boom
- Boom Mounts To Standard 2” Receiver

65-5N-UTV-GS

Sprayer Weight	Water Weight	Sprayer W/Water Weight
56 lbs	542 lbs	598 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
65-5N-UTV-GS	5303651	65 Gallon	56#	44.25 X 25.25 X 23.5	150	15.2	GROUND	733029124807

45 GALLON UTILITY VEHICLE SPRAYERS

7-Nozzle Boom

SPRAYER 1 YEAR WARRANTY PUMP 2 YEAR

HIGH-FLO HIGH PERFORMANCE

BEST IN CLASS PUMP

- 4.5 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming
- Can Run Dry Without Damage
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

FIMCO EXCLUSIVE MEASURING LID

- Accurately measure and pour chemicals
- 32 oz measuring cup is attached to tank lid
- Garden hose port secures hose for easy filling

DELUXE PISTOL GRIP SPRAY WAND

- Up To 40 Feet Horizontal Spray
- Up To 28 Feet Vertical Spray
- Adjustable Spray Pattern

25 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

AVAILABLE BOOM OPTIONS

3-NOZZLE BROADCAST

- 36 Foot Spray Coverage
- Each Nozzle Sprays Independently

7-NOZZLE BOOM

- 12 Feet Spray Coverage
- Folding Steel Boom

AVAILABLE ACCESSORY

HEAVY DUTY HOSE REEL

- 50 Feet Of 3/8 Inch Hose

Product	Tank Size	Dry Sprayer Weight Without Spray Boom	Dry Sprayer Weight With Spray Boom	Total Sprayer Weight When Filled with Water
UTV-45-7	36" x 30"	53 lbs	83 lbs	465 lbs
UTV-45-BL	36" x 30"	53 lbs	66 lbs	450 lbs

UTV-45-7 & UTV-45-BL

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
UTV-45-7	5302864	45 Gallon	85#	46 x 31 x 19	150	14	LTL	733029114839
UTV-45-BL	5302865	45 Gallon	68#	37 x 31 x 18	150	14	LTL	733029114822
UTV-HR-50	5302886	NA	33#	34 x 16 x 14	85	4.5	GROUND	733029115003

65 GALLON UTILITY VEHICLE SPRAYERS

3-Nozzle Boomless

SPRAYER 1 YEAR WARRANTY PUMP 2 YEAR

BEST IN CLASS PUMP

HIGH-FLO HIGH PERFORMANCE

- 4.5 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming
- Can Run Dry Without Damage
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

FIMCO EXCLUSIVE MEASURING LID

- Accurately measure and pour chemicals
- 32 oz measuring cup is attached to tank lid
- Garden hose port secures hose for easy filling

DELUXE PISTOL GRIP SPRAY WAND

- Up To 40 Feet Horizontal Spray
- Up To 28 Feet Vertical Spray
- Adjustable Spray Pattern

25 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

AVAILABLE BOOM OPTIONS

3-NOZZLE BROADCAST

- 36 Foot Spray Coverage
- Each Nozzle Sprays Independently

7-NOZZLE BOOM

- 12 Feet Spray Coverage
- Folding Steel Boom

AVAILABLE ACCESSORY

HEAVY DUTY HOSE REEL

- 50 Feet Of 3/8 Inch Hose

Product	Tank Size	Dry Sprayer Weight Without Spray Boom	Dry Sprayer Weight With Spray Boom	Total Sprayer Weight When Filled with Water
UTV-65-7	47" x 34.5"	58 lbs	87 lbs	640 lbs
UTV-65-BL	47" x 34.5"	58 lbs	72 lbs	625 lbs

UTV-65-7 & UTV-65-BL

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
UTV-65-7	5302830	65 Gallon	97#	48 x 36 x 19	150	18	LTL	733029114433
UTV-65-BL	5302843	65 Gallon	85#	48 x 36 x 19	150	18	LTL	733029114327
UTV-HR-50	5302886	NA	33#	34 x 16 x 14	85	4.5	GROUND	733029115003

30 GALLON 3-NOZZLE 3 POINT SPRAYER

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 2.4 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming - Can Run Dry Without Damage
- Fuse Protected
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

LEVER GRIP SPRAY WAND

- Up To 30 Feet Horizontal Spray
- Up To 16 Feet Vertical Spray
- Adjustable Spray Pattern

15 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Remains Flexible
- Less Prone To Kinking

PREMIUM SPRAY TIPS

- TeeJet AIXR11002 Air Induction XR Flat Spray Tips
- Reduces Chemical Drift
- Includes Check Valve Strainer

3-NOZZLE FOLDING STEEL BOOM

- Delivers 7.5 Feet of Spray Coverage
- 30 Inch Nozzle Spacing
- 62" Folding Steel Boom

3 POINT HITCH

- Category 1
- Steel Construction

30-3N-3PT-GS

Sprayer Weight	Water Weight	Sprayer W/Water Weight
60 lbs	250 lbs	310 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
30-3N-3PT-GS	5303678	30 Gallon	60#	37.5 X 23.25 X 21.5	150	10.8	GROUND	733029124951

45 GALLON 4-NOZZLE 3 POINT SPRAYER

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 2.4 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming
- Can Run Dry Without Damage
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

DELUXE PISTOL GRIP SPRAY WAND

- Up To 40 Feet Horizontal Spray
- Up To 25 Feet Vertical Spray
- Adjustable Spray Pattern

25 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

PREMIUM SPRAY TIPS

- Premium Air Induction Tips
- Reduces Chemical Drift
- Includes Anti-Drip Strainer

4-NOZZLE FOLDING STEEL BOOM

- 4-Nozzle Boom Delivers 10 Feet Of Spray Coverage
- Folding Steel Boom

3 POINT CARRIER FRAME

- Provides Strength And Support To The Tank
- Connects To The 3-Point Hitch On A Tractor
- Category 1

3PT-45-12V-4

Sprayer Weight	Water Weight	Sprayer W/Water Weight
97 lbs	375 lbs	481 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
3PT-45-12V-4	5303244	45 Gallon	107#	40 x 24 x 26	150	14.5	LTL	733029122711

45 GALLON 3-NOZZLE BROADCAST 3 POINT SPRAYER

SPRAYER 1 YEAR WARRANTY PUMP 2 YEAR

HIGH-FLO HIGH PERFORMANCE

BEST IN CLASS PUMP

- 4.5 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming
- Can Run Dry Without Damage
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

DELUXE PISTOL GRIP SPRAY WAND

- Up To 40 Feet Horizontal Spray
- Up To 28 Feet Vertical Spray
- Adjustable Spray Pattern

25 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

PREMIUM SPRAY TIPS

- Exclusive nozzle bodies and spray tips
- Includes on/off valves & drip free nozzles
- Each nozzle can be used independently

3-NOZZLE BROADCAST BOOM

- Broadcast Boom Delivers 36 Feet Of Spray Coverage
- End Nozzles Sprays 15 Feet
- Center Nozzle Sprays 6 Feet

3 POINT CARRIER FRAME

- Provides Strength And Support To The Tank
- Connects To The 3-Point Hitch On A Tractor
- Category 1

3PT-45-12V-BL

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
3PT-45-12V-BL	5303245	45 Gallon	116#	40 x 24 x 26	150	14.5	LTL	733029122728

65 GALLON 3-NOZZLE BROADCAST 3 POINT SPRAYER

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 4.5 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming - Can Run Dry Without Damage
- Fuse Protected
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

5 INCH TANK LID

- Lid Tethered To Tank
- Splash Prevention Flap In Lid
- Venting Reduces Tank Pressure

DELUXE PISTOL GRIP SPRAY WAND

- Up To 40 Feet Horizontal Spray
- Up To 28 Feet Vertical Spray
- Adjustable Spray Pattern

25 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

PREMIUM SPRAY TIPS

- Exclusive Nozzle Bodies And Spray Tips
- Includes On/Off Valves & Drip Free Nozzles
- Each Nozzle Can Be Used Independently

3-NOZZLE BRAODCAST BOOM

- Broadcast Boom Delivers 36 Feet Of Spray Coverage
- End Nozzles Sprays 15 Feet
- Center Nozzle Sprays 6 Feet

3 POINT CARRIER FRAME

- Provides Strength And Support To The Tank
- Connects To The 3-Point Hitch On A Tractor
- Category 1

3PT-65-12V-BL

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
3PT-65-12V-BL	5303251	65 Gallon	121#	46 X 32.5 X 38.5	150	33.3	LTL	733029122643

65 GALLON 7-NOZZLE 3 POINT SPRAYER

HIGH-FLO
HIGH PERFORMANCE

BEST IN CLASS PUMP

- 4.5 GPM High Performance 12 Volt Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming - Can Run Dry Without Damage
- Fuse Protected
- Chemical Resistant Components
- Fan Cooled To Promote Longevity & Efficiency

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- Easily Monitor Pressure With Highly Visible Gauge
- Quick Connect Fittings Enables Fast Configuration

FUSE PROTECTED 8 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

5 INCH TANK LID

- Lid Tethered To Tank
- Splash Prevention Flap In Lid
- Venting Reduces Tank Pressure

DELUXE PISTOL GRIP SPRAY WAND

- Up To 40 Feet Horizontal Spray
- Up To 28 Feet Vertical Spray
- Adjustable Spray Pattern

25 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

PREMIUM SPRAY TIPS

- TeeJet AIXR11003 Air Induction XR Flat Spray Tips
- Reduces Chemical Drift
- Includes Check Valve Strainer

7-NOZZLE FOLDING BOOM

- 7-Nozzle Boom Delivers 12 Feet Of Spray Coverage
- Folding Steel Boom

3 POINT CARRIER FRAME

- Provides Strength And Support To The Tank
- Connects To The 3-Point Hitch On A Tractor
- Category 1

3PT-65-12V-7

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
3PT-65-12V-7	5303250	65 Gallon	137#	46 X 32.5 X 38.5	150	33.3	LTL	733029122636

65 GALLON 3-NOZZLE BROADCAST 3 POINT SPRAYERS

7-Nozzle Boom

CONSUMER 1 YEAR WARRANTY COMMERCIAL 90 DAYS

INCLUDED WITH 3PT-65-6R-7 & 3PT-65-6R-BL ONLY

6 ROLLER PUMP

- 9.76 GPM at 540 RPM - 18.2 GPM at 1000 RPM
- Max Pressure 300 PSI - Max Speed 1200 RPM
- Max Output 21.8 GPM

DIE CAST QUICK COUPLER

- Multi-Speed Die Cast Quick Coupler
- Easy PTO Connection

DELUXE PISTOL GRIP SPRAY WAND

- Up To 45 Feet Horizontal Spray
- Up To 30 Feet Vertical Spray
- Adjustable Spray Pattern

3 POINT CARRIER FRAME

- Provides Strength And Support To The Tank
- Connects To The 3-Point Hitch On A Tractor
- Category 1

AVAILABLE BOOM OPTIONS

3-NOZZLE BROADCAST

- **36 Foot Spray Coverage**
- **Each Nozzle Sprays Independently**

7-NOZZLE BOOM

- **12 Feet Spray Coverage**
- **Folding Steel Boom**

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
3PT-65-6R-BL	5303253	65 Gallon	135#	46 X 32.5 X 38.5	150	33.3	LTL	733029122650
3 Boomless Nozzles, Includes Pump, Coupler and Spray Wand								
3PT-65-NR-BL	5303255	65 Gallon	127#	46 X 32.5 X 38.5	150	33.3	LTL	733029122698
Includes Spray Wand, Pump and Coupler NOT Included.								
3PT-65-6R-7	5303252	65 Gallon	151#	46 X 32.5 X 38.5	150	33.3	LTL	733029122629
7-Nozzle Boom, Includes Pump, Coupler and Spray Wand								
3PT-65-NR-7	5303254	65 Gallon	143#	46 X 32.5 X 38.5	-150	33.3	LTL	733029122681
Includes Spray Wand, Pump and Coupler NOT Included.								

110 GALLON 3 POINT SPRAYERS

2-Nozzle Broadcast

CONSUMER 1 YEAR WARRANTY COMMERCIAL 90 DAYS

110 GALLON TANK — SUPERIOR TANK STRENGTH

- High Density Polyethylene Tank with UV Stabilizer
- Delivers Years of Dependable Use

PLUMBING KIT

- TeeJet Selector Valve and Pressure Relief/Regulator
- 22" Pro Series Spray Wand w/25' of 3/8" Hose
- Plumbing Kit

6 ROLLER PUMP

- 9.76 GPM at 540 RPM - 18.2 GPM at 1000 RPM
- Max Pressure 300 PSI - Max Speed 1200 RPM
- Max Output 21.8 GPM

10-NOZZLE FOLDING BOOM

- 17' Coverage With 10 Nozzles
- TeeJet AIXR Nozzle – 0.3 GPM at 40 PSI With Strainer
- Teejet ChemSaver Drip-free Shutoff Nozzle Body

3 POINT CARRIER FRAME

- Connects To The 3-Point Hitch On A Tractor
- CAT I Direct, CAT II Direct, CAT II Quick, and CAT III Narrow Quick
- Provides Strength and Support To The Tank

2-NOZZLE BROADCAST ASSEMBLY

- 32' Coverage With 2 Nozzles
- Hypro Xtender Tip FC-XT020 – 2.0 GPM at 40 PSI
- Teejet ChemSaver Drip-free Shutoff Nozzle Body

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
3PT-110-6R-1025FX4	5303763	110 Gallon	320#	51 x 46 x 89	150	121	LTL	733029126313
Includes: 6 Roller Cast Iron Pump, Quick Coupler And 22" Pro Series Spray Wand W/ 25' Of Hose; 10-Nozzle FX4 Boom								
3PT-110-6R-2BB	5303764	110 Gallon	285#	51 x 46 x 50	150	68	LTL	733029126337
Kit Includes: 6 Roller Cast Iron Pump, Quick Coupler And 22" Pro Series Spray Wand W/ 25' Of Hose; 2 Broadcast Nozzles								
3PT-110-NR-1025FX4	5303765	110 Gallon	310#	51 x 46 x 89	150	121	LTL	733029126344
Includes: 22" Pro Series Spray Wand W/ 25' Of Hose; 10-Nozzle FX4 Boom; Plumbing Kit Assembly; ***Pump and Quick Coupler Not Included***								

200 GALLON 3 POINT SPRAYERS

2-Nozzle Broadcast

200 GALLON TANK — SUPERIOR TANK STRENGTH

- High Density Polyethylene Tank with UV Stabilizer
- Delivers Years of Dependable Use

PLUMBING KIT

- TeeJet Selector Valve and Pressure Relief/Regulator
- 22” Pro Series Spray Wand w/25’ of 3/8” Hose
- Plumbing Kit

8 ROLLER PUMP

- 12 GPM at 540 RPM - 22.5 GPM at 1000 RPM
- Max Pressure 300 PSI - Max Speed 1200 RPM
- Multi-Speed Die Cast Quick Coupler

12-NOZZLE FOLDING BOOM

- 20' Coverage With 12 Nozzles
- TeeJet AIXR Nozzle – 0.3 GPM at 40 PSI With Strainer
- Teejet ChemSaver Drip-free Shutoff Nozzle Body

3 POINT CARRIER FRAME

- Connects To The 3-Point Hitch On A Tractor
- CAT I Direct, CAT II Direct, CAT II Quick, and CAT III Narrow Quick
- Provides Strength and Support To The Tank

2-NOZZLE BROADCAST ASSEMBLY

- 32' Coverage With 2 Nozzles
- Hypro Xtender Tip FC-XT020 – 2.0 GPM at 40 PSI
- Teejet ChemSaver Drip-free Shutoff Nozzle Body

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
3PT-200-8R-1225FX4	5303767	200 Gallon	415#	51 x 46 x 89	150	121	LTL	733029126368
Includes: 8 Roller Cast Iron Pump, Quick Coupler And 22" Pro Series Spray Wand W/ 25' Of Hose; 12-Nozzle FX4 Boom								
3PT-200-8R-2BB	5303768	200 Gallon	375#	51 x 46 x 60	150	82	LTL	733029126375
Kit Includes: 8 Roller Cast Iron Pump, Quick Coupler And 22" Pro Series Spray Wand W/ 25' Of Hose; 2 Broadcast Nozzles								
3PT-200-NR-1225FX4	5303769	200 Gallon	400#	51 x 46 x 89	150	121	LTL	733029126382
Includes: 22” Pro Series Spray Wand W/ 25’ Of Hose; 12-Nozzle FX4 Boom; Plumbing Kit Assembly; ***Pump and Quick Coupler Not Included***								

300 GALLON 3 POINT SPRAYERS

2-Nozzle Broadcast

300 GALLON TANK — SUPERIOR TANK STRENGTH

- High Density Polyethylene Tank with UV Stabilizer
- Delivers Years of Dependable Use

PLUMBING KIT

- TeeJet Selector Valve and Pressure Relief/Regulator
- 22" Pro Series Spray Wand w/25' of 3/8" Hose
- Plumbing Kit

8 ROLLER PUMP

- 12 GPM at 540 RPM - 22.5 GPM at 1000 RPM
- Max Pressure 300 PSI - Max Speed 1200 RPM
- Multi-Speed Die Cast Quick Coupler

17-NOZZLE FOLDING BOOM

- 28' Coverage With 17 Nozzles
- TeeJet AIXR Nozzle – 0.3 GPM at 40 PSI With Strainer
- Teejet ChemSaver Drip-free Shutoff Nozzle Body

3 POINT CARRIER FRAME

- Connects To The 3-Point Hitch On A Tractor
- CAT I Direct, CAT II Direct, CAT II Quick, and CAT III Narrow Quick
- Provides Strength and Support To The Tank

2-NOZZLE BROADCAST ASSEMBLY

- 32' Coverage With 2 Nozzles
- Hypro Xtender Tip FC-XT020 – 2.0 GPM at 40 PSI
- Teejet ChemSaver Drip-free Shutoff Nozzle Body

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
3PT-300-8R-1725FX5	5303771	300 Gallon	555#	90 x 48 x 60	150	150	LTL	733029126405
Includes: 8 Roller Cast Iron Pump, Quick Coupler And 22" Pro Series Spray Wand W/ 25' Of Hose; 17-Nozzle FX5 Boom								
3PT-300-8R-2BB	5303772	300 Gallon	455#	90 x 48 x 60	150	150	LTL	733029126412
Kit Includes: 8 Roller Cast Iron Pump, Quick Coupler And 22" Pro Series Spray Wand W/ 25' Of Hose; 2 Broadcast Nozzles								
3PT-300-NR-1725FX5	5303773	300 Gallon	540#	90 x 48 x 60	150	150	LTL	733029126429
Includes: 22" Pro Series Spray Wand W/ 25' Of Hose; 17-Nozzle FX5 Boom; Plumbing Kit Assembly; ***Pump and Quick Coupler Not Included***								

SKID MOUNTED SPRAYERS

9-200

BRIGGS & STRATTON ENGINE

- 208cc Gas Engine
- 8 Roller Pump
- Adjustable Pressure / Pressure Gauge
- Suction Line Filter

8 ROLLER PUMP

- Max. Output to 22.1 GPM - Pressure to 200 PSI
- Max. Speed 800 RPM
- Temperature to 140° F

22" HIGH PRESSURE SPRAY WAND

- Ergonomic Design Lends To Less Fatigue
- Up To 38 Ft Horizontal & 27 Ft Vertical Spray
- Adjustable Spray Pattern
- 25' of 3/8" Hose

9-150

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
9-150	5300431	150 Gallon	314#	79 x 41 x 49	150	91.9	LTL	733029001214

SK-110-8R & 9-200

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
SK-110-8R	5301052	110 Gallon	229#	79 x 41 x 49	150	92	LTL	733029004260
9-200	5300655	200 Gallon	270#	70 x 41 x 49	150	92	LTL	733029001603

OPTIONAL ACCESSORIES FOR 150 GAL SKIDS

Model #	Code #	Description	Unit Weight
BK-6	5300260	Boom Assy w/ 13 Vari-Spacing Nozzles, 21' Coverage	90#

150 GALLON SKID SPRAYER

BRIGGS & STRATTON ENGINE

- 127cc Gas Engine
- XR550 Engine
- 5.5 ftlb Gross Torque

HEAVY DUTY SPRAY NOZZLE

- Rubber Grip
- Adjustable Spray Pattern

EASY ACCESS TO COMPONENTS

- Direct Drive Hypro 4 Roller Pump
- 7.2 Gpm Max Flow
- 150 Psi Max Pressure
- Pressure Regulator
- Anti Vortex Suction Bulkhead

MANUAL HOSE REEL

- 100 Feet
- 600 PSI 1/2” PVC Hose

DIMENSIONS & WEIGHTS

- 60”L x 49”W x 46”H
- 175 lb Dry Weight
- 1400 lb Wet Weight

FS-150-4R

Sprayer Weight	Water Weight	Sprayer W/Water Weight
175 lbs	1251 lbs	**1575 lbs**

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
FS-150-4R	5303066	150 Gallon	195#	60" x 50" x 52"	150	90.4	LTL	733029119421

200 GALLON SKID SPRAYER

QUICK COUPLER

- Stainless Steel Construction
- Allows Quick Change Of Handguns

22" HIGH PRESSURE SPRAY WAND

- Ergonomic Design Lends To Less Fatigue
- Up To 38 Ft Horizontal & 27 Ft Vertical Spray
- Adjustable Spray Pattern

HEAVY DUTY SPRAY NOZZLE

- Rubber Grip
- Adjustable Spray Pattern

Sprayer Model	Sprayer Weight	Water Weight	Sprayer W/Water Weight
LSS-235-H	396 lbs	1668 lbs	2064 lbs
LSS-240	401 lbs	1668 lbs	2069 lbs
LSS-280	396 lbs	1668 lbs	2064 lbs
LSS-280-EH	401 lbs	1668 lbs	2069 lbs
LSS-280-H	396 lbs	1668 lbs	2064 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
LSS-240	5301259	200 Gallon	500#	79 x 41 x 49	150	91.0	LTL	733029004352
212cc Power Pro Recoil Start Engine • Three Diaphragm Pump - 580 P.S.I. - 10 G.P.M. • Hand Rewind Hose Reel • 300 Ft. of 600 P.S.I. Working Pressure PVC Hose • Tank Equipped with Agitator • Heavy Duty Pistol Grip Spray Wand • 37 Ft. Vertical Spray Height								
LSS-235-H	5301869	200 Gallon	518#	79 x 41 x 49	150	91.0	LTL	733029008787
163cc Honda Engine & Electric Hose Reel								

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
LSS-280	5300467	200 Gallon	396#	79 x 41 x 49	150	91.0	LTL	733029001139
205cc Briggs & Stratton Recoil Start Engine • 8 Roller Pump - 0-150 P.S.I. - 7.8 G.P.M. • Hand Rewind Hose Reel 300 Ft. of 1/2" 2 Braid Rubber Hose • Tank Equipped with Agitator • Heavy Duty Pistol Grip Spray Wand								
LSS-280-H	5301865	200 Gallon	500#	79 x 41 x 49	150	91.0	LTL	733029008749
163cc Honda Engine								
LSS-280-EH	5301867	200 Gallon	518#	79 x 41 x 49	150	91.0	LTL	733029008763
163cc Honda Engine & Electric Hose Reel								

300 GALLON SKID SPRAYER

HONDA ENGINE

- 163cc Gas Engine
- Recoil Start

EASY ACCESS TO COMPONENTS

- 3 Diaphragm Pump
- Strainer
- 3/4" SIngle Union Ball Valve
- Pressure Gauge
- Pressure Regulator Control

AR30 PUMP

- 10 GPM
- 580 PSI

ELECTRIC HOSE REEL

- Electric Rewind Hose Reel
- Spool Kit 300 Feet
- 600 PSI, 1/2" PVC Hose

22" HIGH PRESSURE SPRAY WAND

- Ergonomic Design Lends To Less Fatigue
- Up To 38 Ft Horizontal & 27 Ft Vertical Spray
- Adjustable Spray Pattern

ADDITIONAL TEEJET 25660 LAWN GUN

- 200 PSI
- Flow Range: 1.4 to 6.5 GPM
- 3/4" FNPT

TSSK-300

Sprayer Weight	Water Weight	Sprayer W/Water Weight
586 lbs	2502 lbs	3088 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Ship Via	UPC Code
TSSK-300	5301337	300 Gallon	587#	103" x 48" x 46"	250	LTL	733029003164

25 GALLON PRO SERIES SPOT SPRAYER

BEST IN CLASS PUMP

- 2.2 GPM Pro Series 12 Volt Pump
- Maximum Pressure Of 100 PSI
- Ideal For Harsh Chemicals & Oil Based Chemicals With Surfactants
- Self Priming
- Can Run Dry Without Damage

HIGH FLO PRO SERIES
PROFESSIONAL GRADE

HEAVY DUTY 10 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

FIMCO EXCLUSIVE MEASURING LID

- Accurately Measure And Pour Chemicals
- 32 Oz Measuring Cup Is Attached To Tank Lid
- Garden Hose Port Secures Hose For Easy Filling

13" HIGH PRESSURE SPRAY WAND

- Ergonomic Design Lends To Less Fatigue
- Up To 38 Ft Horizontal & 27 Ft Vertical Spray
- Adjustable Spray Pattern

25 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

CLEAR BOWL STRAINER

- 1 Inch Clear Polycarbonate
- Strain Out Particulates
- Easily See If Strainer Is Clogged

LG-25-PRO

Sprayer Weight	Water Weight	Sprayer W/Water Weight
23 lbs	209 lbs	232 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
LG-25-PRO	5302922	25 Gallon	24#	40 x 19 x 18	150	7.9	GROUND	733029116864

25 GALLON PRO SERIES 7-NOZZLE ATV SPRAYER

HIGH FLO PRO SERIES PROFESSIONAL GRADE

BEST IN CLASS PUMP

- 4.0 GPM Pro Series 12 Volt Pump
- Maximum Pressure Of 45 PSI
- Ideal For Harsh Chemicals & Oil Based Chemicals With Surfactants
- Self Priming
- Can Run Dry Without Damage

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- 2-1/2" Liquid Filled Gauge
- Quick Connect Fittings Enables Fast Configuration

HEAVY DUTY 10 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

FIMCO EXCLUSIVE MEASURING LID

- Accurately Measure And Pour Chemicals
- 32 Oz Measuring Cup Is Attached To Tank Lid
- Garden Hose Port Secures Hose For Easy Filling

CLEAR BOWL STRAINER

- 1 Inch Clear Polycarbonate
- Strain Out Particulates
- Easily See If Strainer Is Clogged

13" HIGH PRESSURE SPRAY WAND

- Ergonomic Design Lends To Less Fatigue
- Up To 38 Ft Horizontal & 27 Ft Vertical Spray
- Adjustable Spray Pattern

25 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

PREMIUM SPRAY TIPS

- Premium Air Induction Tips
- Reduces Chemical Drift
- Includes Anti-Drip Strainer

7-NOZZLE FOLDING BOOM

- 7-Nozzle Boom Delivers 12 Feet Of Spray Coverage
- Folding Steel Boom

QUICK RELEASE BOOM CLAMPS

- Quickly And Easily Install Or Remove Boom
- Securely Clamps Boom Into Place

ATV-25-700-PRO

Sprayer Weight	Water Weight	Sprayer W/Water Weight
56 lbs	209 lbs	265 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
ATV-25-700-PRO	5302927	25 Gallon	60#	56 x 20 x 21	150	13.6	LTL	733029117434

25 GALLON PRO SERIES 3-NOZZLE BROADCAST SPRAYER

BEST IN CLASS PUMP

- 4.0 GPM Pro Series 12 Volt Pump
- Maximum Pressure Of 45 PSI
- Ideal For Harsh Chemicals & Oil Based Chemicals With Surfactants
- Self Priming
- Can Run Dry Without Damage

HIGH FLO PRO SERIES PROFESSIONAL GRADE

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- 2-1/2" Liquid Filled Gauge
- Quick Connect Fittings Enables Fast Configuration

HEAVY DUTY 10 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

FIMCO EXCLUSIVE MEASURING LID

- Accurately Measure And Pour Chemicals
- 32 Oz Measuring Cup Is Attached To Tank Lid
- Garden Hose Port Secures Hose For Easy Filling

CLEAR BOWL STRAINER

- 1 Inch Clear Polycarbonate
- Strain Out Particulates
- Easily See If Strainer Is Clogged

13" HIGH PRESSURE SPRAY WAND

- Ergonomic Design Lends To Less Fatigue
- Up To 38 Ft Horizontal & 27 Ft Vertical Spray
- Adjustable Spray Pattern

25 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

PREMIUM SPRAY TIPS

- Exclusive Nozzle Bodies And Spray Tips
- Includes On/Off Valves & Drip Free Nozzles
- Each Nozzle Can Be Used Independently

3-NOZZLE BROADCAST BOOM

- Broadcast Boom Delivers 36 Feet Of Spray Coverage
- End Nozzles Sprays 15 Feet
- Center Nozzle Sprays 6 Feet

QUICK RELEASE BOOM CLAMPS

- Quickly And Easily Install Or Remove Boom
- Securely Clamps Boom Into Place

LG-3025-PRO

Sprayer Weight	Water Weight	Sprayer W/Water Weight
35 lbs	209 lbs	244 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
LG-3025-PRO	5302926	25 Gallon	36#	40 x 19 x 18	150	7.9	GROUND	733029117427

45 GALLON PRO SERIES 3 POINT SPRAYER

BEST IN CLASS PUMP

- 2.2 GPM Pro Series 12 Volt Pump
- Maximum Pressure Of 100 PSI
- Ideal For Harsh Chemicals & Oil Based Chemicals With Surfactants
- Self Priming
- Can Run Dry Without Damage

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- 2-1/2" Liquid Filled Gauge
- Quick Connect Fittings Enables Fast Configuration

HEAVY DUTY 10 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

FIMCO EXCLUSIVE MEASURING LID

- Accurately Measure And Pour Chemicals
- 32 Oz Measuring Cup Is Attached To Tank Lid
- Garden Hose Port Secures Hose For Easy Filling

22" HIGH PRESSURE SPRAY WAND

- Ergonomic Design Lends To Less Fatigue
- Up To 38 Ft Horizontal & 27 Ft Vertical Spray
- Adjustable Spray Pattern

25 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking



4-NOZZLE FOLDING BOOM

- 4-Nozzle Boom Delivers 10 Feet Of Spray Coverage
- Folding Steel Boom
- Premium Air Induction Tips

CLEAR BOWL STRAINER

- 1 Inch Clear Polycarbonate
- Strain Out Particulates
- Easily See If Strainer Is Clogged

3 POINT CARRIER FRAME

- Provides Strength And Support To The Tank
- Connects To The 3-Point Hitch On A Tractor
- Category 1

3PT-45-PRO-4

Sprayer Weight	Water Weight	Sprayer W/Water Weight
105 lbs	384 lbs	489 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
3PT-45-PRO-4	5303246	45 Gallon	116#	40 x 24 x 26	125	14.5	LTL	733029122735

50 GALLON PRO SERIES 7-NOZZLE TRAILER SPRAYER

BEST IN CLASS PUMP

- 4.0 GPM Pro Series 12 Volt Pump
- Maximum Pressure Of 45 PSI
- Ideal For Harsh Chemicals & Oil Based Chemicals With Surfactants
- Self Priming
- Can Run Dry Without Damage

HIGH FLO PRO SERIES PROFESSIONAL GRADE

MANIFOLD W/PRESSURE GAUGE

- Lever Ball Valves Allow Flow & Pressure Control
- 2-1/2" Liquid Filled Gauge
- Quick Connect Fittings Enables Fast Configuration

HEAVY DUTY 10 FT LEAD WIRE

- Helps Protect Your Vehicle Wiring
- Alligator Clips & On/Off Switch Included

CLEAR BOWL STRAINER

- 1 Inch Clear Polycarbonate
- Strain Out Particulates
- Easily See If Strainer Is Clogged

22" HIGH PRESSURE SPRAY WAND

- Ergonomic Design Lends To Less Fatigue
- Up To 38 Ft Horizontal & 27 Ft Vertical Spray
- Adjustable Spray Pattern

25 FEET OF 3/8 INCH HOSE

- Chemical Resistant Rubber Hose
- Easy To Wrap For Storage
- Less Prone To Kinking

FIMCO EXCLUSIVE MEASURING LID

- Accurately Measure And Pour Chemicals
- 32 Oz Measuring Cup Is Attached To Tank Lid
- Garden Hose Port Secures Hose For Easy Filling

AVAILABLE BOOM OPTIONS

3-NOZZLE BROADCAST

- 36 Foot Spray Coverage
- Each Nozzle Sprays Independently

7-NOZZLE BOOM

- 12 Feet Spray Coverage
- Folding Steel Boom

LG-50-TRL-PRO

Sprayer Weight	Water Weight	Sprayer W/Water Weight
180 lbs	417 lbs	597 lbs

Model #	Code #	Tank Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
LG-50-TRL-PRO	5302928	50 Gallon	174#	56 x 41 x 29	150	36.5	LTL	733029117441
LG-50-TRL-PRO-BL	5302930	50 Gallon	170#	56 x 41 x 29	150	36.5	LTL	733029117571

2.2 CU FT ATV DRY MATERIAL SPREADER



COMPACT POLY HOPPER

- 2.2 CU FT Poly Hopper
- Holds Up To 145 Lbs Of Material

STAINLESS STEEL RADIAL FAN

- 6 Blade Fan
- Stainless Steel

VARIABLE SPEED CONTROL

- Control The Spread Width: 5 Feet To 45 Feet
- 20 Feet Of Wire Harness With Alligator Clips

ADJUSTABLE SLIDE GATE

- Choose The Amount Of Dry Material To Spread
- Easy To Reach Handle

RAIN / DUST COVER INCLUDED

- Protects Dry Materials From Adverse Elements
- Easy To Install And Securely Fitted

MOUNTING HARDWARE

- Mounts to ATV Rack
- Heavy Duty Steel Contruction

OPTIONAL HITCHES

1-1/4" Hitch
5301902

2" Hitch
5301901

APPROVED FOR:

- FERTILIZER
- SEED
- BAIT
- GRANULAR
  - INSECTICIDES
  - FUNGICIDES
  - HERBICIDES
- PELLETS
- ICE MELTING PELLETS

ATV-DMS-12V

Model #	Code #	Capacity	Shipping Weight	Carton Size	Shipping Class	Ship Via	UPC Code
ATV-DMS-12V	5301845	2.2 cu ft	53#	29 x 21 x 22	85	GROUND	733029008633

Optional Equipment	Code #	Carton Size	Shipping Class	Ship Via	UPC Code
1-1/4" Receiver Hitch	5301902	25 x 13 x 3	85	GROUND	733029009081
2" Receiver Hitch	5301901	25 x 13 x 3	85	GROUND	733029009074
Rain Cover	5058193			GROUND	733029104014
3 Pack Rain Cover	7771916	25 x 13 x 3		GROUND	733029107442

2.2 CU FT ATV / UTV DRY MATERIAL SPREADER



COMPACT POLY HOPPER

- 2.2 CU FT Poly Hopper
- Holds Up To 145 Lbs Of Material

STAINLESS STEEL RADIAL FAN

- 6 Blade Fan
- Stainless Steel

12V MOTOR W/ VARIABLE SPEED CONTROL

- Control The Spread Width: 5 Feet To 45 Feet
- 20 Feet Of Wire Harness With Alligator Clips
- On/Off Switch

ADJUSTABLE SLIDE GATE

- Choose The Amount Of Dry Material To Spread
- Easy To Reach Handle

RAIN / DUST COVER

- Protects Dry Materials From Adverse Elements
- Easy To Install And Securely Fitted

2" RECEIVER ATTACHMENT

- Fits 2" Receiver on most ATVs and UTVs
- Hitch pin included

RECEIVER HITCH AND DUST COVER ARE INCLUDED WITH ATV-DMS-12V-2RC

APPROVED FOR:

- FERTILIZER
- SEED
- BAIT
- GRANULAR
  - INSECTICIDES
  - FUNGICIDES
  - HERBICIDES
- PELLETS
- ICE MELTING PELLETS

ATV-DMS-12V-2RC

Model #	Code #	Capacity	Shipping Weight	Carton Size	Shipping Class	Ship Via	UPC Code
ATV-DMS-12V-2RC	5302957	2.2 cu ft	60#	29 x 21 x 22	85	GROUND	733029119216

2.2 CU FT TRAILER DRY MATERIAL SPREADER

COMPACT POLY HOPPER

- 2.2 CU FT Poly Hopper
- Holds Up To 145 Lbs Of Potash

STAINLESS STEEL RADIAL FAN

- 6 Blade Fan
- Stainless Steel

VARIABLE SPEED CONTROL

- Control The Spread Width: 5 Feet To 45 Feet
- 20 Feet Of Wire Harness With Alligator Clips

ADJUSTABLE SLIDE GATE

- Choose The Amount Of Dry Material To Spread
- Easy To Reach Handle

ADJUSTABLE TRAILER HITCH

- Change The Trailer Hitch Height To Match Your Vehicle's Hitch Height

TURF TIRES

- 15 x 6.00-6 Pneumatic Turf Tires
- 3/4 Inch Axle

APPROVED FOR:

- FERTILIZER
- SEED
- BAIT
- GRANULAR
  - INSECTICIDES
  - FUNGICIDES
  - HERBICIDES
- PELLETS
- ICE MELTING PELLETS

DMS-TR-12V-2.2

Model #	Code #	Hopper Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
DMS-TR-12V-2.2	5302028	2.2 Cu Ft.	108#	29 x 20 x 26	85	8.8	LTL	733029010476

5.0 CU FT TRAILER DRY MATERIAL SPREADER

CONSUMER 1 YEAR WARRANTY COMMERCIAL 90 DAYS

LARGE POLY HOPPER

- 5.0 CU FT Poly Hopper
- Holds Up To 220 Lbs Of Potash

STAINLESS STEEL RADIAL FAN

- 6 Blade Fan
- Stainless Steel

VARIABLE SPEED CONTROL

- Control The Spread Width: 5 Feet To 45 Feet
- 20 Feet Of Wire Harness With Alligator Clips

ADJUSTABLE SLIDE GATE

- Choose The Amount Of Dry Material To Spread
- Easy To Reach Handle

ADJUSTABLE TRAILER HITCH

- Change The Trailer Hitch Height To Match Your Vehicle's Hitch Height

TURF TIRES

- 16 x 6.50-8 Pneumatic Turf Tires
- 3/4 Inch Axle

APPROVED FOR:

- FERTILIZER
- SEED
- BAIT
- GRANULAR
  - INSECTICIDES
  - FUNGICIDES
  - HERBICIDES
- PELLETS
- ICE MELTING PELLETS

DMS-TR-12V-5.0

Model #	Code #	Hopper Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
DMS-TR-12V-5.0	5302035	5.0 Cu Ft.	165#	40 x 44 x 36	85	36.7	LTL	733029010544

4.5 CU. FT 3 POINT DRY MATERIAL SPREADER

LARGE POLY HOPPER

- 4.5 CU FT Poly Hopper
- Holds Up To 220 Lbs Of Potash

STAINLESS STEEL RADIAL FAN

- 6 Blade Fan
- Stainless Steel

VARIABLE SPEED CONTROL

- Control The Spread Width: 5 Feet To 45 Feet
- 20 Feet Of Wire Harness With Alligator Clips

ADJUSTABLE SLIDE GATE

- Choose The Amount Of Dry Material To Spread
- Easy To Reach Handle

CATEGORY 1 HITCH

- Easily Connects To Your Category 1 Tractor Hitch

DMS-3PT-12V-4.5

APPROVED FOR:

- FERTILIZER
- SEED
- BAIT
- GRANULAR
  - INSECTICIDES
  - FUNGICIDES
  - HERBICIDES
- PELLETS
- ICE MELTING PELLETS

Model #	Code #	Hopper Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
DMS-3PT-12V-4.5	5302045	4.5 Cu Ft.	125#	40 x 26 x 30	85	18	LTL	733029010551

POLY & STEEL LAWN ROLLERS

STEEL LAWN ROLLER FEATURES

- 14 Gauge Steel End Cap And Drums
- Heavier Roller To Help Smooth The Yard With Less Effort

POLY LAWN ROLLER FEATURES

- Polyethylene Drum Resist Rust And Dents
- Lightweight When Empty, For Easy Transportation And Storage
- LRP-1824 Includes a Push Handle

COMMON FEATURES

- Tow Hitch
- Rounded End Caps Prevent Gouging And Will Not Leave Ruts
- Durable (1”) Tow Hitch Tubes
- Common Hitch Pin Attachment For Easy Use With Any Vehicle
- Provides Level Surface To Combat Effects Of Freezing, Burrowing Animals, And Wheel Track Ruts
- Effective Packing Of New Seeding And Soil To Root Contact For Newly Laid Sod

LAWN ROLLERS

Model #	Code #	Material	Roller Size	Weight With Water	Shipping Weight	Carton Size	Shipping Class	Ship Via	UPC Code
LRP-1824	5301944	Poly	18 x 24	268	42#	32 x 20 x 18	85	GROUND	733029009296
LRP-1836	5301945	Poly	18 x 36	390	51#	44 x 20 x 18	85	GROUND	733029009302
LRP-1848	5301946	Poly	18 x 48	510	63#	57 x 20 x 18	85	GROUND	733029009319
LRP-2436	5301947	Poly	24 x 36	668	76#	44 x 25 x 25	85	GROUND	733029009326
LRP-2448	5301948	Poly	24 x 48	878	92#	56 x 25 x 25	85	LTL	733029009333
LRS-2436	5301949	Steel	24 x 36	715	163#	44 x 25 x 25	85	LTL	733029009340
LRS-2448	5301950	Steel	24 x 48	934	189#	56 x 25 x 25	85	LTL	733029009357

42" TINE DE-THATCHER

42" WIDTH

SUPERIOR STEEL CONSTRUCTION

- Folded Steel Deck
- Holds Up To 150 Lbs

22 TRIPLE COILED TINES

- Durable Triple Coiled Tine Rakes
- Heat Treated
- Cover And Clean More Ground

10 MINUTE ASSEMBLY TIME

EASY TO ASSEMBLE

- Quick Assembly Time Of 10 Minutes
- Fewer Parts Means Easier Maintenance

TRANSPORT LEVER

- Engage Or Disengage The Tine Rakes
- Easy To Access Transport Lever
- Height Adjustable

DTH-42

Model #	Code #	Width	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
DTH-42	5301491	42 Inches	50#	50 x 13 x 11	150	4.2	GROUND	733029004581

42" PLUG AERATOR & 42" SPIKE AERATOR



PLG-42

Cinder Blocks Not Included

SPK-42

Cinder Blocks Not Included

42" WIDTH

SUPERIOR STEEL CONSTRUCTION

- 14 Gauge Folded Steel Deck
- Holds Up To 175 Lbs

24 PLUGGING POINTS

- Penetration Depth: Up To 3 Inches
- Bushings For Smooth Plugging
- Self Cleaning

TRANSPORT LEVER

- Engage Or Disengage The Tine Rakes
- Easy To Access Transport Lever
- Height Adjustable

10 MINUTE ASSEMBLY TIME

EASY TO ASSEMBLE

- Quick Assembly Time Of 10 Minutes
- Fewer Parts Means Easier Maintenance

42" WIDTH

SUPERIOR STEEL CONSTRUCTION

- 14 Gauge Folded Steel Deck
- Holds Up To 175 Lbs

144 SPIKING TIPS

- Penetration Depth: Up To 2.5 Inches
- Tines: 12 10 Inch Spike Wheels

TRANSPORT LEVER

- Engage Or Disengage The Tine Rakes
- Easy To Access Transport Lever
- Height Adjustable

10 MINUTE ASSEMBLY TIME

EASY TO ASSEMBLE

- Quick Assembly Time Of 10 Minutes
- Fewer Parts Means Easier Maintenance

PLG-42 & SPK-42

Model #	Code #	Width	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
PLG-42	5301530	42 Inches	85#	51 x 18 x 14	150	7.5	GROUND	733029005182
SPK-42	5301531	42 Inches	85#	51 x 18 x 14	150	7.5	GROUND	733029005199

10 CU FT POLY CARTS

CONSUMER 1 YEAR WARRANTY COMMERCIAL 90 DAYS

Shown With Push/Pull Handle Model #: TC-10-P.
Other Models Do Not Include Push/Pull Handle.

10 CU FT

DURABLE POLY CONSTRUCTION

- Strong One Piece Poly Bed Design

EASY DUMP RELEASE

- Simple Lever Releases Cart Load

600 LBS MAX

WEIGHT CAPACITY

- Fully Assembled Welded Pedestal & Under Carriage Frame

MOLDED-IN FEATURES

- Easily Add Dividers To Separate Sections

TURF TIRES

- 8 x 4.8/400 Pneumatic Turf Tires
- Metal Hub
- Maximum Speed 4 MPH

TC-10-P, TC-10P-EC, & TC-10P-EC-B

Model #	Code #	Box Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
TC-10-P	5301461	10 Cu. Ft.	75#	49 x 36 x 14	85	14.3	GROUND	733029003614
TC-10P-EC**	5301841	10 Cu. Ft.	575 Pallet	-	85	-	LTL	733029008589
TC-10P-EC-B	5302051	10 Cu. Ft.	75	49 x 36 x 14	85	14.5	GROUND	733029010605

**Available only in bulk packaging of 8 carts

15 CU FT ATV POLY CARTS

15 CU FT

DURABLE POLY CONSTRUCTION

- Strong One Piece Poly Bed Design
- Bed Dimensions: 48” L x 40” W x 14” H

EASY STEP DUMP RELEASE

- Simple Step Lever Releases Cart Load

700 LBS MAX

WEIGHT CAPACITY

- Fully Assembled Welded Pedestal & Under Carriage Frame

MOLDED-IN FEATURES

- Easily Add Dividers To Separate Sections

TURF TIRES

- 16 x 6.5-8 Turf Tires With Metal Hub
- 3/4” Solid Steel Axle
- Maximum Speed 4 MPH

TC-15-HP

Model #	Code #	Box Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
TC-15-HP	5302027	15 Cu Ft.	85#	48 x 40 x 14	85	16.5	LTL	733029010469

10 CU FT STEEL CART & 17 CU FT STEEL CART



TC-10-18



TC-17

10 CU FT

SOLID STEEL CONSTRUCTION

- Gauge Of Steel: 18 Gauge Body; 16 Gauge Tailgate
- Removable Tailgate With Slotted Base

750 LBS MAX

WEIGHT CAPACITY

- Fully Assembled Welded Pedestal & Under Carriage Frame

EASY DUMP RELEASE

- Simple Lever Releases Cart Load

TURF TIRES

- 8 x 4.8/400 Pneumatic Turf Tires
- Metal Hub
- Maximum Speed 4 MPH

17 CU FT

SOLID STEEL CONSTRUCTION

- Gauge Of Steel: 16 Gauge Body; 16 Gauge Tailgate
- Removable Tailgate With Slotted Base

1500 LBS MAX

WEIGHT CAPACITY

- Fully Assembled Welded Pedestal & Under Carriage Frame

EASY DUMP RELEASE

- Simple Lever Releases Cart Load

TURF TIRES

- 16 x 6.5-8 Turf Tires With Metal Hub
- 3/4" Solid Steel Axle
- Maximum Speed 4 MPH

TC-10-18 & TC-17

Model #	Code #	Box Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	UPC Code
TC-10-18	5301546	10 Cu. Ft.	108#	44 x 34 x 14	85	12.2	GROUND	733029005243
TC-17	5301397	17 Cu. Ft.	200#	61 x 39 x 17	85	23.4	LTL	733029003331

4 WHEEL STEERABLE 17 CU FT STEEL CART

CONSUMER 1 YEAR WARRANTY COMMERCIAL 90 DAYS

17 CU FT

DURABLE STEEL CONSTRUCTION

- Gauge Of Steel: 16 Gauge Body; 16 Gauge Tailgate
- Removable Tailgate With Slotted Base

4 WHEEL STEERABLE CART

- Steerable Front Wheels Makes Moving Around The Farm Or Yard Easy

2000 LBS MAX

WEIGHT CAPACITY

- Fully Assembled Welded Pedestal & Under Carriage Frame

TURF TIRES

- 16 x 6.5-8 Turf Tires With Metal Hub
- 3/4” Solid Steel Axle
- Maximum Speed 4 MPH

TC-17-4

Model #	Code #	Box Size	Shipping Weight	Carton Size	Shipping Class	Cubic Feet	Ship Via	wUPC Code
TC-17-4	5301398	17 Cu. Ft.	227#	61 x 39 x 17	85	23.4	LTL	733029003348

FIMCO 4 FT PLANOGRAM LAYOUT

CONTACT YOUR REGIONAL PARTS MANAGER TODAY FOR A CUSTOM FIMCO PLANOGRAM THAT SUITS YOUR NEEDS

PACKAGED & REPLACEMENT PARTS

WIRING



	Part #	OEM Number	Description	UPC Code	Part Size	Part Weight
A	**7771784**	5278114	96" Lead Wire Assembly Aligator Clips	733029101617	3-5/8” x 6-5/8”	.48 lbs
B	**7771786**	5275053	96" Lead Wire Assembly Cigarette Lighter Adapter	733029101648	3-5/8” x 6-5/8”	.30 lbs
C	**7771883**	5273212	5' Extension for Lead Wire Assembly	733029102690	3-5/8” x 6-5/8”	.26 lbs
D	**7771938**	-	Remote Control On/Off Switch 12 Volt	733029103536	4-1/4” x 7”	.27 lbs

TANK PARTS

	Part #	OEM Number	Description	UPC Code	Part Size	Part Weight
A	**7771950**	5020524	Sprayer Hose 15 Feet	733029106859	10” x 10”	1 lb 13 oz
-	**7772150**	5020527	Sprayer Hose 25 Feet	733029122148	10” x 10”	.19.2 lbs
B	**7771882**	5053096, 5117334	Wand Clips (2 Pack)	733029102683	2-5/8” x 4-3/8”	.10 lbs
C	**7772149**	5133276	Hose Wrap	733029122131	3-5/8” x 6-5/8”	0.1 lbs
D	**7771825**	5168832, 5168833	Drain Cap and Tether	733029102195	2-5/8” x 4-3/8”	.04 lbs
E	**7771826**	5058188	Tank Lid	733029102201	8-3/4” x 9-3/4”	.58 lbs
F	**7772014**	-	Multi Lid	733029113665	7” x 7-1/4”	.68 lbs
G	**7771592**	5116242	Tank Strainers 2 Qty	733029100863	2-5/8” x 4-3/8”	.01 lbs
H	**7772147**	5116454	3/8 Hose Barb Strainer	733029122117	3-1/2” x 5-1/2”	.05 lbs
I	**7772099**	5116417	1” In Line Strainer Assy 1/2” MNPT	733029118110	3-5/8” x 6-5/8”	.03 lbs
J	**7771873**	5143419	Single Shutoff Valve	733029102527	3-1/2” x 5-1/2”	.05 lbs
K	**7772138**	-	3” x 6” Tank Repair Kit	733029121134	4 3/8” x 8 3/4”	0.1 lbs
-	**5169262**	-	15 Gallon Tank w/ Lid & Drain Cap	733029102874	34” x 14” x16”	12 lbs
L	**5169264**	-	25 Gallon Tank w/ Lid & Drain Cap	733029102881	40” x 16” x19”	20 lbs

PUMP PARTS



	Part #	OEM Number	Description	UPC Code	Part Size	Part Weight
A	**7771824**	5168832, 5168833, 5168836	Replacement Fittings for High Flo 2.1/2.4 GPM Pump	733029102379	3-1/2” x 5-1/2”	.10 lbs
B	**7771831**	5168832, 5168833	Pump Port (1) 1/2" Hose Barb, (1) 1/2" MPT	733029102393	3-1/2” x 5-1/2”	.05 lbs
C	**7771913**	5168836	Pump Port Fitting 3/8" Hose barb QTY 2	733029102829	2-5/8” x 4-3/8”	.05 lbs
D	**7771830**	5051162	Pump Port Clips 2 QTY	733029102386	2-5/8” x 4-3/8”	.01 lbs
E	**7772088**	5095202	Pump Feet for 1.0/1.2 and 2.1/2.4 GPM Pumps	733029116086	3-1/2” x 5-1/2”	.10 lbs
F	**7771833**	5143544	Pump Check Valve 2.1 and 2.4 GPM	733029102416	3-5/8” x 5-1/2”	.10 lbs
G	**7771878**	5168824	Pump Check Valve 3.8 and 4.5 GPM	733029102645	5-3/8” x 5-1/2”	.15 lbs
H	**7772101**	5164271	Pump Pressure Switch 1.2 and 4.5 GPM 60 PSI	733029118691	2-5/8” x 4-3/8”	.09 lbs
I	**7771880**	5157202	Pump Pressure Switch 2.1 and 2.4 GPM 60 PSI	733029102669	2-5/8” x 4-3/8”	.10 lbs

PACKAGED & REPLACEMENT PARTS

PLUMBING PARTS

	Part #	OEM Number	Description	UPC Code	Part Size	Part Weight
A	**7771967**	See Kit	Manifold Kit	733029116079	8-3/4” x 9-3/4”	.09 lbs
B	**7772087**	See Kit	Manifold Repair Kit	733029116079	3-1/2” x 5-1/2”	.09 lbs
C	**7771803**	5167006	Pressure Gauge 0-60 PSI 2"	733029101914	3-1/2” x 5-1/2”	.24 lbs
D	**7771804**	5167007	Pressure Gauge 0-100 PSI 2"	733029101921	3-1/2” x 5-1/2”	.12 lbs
E	**7771802**	5167004	Pressure Gauge 0-200 PSI 2"	733029101907	3-1/2” x 5-1/2”	.12 lbs
F	**7772086**	5167097	Pressure Gauge 0-100 PSI 2" Back Mount	733029111067	3-5/8” x 6-5/8”	.13 lbs
G	**7771778**	5167031	Pressure Gauge 0-100 PSI 2 1/2" Liquid Filled	733029101495	3” x 5-1/8”	.45 lbs
H	**7772130**	5100959	Bypass Tube Kit Replacing 5100803	733029120618	11” x 5.25” x 1.75”	.20 lbs
I	**7772131**	5100960	Bypass Tube Kit Replacing 5149152	733029120625	10” x 9” x 2.5”	.35 lbs
-	**7772132**	5100961	Bypass Tube Kit Replacing 5100809	733029120632	6.75” x 3.75” x 1.75”	.10 lbs
-	**7772133**	5100962	Bypass Tube Kit Replacing 5149157	733029120656	6.75” x 5” x 1.5”	.15 lbs
-	**7772134**	5100963	Bypass Tube Kit Replacing 5100822	733029120663	6.75” x 5” x 1.5”	.15 lbs
-	**7772135**	5100964	Bypass Tube Kit Replacing 5100804	733029120670	6.75” x 5” x 1.5”	.15 lbs
J	**7771829**	5143204	3/4" GHT "Y" Valve	733029102270	3” x 5-1/8”	.10 lbs
K	**7771342**	5143335	Y Valve Zinc Coated GHT	733029002129	3” x 5-1/2”	.30 lbs
L	**7771874**	See Kit	PKG/Spot Spray Repair Kit	733029102584	3-3/4” x 5-1/2”	.16 lbs
M	**7771876**	See Kit	PKG/TRLR-ATV Repair Kit	733029102607	4-3/4” x 6-1/2”	.39 lbs

BOOM PARTS

	Part #	OEM Number	Description	UPC Code	Part Size	Part Weight
A	**7771953**	5056113	Nozzle Body "L" 3/8" Hose Barb Quick Connect	733029107398	3-1/2” x 5-1/2”	.08 lbs
B	**7771954**	5056114	Nozzle Body Tee 3/8" Hose Barb Quick Connect	733029107404	3-1/2” x 5-1/2”	.08 lbs
C	**7771955**	5056115	Nozzle Body Cross 3/8" Hose Barb Quick Connect	733029107411	3-1/2” x 5-1/2”	.08 lbs
D	**7771956**	5046251, 5106157	Fimco Black Nozzle Caps w/ Gaskets - 2 Pk	733029107428	3-1/2” x 5-1/2”	.05 lbs
E	**7771766**	5011657, 5046219	Nozzle Body Caps with Gasket 2 Qty	733029101358	3-1/2” x 5-1/2”	.08 lbs
F	**7772145**	5053110	Boom / Nozzle Retaining Clip - 2 PK	733029122094	2-5/8” x 4-3/8”	.05 lbs
G	**7772148**	5277923	1” Steel Boom Clamp - 2 PK	733029122124	5-3/8” x 5-1/2”	.05 lbs
H	**7772146**	5051114	1/2” Hose Clamps - 4 PK	733029122100	2 5/9” x 4 3/8”	.04 lbs
I	**7771767**	5018274	Replacement Tips TF-VP3 2 Qty	733029101365	2-5/8” x 4-3/8”	.01 lbs
J	**7772089**	5018371	Replacement Tips AIXR11002VP 2 Qty	733029116093	2-5/8” x 4-3/8”	.03 lbs
K	**7771952**	5018371	Replacement Tips AIXR11002VP 4 Qty	733029107381	2-5/8” x 4-3/8”	.03 lbs
L	**7771769**	5018265	Replacement Tips TP8002VP 2 Qty	733029101389	2-5/8” x 4-3/8”	.01 lbs
M	**7771768**	5018328	Nozzles - TP11002VP - 2 PK	733029101372	2-5/8” x 4-3/8”	.03 lbs
N	**7771770**	5116019	Nozzle Strainers - Old Style - 2 PK	733029101396	2-5/8” x 4-3/8”	.03 lbs
O	**7772098**	5143543	50 Mesh Check Valve Strainers - 2 PK	733029117519	2-5/8” x 4-3/8”	.05 lbs
P	**7771884**	5275123	Complete Replacement Boomless Nozzle Center	733029102706	3-5/8” x 6-5/8”	.31 lbs
Q	**7771885**	5275122	Complete Replacement Boomless Nozzle Left or Right	733029102713	3-5/8” x 6-5/8”	.38 lbs
R	**7771781**	5274861	Replacement Cap/Tip for Left/Right Boomless Nozzle	733029101525	2-5/8” x 4-3/8”	.05 lbs
S	**7771891**	5088024	Boomless Nozzle Knob and Diaphram	733029102775	2-5/8” x 4-3/8”	.04 lbs
T	**7771875**	See Kit	PKG/Boom Repair Kit	733029102591	3-3/4” x 5-1/2”	.19 lbs

ATV QUICK RELEASE BOOM KITS

2-NOZZLE BOOM KIT

ATVBK-200-QR

7 FT
SPRAY
COVERAGE

TF-VP3 PREMIUM
WIDE ANGLE
INCLUDES
ANTI-DRIP STRAINER

MANIFOLD INCLUDED

5-NOZZLE BOOM KIT

ATVBK-500-QR

8 FT
SPRAY
COVERAGE

AIXR PREMIUM
AIR INDUCTED
INCLUDES
ANTI-DRIP STRAINER

MANIFOLD INCLUDED

7-NOZZLE BOOM KIT

ATVBK-700-QR

12 FT
SPRAY
COVERAGE

AIXR PREMIUM
AIR INDUCTED
INCLUDES
ANTI-DRIP STRAINER

MANIFOLD INCLUDED

ATV QUICK RELEASE BOOM KITS

7-NOZZLE DELUXE BOOM KIT

ATVBK-710-QR

12 FT SPRAY COVERAGE

AIXR PREMIUM AIR INDUCTED

INCLUDES CHEMSAVER DRIP-FREE SHUT OFF

MANIFOLD INCLUDED

3-NOZZLE BROADCAST BOOM KIT

ATVBK-3025-QR

36 FT SPRAY COVERAGE

XTENDER END TIPS & CENTER SPRAY TIP

INCLUDES DRIP-FREE SHUT OFF VALVES

MANIFOLD INCLUDED

Model #	Code #	Number Of Nozzles	Weight	Carton Size	Shipping Class	Cubic Feet	Ship Vlia	UPC Code
ATVBK-200-QR	5302339	2	18	54 x 11 x 6	150	2.0	GROUND	733029110770
- Minimum Pump Requirement - 1.2 GPM *DOES NOT INCLUDE TANK AND PUMP.*								
ATVBK-500-QR	5302338	5	28	54 x 11 x 6	150	2.0	GROUND	733029110763
- Minimum Pump Requirement - 2.4 GPM *DOES NOT INCLUDE TANK AND PUMP.*								
ATVBK-700-QR	5302337	7	29	53 x 11 x 6	150	2.0	GROUND	733029110756
- Minimum Pump Requirement - 2.4 GPM *DOES NOT INCLUDE TANK AND PUMP.*								
ATVBK-710-QR	5302336	7	40	53 x 11 x 6	150	2.0	GROUND	733029110749
- Minimum Pump Requirement - 4.5 GPM *DOES NOT INCLUDE TANK AND PUMP.*								
ATVBK-3025-QR	5302334	3	18	54 x 11 x 6	150	2.0	GROUND	733029110725
- Minimum Pump Requirement - 4.5 GPM *DOES NOT INCLUDE TANK AND PUMP.*								

KITS INCLUDE: Pressure gauge, manifold & hose to convert your spot sprayer into an ATV sprayer.

BOOM ASSEMBLIES

2 NOZZLE BOOM

The BK-1 boom assembly is for use on trailer sprayers with pressure controls & pressure gauge.

Model #	Code #	Description	Wt.
BK-1	5300954	2 Nozzle boom, w/brackets & feeder hose, 80” Coverage	14

5 NOZZLE BOOM

The BK-5 boom assembly is for use on trailer sprayers with pressure controls & pressure gauge.

Model #	Code #	Description	Wt.
BK-5	5300955	5 Nozzle, 3 section break-away boom, w/brackets & feeder hose, 100” Coverage	26

7 NOZZLE BOOM

The BK-70 boom assembly is for use on 3-point, ATV, and trailer sprayers with pressure controls & pressure gauge.

Model #	Code #	Description	Wt.
BK-70	5301197	7 Nozzle, 3 section break-away boom, 140” Coverage	28

3-NOZZLE BROADCAST BOOM

The BK-3025BL boom assembly is for use on 3-point, ATV, and trailer sprayers.



Model #	Code #	Description	Wt.
BK-3025BL	5301289	3-Nozzle Broadcast Boom, Up to 36 ft Coverage	28

MULTI-LID

- *Food grade, 32 ounce measuring cup is attached to tank lid*
- *Garden hose port secures hose for safe and easy filling with one person*
- *Fits sprayers with a 5” tank lid*
- *Made in the USA*

Model #	Code #	Carton Size	Shipping Class	UPS Able	UPC Code
Multi-Lid	7772014	7” x 7” x 7.5”	85	2#	733029113665

12 VOLT ON/OFF WIRELESS REMOTE CONTROL

CONTROLS ALL 12 VOLT PRODUCTS UP TO 20 AMPS!

FEATURES:

- *Wireless Remote*
- *Convenient Keychain Clip*
- *2-way, 2 Wire Flat Molded Connectors, 16 Gauge Wire*

Model #	Description	UPC Code	Part Size
7771938	12 Volt On/Off Wireless Remote Control	733029103536	4.25” x 7”

ON/OFF SWITCH KIT

Can be used on all sprayers with 12 volt electric pumps. Connects between battery and pump wiring and turns sprayer “on” or “off” from the operators seat.

5278017

5278114

5275053

5273212

5277040

Code #	Description	Wt.
5278017	96” Wire W/Switch (5 Amp) Only For Use With 1.2 GPM Pumps	1
5278114	96” Wire W/Switch (15 Amp)	1
5275053	10’ Wire Assy W/ Lighter Adapter & Switch	1
5273212	5’ Extension Cable	1
5277040	10’ Heavy Duty Wire Assy	1

12 VOLT PUMPS

- 1.0 GPM 12 Volt Electric Pump
- Maximum Pressure Of 60 PSI
- Pressure Switch Turns Pump On & Off
- Self Priming
- Can Run Dry Without Damage

1.0 GPM

Boxed Part #	Individual Part #	Volts	Amps	Demand Switch or Relief Valve	Max Pressure	GPM	UPC Code
5151163	5281560	12	4	Demand Switch	60	1.0	733029120083

HIGH-FLO HIGH PERFORMANCE

2 YEAR WARRANTY

- 1.2 GPM High Performance 12 Volt Pump
- 60 PSI Max Pressure
- Quick Connect Hose Fittings
- In-Line Fuse Protection
- 12 Volt Dc Power
- Self Priming - 8 Ft To 14 Ft
- Runs Dry Without Damage
- Chemical Resistant Elastomers
- 3/8" Hose Barbs
- Fan Cooled Motor

- DEMAND SWITCH MODELS operate only when liquid flow is required. Pump and motor stop instantly when discharge is closed.
- Diaphragm design eliminates troublesome shaft seal.
- Pump can be run indefinitely without damage.
- Ball bearing drive - assures longer pump life.
- Excellent self-priming capability.
- Santoprene diaphragms and viton valves are standard.
- Maximum temperature of pumped liquid 130°F.
- Permanent magnet motor - long life brushes.
- Fuse Protected
- Built-In cooling fan

1.2 GPM

Boxed Part #	Individual Part #	Volts	Amps	Demand Switch or Relief Valve	Max Pressure	GPM	UPC Code
5151086	5281370	12	4.0	Demand Switch	60	1.2	733029118134 (Boxed)

HIGH-FLO HIGH PERFORMANCE

2 YEAR WARRANTY

- 2.0 GPM High Performance 12 Volt Pump
- 60 PSI Max Pressure
- Quick Connect Hose Fittings
- In-Line Fuse Protection
- 12 Volt Dc Power
- Self Priming - 8 Ft To 14 Ft
- Runs Dry Without Damage
- Chemical Resistant Elastomers
- 3/8" Hose Barbs
- Fan Cooled Motor

- DEMAND SWITCH MODELS operate only when liquid flow is required. Pump and motor stop instantly when discharge is closed.
- Diaphragm design eliminates troublesome shaft seal.
- Pump can be run indefinitely without damage.
- Ball bearing drive - assures longer pump life.
- Excellent self-priming capability.
- Santoprene diaphragms and viton valves are standard.
- Maximum temperature of pumped liquid 130°F.
- Permanent magnet motor - long life brushes.
- Fuse Protected
- Built-In cooling fan

2.0 GPM

Boxed Part #	Individual Part #	Volts	Amps	Demand Switch or Relief Valve	Max Pressure	GPM	UPC Code
5151164	5283089	12	8.0	Demand Switch	60	2.0	733029127129 (Boxed)

HIGH-FLO HIGH PERFORMANCE

2 YEAR WARRANTY

- 2.4 GPM High Performance 12 Volt Pump
- 60 PSI Max Pressure
- Quick Connect Hose Fittings
- In-Line Fuse Protection
- 12 Volt Dc Power
- Self Priming - 8 Ft To 14 Ft
- Runs Dry Without Damage
- Chemical Resistant Elastomers
- 3/8" Hose Barbs
- Fan Cooled Motor

- DEMAND SWITCH MODELS operate only when liquid flow is required. Pump and motor stop instantly when discharge is closed.
- Diaphragm design eliminates troublesome shaft seal.
- Pump can be run indefinitely without damage.
- Ball bearing drive - assures longer pump life.
- Excellent self-priming capability.
- Santoprene diaphragms and viton valves are standard.
- Maximum temperature of pumped liquid 130°F.
- Permanent magnet motor - long life brushes.
- Fuse Protected
- Built-In cooling fan

2.4 GPM

Boxed Part #	Individual Part #	Volts	Amps	Demand Switch or Relief Valve	Max Pressure	GPM	UPC Code
5151087	5281371	12	8.0	Demand Switch	60	2.4	733029118073 (Boxed)

HIGH-FLO HIGH PERFORMANCE

2 YEAR WARRANTY

- 2.4 GPM High Performance 12 Volt Pump
- 60 PSI Max Pressure
- Quick Connect Hose Fittings
- In-Line Fuse Protection
- 12 Volt Dc Power
- Self Priming - 8 Ft To 14 Ft
- Runs Dry Without Damage
- Chemical Resistant Elastomers
- 3/8" Hose Barbs
- Fan Cooled Motor

- DEMAND SWITCH MODELS operate only when liquid flow is required. Pump and motor stop instantly when discharge is closed.
- Diaphragm design eliminates troublesome shaft seal.
- Pump can be run indefinitely without damage.
- Ball bearing drive - assures longer pump life.
- Excellent self-priming capability.
- Santoprene diaphragms and viton valves are standard.
- Maximum temperature of pumped liquid 130°F.
- Permanent magnet motor - long life brushes.
- Fuse Protected
- Built-In cooling fan

2.4 GPM BYPASS

Boxed Part #	Individual Part #	Volts	Amps	Demand Switch or Relief Valve	Max Pressure	GPM	UPC Code
5151089	5281373	12	8.0	Relief Valve	60	2.4	733029118097 (Boxed)

12 VOLT PUMPS

HIGH-FLO HIGH PERFORMANCE

2 YEAR WARRANTY

- 3.5 GPM High Performance 12 Volt Pump
- 60 PSI Max Pressure
- Quick Connect Hose Fittings
- In-Line Fuse Protection
- 12 Volt Dc Power
- Self Priming - 8 Ft To 14 Ft
- Runs Dry Without Damage
- Chemical Resistant Elastomers
- 3/8" Hose Barbs
- Fan Cooled Motor

- DEMAND SWITCH MODELS operate only when liquid flow is required. Pump and motor stop instantly when discharge is closed.
- Diaphragm design eliminates troublesome shaft seal.
- Pump can be run indefinitely without damage.
- Ball bearing drive - assures longer pump life.
- Excellent self-priming capability.
- Santoprene diaphragms and viton valves are standard.
- Maximum temperature of pumped liquid 130°F.
- Permanent magnet motor - long life brushes.
- Fuse Protected
- Built-In cooling fan

3.5 GPM

Boxed Part #	Individual Part #	Volts	Amps	Demand Switch or Relief Valve	Max Pressure	GPM	UPC Code
5151165	5283090	12	4.0	Demand Switch	60	3.5	733029127136 (Boxed)

HIGH-FLO HIGH PERFORMANCE

2 YEAR WARRANTY

- 4.5 GPM High Performance 12 Volt Pump
- 60 PSI Max Pressure
- Quick Connect Hose Fittings
- In-Line Fuse Protection
- 12 Volt Dc Power
- Self Priming - 8 Ft To 14 Ft
- Runs Dry Without Damage
- Chemical Resistant Elastomers
- 3/8" Hose Barbs
- Fan Cooled Motor

- DEMAND SWITCH MODELS operate only when liquid flow is required. Pump and motor stop instantly when discharge is closed.
- Diaphragm design eliminates troublesome shaft seal.
- Pump can be run indefinitely without damage.
- Ball bearing drive - assures longer pump life.
- Excellent self-priming capability.
- Santoprene diaphragms and viton valves are standard.
- Maximum temperature of pumped liquid 130°F.
- Permanent magnet motor - long life brushes.
- Fuse Protected
- Built-In cooling fan

4.5 GPM

Boxed Part #	Individual Part #	Volts	Amps	Demand Switch or Relief Valve	Max Pressure	GPM	UPC Code
5151088	5281372	12	11.0	Demand Switch	60	4.5	733029118080 (Boxed)

HIGH FLO PRO SERIES PROFESSIONAL GRADE

HFP-2.2 GPM

- 100 PSI
- Viton Valves
- Geolast Diaphragm
- Two Pin Connector 6” Long
  Upgraded components - Ideal For:
  - Harsh Chemicals & Oil Based Chemicals With Surfactants
- Heavy Duty Motor

HFP 2.2 GPM

Boxed Part #	Individual Part #	Volts	Amps	Demand Switch or Relief Valve	Max Pressure	GPM	UPC Code
5281325	5151075	12	4	Demand Switch	100	2.2	733029117601

HIGH FLO PRO SERIES PROFESSIONAL GRADE

HFP-4.0 GPM

- 45 PSI
- Viton Valves
- Geolast Diaphragm
- Two Pin Connector 6” Long
- 1/2”-14NPT Male Threads

Upgraded components - Ideal For:
- Harsh Chemicals & Oil Based Chemicals With Surfactants
- Heavy Duty Motor

HFP 4.0 GPM

Boxed Part #	Individual Part #	Volts	Amps	Demand Switch or Relief Valve	Max Pressure	GPM	UPC Code
5281326	5151073	12	11	Demand Switch	45	4.0	733029117618

22” & 13” PRO SERIES LONG RANGE ERGONOMIC SPRAY WANDS



Other Features

- 600 PSI
- 8 GPM
- Chemical Resistant Construction

Spray Distance

- 38’ Max Horizontal
- 27’ Max Vertical

FIMCO Code #	Description	UPC Code
5163136	22" Long Range Pro Series Spray Wand	733029115782
5163137	13" Long Range Pro Series Spray Wand	733029115799
7772092	End Cap Replacement Kit (End Cap, Gasket, Orifice Disc)	733029116901
7772093	Repair Kit (O-Ring, Valve Core Assembly)	733029116918

DELUXE SPRAY WAND

- Flow Rates Up to 5 GPM; 300 PSI
- Comfortable Pistol Grip Spray Wand
- 18” Aluminum Wand
- 3/8” Hose Barb
- Adjustable Pattern Tip (Cone to Straight Stream)

MFG Part #	Description	Weight	UPC Code
5273959	Spray Wand w/X-26 Tip	0.8 lbs	733029100306
5018331	X-26 Tip Only (Brass)	0.09 lbs	733029104649

ERGONOMIC SPRAY WAND

- Overall Wand Length is 29”
- Metal Extension is 19” Long w/30º Offset Tip
- Hose Shank Connection is 3/8”
- Tip Has Adjusting Pattern From Cone Spray To Straight Stream
- Maximum Operating Pressure is 100 PSI
- Ergonomic Handle With Trigger Locks For Continuous Operation

FIMCO Code #	Description	Weight	UPC Code
5163155	Ergonimic Spray Wand	0.5 lbs	733029124982

STANDARD LEVER SPRAY WAND

- Overall Wand Length is 29”
- Metal Extension is 19” Long w/30º Offset Tip
- Hose Shank Connection is 3/8”
- Tip Has Adjusting Pattern From Cone Spray To Straight Stream
- Maximum Operating Pressure is 100 PSI
- Trigger Locks For Continuous Operation

FIMCO Code #	Description	Weight	UPC Code
5163100	29” Trigger Wand	0.5 lbs	733029101136
5018330	X-26 Tip Only (Poly)	0.02 lbs	733029105622
7771944	Economy Spray Wand With Hangtag	0.5 lbs	733029104304

SPRAY WANDS

LEVER GRIP SPRAY WAND



- Up to 25 Feet Horizontal Spray
- Up to 15 Feet of Vertical Spray
- Adjustable Spray Pattern

Code #	Description	Wt.	
5163154	Value Lever Grip Spray Wand	0.3 lbs	733029122216

LAWN GUARD SPRAY WAND

- 3.6V Rechargable Lithium Ion Spray Wand
- Built-In Pump
- 65 Minute Run Time / Charge
- 10 ft Vertical Spray, 20 ft Horizontal Spray

Model #	Code #	UPC Code
7772105	7772105	733029120212

HIGH-FLO SPRAY WAND

- 25 Feet of hose gives you the length necessary to reach tight areas, around buildings and other obstacles
- Deluxe pistol grip spray wand delivers up to 30 feet of horizontal spray and 20 feet of vertical spray and features an ergonomic polymer handle and precision brass tip.

Code #	Description	Wt.	
7771827	Standard Spray Wand W/15' Of Spiral Hose	1.21 lbs	733029102249

TELESCOPIC SPRAY WAND - GREAT FOR TREES, HOUSES AND OTHER HARD TO REACH PLACES!



- Hose Shank Connection is 3/8"
- Tip Has Adjusting Pattern From Cone Spray To Straight Stream
- Maximum Operating Pressure is 100 PSI
- Trigger Locks For Continuous Operation

FIMCO Code #	Description	Weight	UPC Code
5163117	Telescoping Wand	1.25 lbs.	733029102218

HOSE REEL ATTACHMENT FOR 45/65 UTV SPRAYER

- Designed to work exclusively with your FIMCO UTV sprayers
- Heavy duty construction provides years of trouble free use
- Pivoting spool with locking feature allows you to rotate your hose and lock it in place, unwinding your hose in the direction you need

MFG Part #	FIMCO Part #	Inlet/ Outlet	Reel Capacity In Feet	PSI
UTV-HR-50	5302886	3/8" Hose Barb 50' of 3/8" Hose	50' of 3/8"	300

GENERAL PUMP HAND CRANK REEL

MFG Part #	FIMCO Part #	Inlet/ Outlet	Reel Capacity In Feet	PSI
D30006	5277374	3/8" NPT-M 3/8" NPT-F	200' of 3/8"	3500

LOW PRESSURE COX REEL

- Heavy duty 1/4" plate steel support post and mounting plate
- 1" Oil-lite self lubricating bearing
- Solid 1" steel center support shaft
- Full flow swivel joint
- Adjustable arm guide (wall, floor, ceiling and pit)
- Cartridge style spring motor
- 4 Roller non-snag hose guide
- Eight position locking ratchet

MFG Part #	FIMCO Part #	Hose ID	Hose OD	Ft	PSI
P-LP-350	**5274152**	3/8"	21/32"	50	300
P-LP-415	**5274153**	1/2"	27/32"	15	300

COX 12 VOLT ELECTRIC REEL

(Gear Driven)

MFG Part #	FIMCO Part #	Inlet/ Outlet	Reel Capacity In Feet	PSI
1125-4-325E	**5274305**	1/2"	450' of 3/8" 325' of 1/2"	3000

COX HAND CRANK REEL

MFG Part #	FIMCO Part #	Inlet/ Outlet	Reel Capacity In Feet	PSI
1125-4-325	**5274304**	1/2"	450' of 3/8" 325' of 1/2"	3000

1526-17-18

- 1/2 FNPT Inlet & Outlet
- Holds 300 Ft of 1/2" ID. x 7/8" OD. Hose
- 3000 PSI Max. Pressure
- Temperature Range –20˚ to 400˚
- Optional Guide Rollers & Mounting Bracket

	Model #	Shipping Bundle #	Description	Weight
MANUAL REWIND HOSE REELS	**1526-17-18**	5272182	Hannay Manual Rewind Hose Reel Crank is Permanently Attached to the Reel Axle on this Model	38

	Model #	Shipping Bundle #	Description	Weight
OPTIONS	**5274195-BLK**	5274195	Mounting Stand for Hose Reels	

SPRAYER TANK NEUTRALIZER & CLEANER

Fimco's Tank Neutralizer cleaning agent is specifically designed to clean sprayers. Removes dirt, scale and rust from spray booms and tanks, as well as neutralizing the chemical action of spray chemicals previously used in your equipment. A completely soluble powder.

Recommended to be used for flushing sprayers after each use. Reduces corrosion in tanks and pumps.

Code #	Description	Weight	UPC Code
5173029	2 lb. Can (Packed 12 per Case)	2 lbs	733029102362

SCHABEN'S SUPER FOAM

Long lasting foam. Holds up to hard water, highwinds and high temperatures. 100 to 1 concentrate

FIMCO Code #	Description
SUPERFOAM1 (5173032)	1 Gallon
SHP-SUPERFOAM4-KIT	4-1 Gallon

SUPER SIGNAL BLUE

Super concentrated, blue spray pattern indicator formulated to provide visual evidence of where a spray application has been made Broadcast: 16 to 32 oz/100 gallons Handheld: 1 to 2 oz/3 gallons

FIMCO Code #	Description
7772152	1 Quart
SUPERSIGNALBLUE/2.5	2.5 Gallons

WEIGHTS & MEASUREMENTS

Model #	Item #	UPC	Length	Width	Height	Weight	Quantity per Pallet
LWN-GRD-4	5303079	733029119995	14	11	23	11	44
LG-5-P	5302165	733029002211	21	18	23	33	12
LG-8-P	5302164	733029007841	19	17	23	26	16
LG-10-EC	5301547	733029005250	31	14	13	12	28
15-SP-GS-B	5303643	733029124753	48	34	40	140	18
15-SP-GS	5303644	733029124760	32	15	16	15	24
LG-15-EC	5301302	733029003058	34	16	15	18	24
LG-13-P	5300393	733029001009	34	16	14	20	24
LG-14-PM	5301144	733029002549	34	16	15	21	24
LG-14-SM	5301145	733029002556	34	16	15	21	24
LG-20-EC	5301548	733029005267	38	18	15	20	15
25-SP-GS	5303645	733029124777	32	15	21	20	15
LG-25-EC	5301378	733029003195	39	19	16	22	15
LG-29-P	5300632	733029001443	39	19	16	24	15
LG-28-S	5301063	733029002310	39	19	16	25	15
LG-25-PM	5301146	733029002563	39	19	16	24	15
LG-25-SM	5301147	733029002570	39	19	16	25	15
LG-25-HV	5301222	733029002990	39	19	16	25	15
LG-30-EC	5301561	733029005472	42	20	17	26	12
LG-30-S	5301478	733029004246	42	20	17	26	12
LG-40-DLX	5302186	733029107336	30	28	24	30	12
LG-45-SS	5303260	733029123800	38	24	22	32	8
LG-65-HP	5303623	733029123824	45	26	24	40	4
BR-15-SP-EC	5303152	733029121561	34	16	15	18	18
BR-25-SP-EC	5303153	733029120755	32	15	21	23	12
BR-40-SP-EC	5303154	733029121578	30	28	24	30	12
15-2N-TRL-GS	5303198	733029122056	40	16	16	42	15
LG-20-TRL	5302316	733029110008	36	20	17	46	8
25-2N-TRL-GS	5303199	733029122063	40	16	22	55	8
25-3N-TRL-GS	5303649	733029124784	40	16	22	43	12
LG-30-TRL	5302317	733029110015	45	20	20	58	8
TRL-45-12V-4	5303635	733029124135	40	24	26	103	6
TRL-65-12V-BL	5303638	733029124470	47	35	29	144	2
TRL-65-12V-7	5303637	733029124463	47	35	29	153	2
TRL-65-4R-BL	5303640	733029124494	74	27	31	214	2
TRL-65-4R-7	5303639	733029124487	74	27	31	230	2
FT-200-4R	5303634	733029123909	86	62	60	500	1
ATVTS-200-4R-BL	5303223	733029122339	86	62	60	550	1
15-2N-ATV-GS	5303197	733029122049	34	16	16	26	15
ATV-15-2-QR	5302318	733029110022	34	16	15	26	10
ATV-20-2-QR	5302319	733029110039	38	18	15	27	10
25-3N-ATV-GS	5303648	733029124814	40	16	22	30	12
ATV-25-700-QR	5302320	733029110046	56	19	21	56	8
ATV-25-71-QR	5302321	733029110053	56	19	21	65	8
LG-25-BL-QR	5302323	733029110077	39	19	16	37	10
LG-3025-QR	5302322	733029110060	39	19	16	35	10
45-3N-UTV-GS	5303650	733029124791	38	24	22	45	8
UTV-45-BL	5302865	733029114822	37	31	18	68	4
UTV-45-7	5302864	733029114839	47	31	19	85	4
65-5N-UTV-GS	5303651	733029124807	45	26	24	56	4
UTV-65-BL	5302843	733029114327	48	36	19	85	4
UTV-65-7	5302830	733029114433	48	36	19	97	4
UTV-HR-50	5302886	733029115003	34	17	14	32	12
30-3N-3PT-GS	5303678	733029124951	38	24	22	60	6
3PT-45-12V-4	5303244	733029122711	40	24	26	90	6
3PT-45-12V-BL	5303245	733029122728	40	24	26	80	6
3PT-65-12V-BL	5303251	733029122643	47	33	39	121	2

WEIGHTS & MEASUREMENTS

Model #	Item #	UPC	Length	Width	Height	Weight	Quantity per Pallet
3PT-65-12V-7	5303250	733029122636	47	33	39	137	2
3PT-65-NR-BL	5303255	733029122698	47	33	39	127	2
3PT-65-NR-7	5303254	733029122681	47	33	39	143	2
3PT-65-6R-BL	5303253	733029122650	47	33	39	135	2
3PT-65-6R-7	5303252	733029122629	47	33	39	151	2
3PT-110-NR-1025FX4	5303765	733029126344	51	46	89	310	1
3PT-110-6R-2BB	5303764	733029126337	51	46	50	285	1
3PT-110-6R-1025FX4	5303763	733029126313	51	46	89	320	1
3PT-200-NR-1225FX4	5303769	733029126382	51	46	89	400	1
3PT-200-8R-2BB	5303768	733029126375	51	46	60	375	1
3PT-200-8R-1225FX4	5303767	733029126368	51	46	89	415	1
3PT-300-NR-1725FX5	5303773	733029126429	90	48	60	540	1
3PT-300-8R-2BB	5303772	733029126412	90	48	60	455	1
3PT-300-8R-1725FX5	5303771	733029126405	90	48	60	555	1
SK-110-8R	5301052	733029004260	79	41	49	229	1
9-150	5300431	733029001214	79	41	49	264	1
FS-150-4R	5303066	733029119421	60	50	52	195	1
9-200	5300655	733029001603	79	41	49	270	1
LSS-280	5300467	733029001139	79	41	49	396	1
LSS-280-H	5301865	733029008749	79	41	49	235	1
LSS-280-EH	5301867	733029008763	79	41	49	235	1
LSS-240	5301259	733029004352	79	41	49	330	1
LSS-235-H	5301869	733029008787	79	41	49	235	1
TSSK-300	5301337	733029003164	105	54	54	587	1
LG-25-PRO	5302922	733029116864	32	15	21	25	12
ATV-25-700-PRO	5302927	733029117434	56	16	27	60	6
LG-3025-PRO	5302926	733029117427	38	15	27	36	12
3PT-45-PRO-4	5303246	733029122735	40	24	26	90	6
LG-50-TRL-PRO	5302928	733029117441	56	41	29	174	2
LG-50-TRL-PRO-BL	5302930	733029117571	56	41	29	170	2
ATVBK-200-QR	5302339	733029110770	46	6	6	10	24
ATVBK-500-QR	5302338	733029110763	55	11	6	23	24
ATVBK-700-QR	5302337	733029110756	55	11	6	27	24
ATVBK-710-QR	5302336	733029110749	55	11	6	31	24
ATVBK-3025-QR	5302334	733029110725	55	11	6	11	24
TC-10-18	5301546	733029005243	44	34	14	103	5
TC-17	5301397	733029003331	61	39	17	200	4
TC-17-4	5301398	733029003348	61	39	17	227	4
TC-10-P	5301461	733029003614	49	36	14	75	7
TC-10P-EC-B	5302051	733029010605	49	36	14	70	6
TC-10-EC	5301841	733029008589	49	36	60	575	8
TC-15-HP	5302027	733029010469	48	40	15	85	5
DTH-42	5301491	733029004581	50	13	11	50	18
SPK-42	5301531	733029005199	51	18	14	85	10
PLG-42	5301530	733029005182	51	18	14	85	10
LRP-1824	5301944	733029009296	32	20	18	42	10
LRP-1836	5301945	733029009302	44	20	18	51	8
LRP-1848	5301946	733029009319	57	20	18	63	8
LRP-2436	5301947	733029009326	44	25	25	76	3
LRP-2448	5301948	733029009333	56	25	25	84	3
LRS-2436	5301949	733029009340	44	25	25	163	3
LRS-2448	5301950	733029009357	56	25	25	189	3
ATV-DMS-12V	5301845	733029008633	29	21	22	53	9
ATV-DMS-12V-2RC	5302957	733029119216	29	21	22	55	9
DMS-TR-12V-2.2	5302028	733029010476	29	20	26	69	9
DMS-TR-12V-5.0	5302035	733029010544	40	44	36	110	2
DMS-3PT-12V-4.5	5302045	733029010551	40	26	36	90	2

****** Commercial and Residential Shipping Rates Vary ******

Doesn't include pallet weight

NOTES

FIMCO INDUSTRIES

YOUR SOURCE FOR SPRAYER PARTS & ACCESSORIES

WESTWARD PARTS
FIMCO INDUSTRIES

2025 | SPRAYER CATALOGUE

RED DEER, ALBERTA
6517 - 67 Street
Red Deer, AB T4P 1A3

REGINA, SASKATCHEWAN
201 Henderson Drive
Regina, SK S4N 7E2

WINNIPEG, MANITOBA
1435 St. James Street
Winnipeg, MB R3H 0W9

Phone 1-888-937-7278
www.westwardparts.com

© COPYRIGHT 2025 FIMCO, INC. · PRINTED IN THE USA. SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE