

# SPRAYER

## PARTS CATALOGUE

Nozzles and Nozzle Accessories ▪ Valves and Manifolds ▪ Gauges and Calibration ▪ Fittings & Cam Locks ▪ Hose ▪ Pumps ▪ Spray Guns and Accessories ▪ Tanks and Tank Components ▪ Monitors, Accessories and more!



# Westward has the part!

**Westward has the part!** That's our commitment to you, and that's what sets us apart. Westward Parts has over 45 years of expertise with all makes of agricultural parts, sprayer parts, sprayers, as well as ground maintenance and estate equipment. Our Canadian dealers are served from three different warehouse locations across the country, and our Australian dealers are served through the MacDon Parts Distribution Centre in Melbourne. Westward Parts offers our dealers the most comprehensive product portfolio and exclusive product offerings. And it will all be delivered on time, with an enjoyable customer service experience that won't let you down.

## Westward Parts Distribution:

- 📍 **RED DEER, AB**  
Canada
- 📍 **REGINA, SK**  
Canada
- 📍 **WINNIPEG, MB**  
Canada
- 📍 **MELBOURNE**  
Australia



6517 - 67 St.  
Red Deer, AB T4P 1A3  
1-888-937-7278  
Fx: 1-800-661-4508

201 Henderson Dr.  
Regina, SK S4N 7E2  
1-888-937-7278  
Fx: 1-800-721-2977

1435 St. James St.  
Winnipeg, MB R3H 0W9  
1-888-937-7278  
Fx: 1-800-257-8338

**WWW.WESTWARDPARTS.COM**

## How to Order

### Welcome to the Westward Parts Sprayer Parts Catalogue!


This catalogue is divided into 9 sections:

1	Nozzles and Nozzle Accessories	
2	Valves and Manifolds	
3	Gauges and Calibration	
4	Fittings & Cam Locks	
5	Hose	
6	Pumps	
7	Spray Guns and Accessories	
8	Tanks and Tank Components	
9	Monitors and Accessories	

**Color Coded**  
For easier navigation!



Westward Parts Authorized Dealers can now order parts in two easy ways!  
You can now order by **Manufacturer Number**, or by **Westward Part Number**.

	 <b>Online</b>	 <b>Phone</b>	 <b>Fax</b>
<b>Manufacturer #</b>	-	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<b>Westward Part #</b>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Please contact Westward Parts  
Customer Service Team for assistance.  
**1-888-937-7278**

A cross reference for Manufacturer Part Number/ Westward Parts Number can be found at the back of each section.

Note: Some of the items in this catalogue are not listed with a Westward Parts Number. If you would like to receive a quote or request that we add an item to our catalogue offer, please contact us at 1-888-937-7278 for assistance.

**Not a Dealer?** [Find your dealer at www.WestwardParts.Com/Find-A-Dealer](http://www.WestwardParts.Com/Find-A-Dealer)

## Sprayer Parts Catalogue

### Section 1 - Nozzles and Nozzle Accessories

TeeJet Tips, Caps and Accessories .....	1-1
Hypro Tips, Caps and Accessories .....	1-38
Wilger Tips, Caps and Accessories.....	1-50
GreenLeaf Technologies Tips, Caps and Accessories .....	1-65
Tip Strainers.....	1-81
TeeJet Nozzle Bodies and Accessories.....	1-83
Hypro Nozzle Bodies and Accessories .....	1-100
Wilger Nozzle Bodies and Accessories .....	1-107
Inline Strainers.....	1-118
Banjo Clamps.....	1-136
TeeJet Clamps.....	1-138
Wilger Clamps .....	1-139
Hypro Clamps .....	1-141
Cross Reference .....	1-142

### Section 2 - Valves and Manifolds

Banjo Micro Valves .....	2-1
Banjo Ball Valves.....	2-3
Banjo Nozzle Valves.....	2-9
Banjo Electric Valves.....	2-10
Banjo Manifold Valves .....	2-20
Banjo Manifold Flange Connections.....	2-24
Banjo Dry-Mates.....	2-28
Banjo Spinweld Valves .....	2-32
Banjo FDA Union Valve and Adapter .....	2-32
TeeJet Electric Valves.....	2-33
TeeJet Manual Shutoff Ball Valves .....	2-46
TeeJet Regulating Valves.....	2-48
TeeJet Valves.....	2-50
Wilger Boom End Flush Valves .....	2-51
TIR Solenoid Valves.....	2-52
Greenleaf Incorporated Poly Shutoff Valves.....	2-55
Other Brands Valves .....	2-56
TeeJet Flow Indicators .....	2-58
Banjo Flow Indicators .....	2-59
Wilger Flow Indicators.....	2-60
Cross Reference .....	2-64



## Sprayer Parts Catalogue

### Section 3 - Gauges and Calibration

Gauges, Sensors, Wiring .....	3-1
Calibration Equipment .....	3-4
Cross Reference .....	3-6



### Section 4 - Fittings & Cam Locks

Couplings .....	4-1
Fittings .....	4-33
Hose Barbs, Menders, Sharks .....	4-55
Garden, Hose Parts, Accessories .....	4-59
Tank and Tanks Components .....	4-64
Cable Management .....	4-70
Sealant / Fastener .....	4-71
Specialty Strainers .....	4-72
Cross Reference .....	4-73



### Section 5 - Hose

#### Chemical Resistant Suction & Discharge Hose - Air Seeder Hose

PVC Suction Hose - Air Seeder Hose .....	5-1
Poly Rubber Suction .....	5-1
Medium-duty polyurethane dry material handling hose .....	5-2
EPDM Hose .....	5-2
PVC Layflat Hose / Water Discharge PVC .....	5-3

#### Petroleum Hose

Farm Tank Hose .....	5-4
Gravity Tank Hose - Assemblies Without Static Wire .....	5-4
Farm Fuel Transfer Hose - Assemblies .....	5-4

#### Tubing and Accessories

Nylon Tubing/Gauge Tubing .....	5-5
Non-Reinforced Natural EVA - Boxed .....	5-5
Reinforced Natural EVA - Bulk .....	5-5
Non-Reinforced Clear Vinyl - Boxed .....	5-6

#### Grain Vac Hose - Material Handling Hose

Material Handling Rubber- ARS Suction .....	5-7
Bulk Material Handling Hose - Bulk/Uncoupled- Lightweight .....	5-7



## Sprayer Parts Catalogue

### Section 5 - Hose

#### Air, Water, Multi-Purpose Hose

200 PSI Multipurpose (AG200) -Bulk/Uncoupled - EPDM Hose .....	5-8
300 PSI Multipurpose (AG300) - Bulk/Uncoupled - EPDM Hose .....	5-8
Series 7093 (Black) GST II General Service Air & Water Hose - EPDM Hose .....	5-9
General Purpose - PVC Hose .....	5-9
General Purpose - Wingfoot Hose.....	5-10

#### Pressure Washer Hose

Cleaning Equipment .....	5-10
--------------------------	------



### Section 6 - Pumps, Replacement Parts and Accessories

#### Ace Pumps

Application Information .....	6-1
Hydraulic Driven Centrifugal Pumps.....	6-3
PTO Belt Driven Centrifugal Pumps .....	6-32
Gasoline Engine Driven Centrifugal Pumps .....	6-38
Belt Driven Centrifugal Pumps .....	6-45

#### Hypro Pumps

Application Information .....	6-55
Centrifugal Pumps .....	6-58
Transfer Pumps.....	6-74
Roller Pumps .....	6-77
Diaphragm Pumps .....	6-88
Other Pumps .....	6-91
Shurflo Pumps .....	6-93
Piston & Plunger Pumps .....	6-105

#### Banjo Pumps

Centrifugal Pumps .....	6-111
-------------------------	-------

#### Other Brands Pumps

Diaphragm Pumps .....	6-117
Electric Diaphragm Pumps .....	6-122
Cross Reference .....	6-124



## Sprayer Parts Catalogue

### Section 7 - Spray Guns, Replacement Parts and Accessories

Hypro Handguns.....	7-1
TeeJet Handguns .....	7-2
Other Brands Handguns .....	7-9
Pressure Washer Parts.....	7-10
Cross Reference.....	7-11



### Section 8 - Tanks, Tank Components and Accessories

Sprayer Tanks.....	8-1
Tank Saddles .....	8-5
Tank Agitator & Eductor .....	8-6
Tank Cleaning Equipment .....	8-8
Tank Fittings.....	8-11



### Section 9- Monitors and Accessories

Control Systems.....	9-1
----------------------	-----



Westward Parts can source many other special order items that are not listed in this catalogue, please visit our website at **westwardparts.com** or call us directly at **1-888-937-7278**. Our team will help you find what you need.

Parts offered by Westward Parts Services Ltd. are provided by different manufacturers. The use of OEM part numbers are for identification purposes only - No implication is made that the parts are, in fact, the OEM part (unless specified otherwise). The product images shown are for illustration purposes only and may not be an exact representation of the product.

This catalogue is intended for quick reference use. While a great deal of effort has been made to ensure application information, descriptions, and specifications are accurate, Westward Parts Services Ltd. cannot guarantee accuracy as a result of ever-changing model information, product updates, and superseded parts. Westward Parts Services Ltd. will not be liable to any third party should any of the information contained within this catalogue be in error.

***Westward has the part!***



## Suction & Discharge / Air Seeder Hose

## Chemical-Resistant Hose

### Fertilizer Solution - Bulk/Uncoupled

#### PVC Suction Hose - Air Seeder Hose

**Applications:** A PVC suction and discharge hose commonly used on air seeders also for water, light chemicals, and pumping services in the agricultural, rental, construction, marine and irrigation industries.

**Construction:** A smooth bore hose made of flexible abrasion resistant extruded clear PVC with a rigid PVC helix.

#### Features:

- Temp Range: -10°F to 130°F (under static conditions)
- WP and MBR (continuous service): Applicable @ 68°F
- STD Length: 100'
- Maximum Length: 3/4" I.D. through 6" I.D. : 100' bulk

Westward Part#	Description	ID	OD	Max working pressure
HOS73050	PVC Suction / Discharge Hose 3/4" (100'/Roll)	3/4"	.95"	90
HOS73051	PVC Suction / Discharge Hose 1" (100'/Roll)	1"	1.18"	85
HOS73051BLK	Black PVC Suction / Discharge Hose 1" (100'/Roll)	1"	1.19"	83
HOS73051GRN	Green PVC Suction / Discharge Hose 1" (100'/Roll)	1"	1.24"	85
HOS73052	PVC Suction / Discharge Hose 1-1/4" (100'/Roll)	1-1/4"	1.47"	80
HOS73053	PVC Suction / Discharge Hose 1-1/2" (100'/Roll)	1-1/2"	1.72"	70
HOS73054	PVC Suction / Discharge Hose 2" (100'/Roll)	2"	2.29"	65
HOS73054GRN	Green PVC Suction / Discharge Hose 2" (100'/Roll)	2"	2.29"	65
HOS73055	PVC Suction / Discharge Hose 2-1/2" (100'/Roll)	2-1/2"	2.85"	60
HOS73055BLK	Black PVC Suction / Discharge Hose 2-1/2" (100'/Roll)	2-1/2"	2.85"	60
HOS73055GRN	Green PVC Suction / Discharge Hose 2-1/2" (100'/Roll)	2-1/2"	2.85"	60
HOS73056	PVC Suction / Discharge Hose 3" (100'/Roll)	3"	3.35"	55
HOS73056GRN	Green PVC Suction / Discharge Hose 3" (100'/Roll)	3"	3.43"	60
HOS73057	PVC Suction / Discharge Hose 4" (100'/Roll)	4"	4.45"	50
HOS73058	PVC Suction / Discharge Hose 5" (100'/Roll)	5"	5.58"	45
HOS73059	PVC Suction / Discharge Hose 6" (100'/Roll)	6"	6.56"	40



HOS73050


#### Poly Rubber Suction

A lightweight, flexible, rugged suction/discharge hose which has good chemical resistance and is excellent for transferring fertilizer solutions, septic solutions, pesticides, and is Lasso® resistant. Its corrugated polyethylene helix serves as a scuff strip making it durable and easy to handle.

#### Features:

- Tube/Cover Material: EPDM
- Reinforcement: Yellow Poly Helix
- Temperature: -30°F to 140°F
- Cover Color: Black/Yellow
- Negative Pressure (in/HG): 28

Westward Part#	Description	ID	OD	Max working pressure
HOSFS100	Fertilizer Hose 1" (100'/Roll)	1"	1.34"	80
HOSFS125	Fertilizer Hose 1-1/4" (100'/Roll)	1-1/4"	1.61"	70
HOSFS150	Fertilizer Hose 1-1/2" (100'/Roll)	1-1/2"	1.96"	60
HOSFS200	Fertilizer Hose 2" (100'/Roll)	2"	2.49"	60
HOSFS300	Fertilizer Hose 3" (100'/Roll)	3"	3.6"	50
HOSFS400	Fertilizer Hose 4" (100'/Roll)	4"	4.69"	45



HOSFS100

## Suction & Discharge / Air Seeder Hose

## Chemical-Resistant Hose

### Fertilizer Solution - Bulk/Uncoupled

#### Medium-duty polyurethane dry material handling hose

Dry material pneumatic conveying systems and plastic pellet and powder transfer when static is not a concern. Agricultural applications, such as air seeders, abrasive material vacuum systems, and industrial vac equipment.

**Construction:** Flexible polyurethane lined PVC tube. rigid PVC helix. smooth bore, PVC corrugated O.D.

**Features:**

- Temp. Range: 13°F to 140°F
- Lightweight and flexible in sub-zero temperatures.
- Clear polyurethane lined PVC tube provides abrasion resistance, permits visual check of material flow, prevents material build up, and provides quiet operation.
- Corrugated PVC O.D. with raised PVC helix for increased flexibility and easy drag.

Westward Part#	Description	ID	OD	Max working pressure
HOSK100URD-BK-250	Urethane Hose Black 2-1/2" Kanaflex	2-1/2"	2.87"	35
HOSK100URD-RD-250	Urethane Hose Red 2-1/2" Kanaflex	2-1/2"	2.87"	35



HOSK100URD-BK-250

#### EPDM Hose

For use in liquid waste suction application. Also for use with liquid or dry chemical suction applications or general industrial use where high working pressures are not required.

**Features:**

- Cover: Green Polyethylene helix and specially formulated rubber.
- Reinforcement: Rigid green Polyethylene helix.
- Tube: Smooth specially formulated rubber
- Temperature: -40C to +60C (-40F to +140F)

Westward Part#	Description	ID	OD	Max working pressure
HOSEPDPM200	2" EPDM Flexlite Hose	2"	2.44"	50
HOSEPDPM300	3" EPDM Flexlite Hose	3"	3.52"	42
HOSEPDPM400	4" EPDM Flexlite Hose	4"	4.61"	38



HOSEPDPM400

Westward Parts can source many other special order items that are not listed in this catalogue, please visit our website at [westwardparts.com](http://westwardparts.com) or call us directly at 1-888-937-7278. Our team will help you find what you need. The product images shown are for illustration purposes only and may not be an exact representation of the product.

## Suction & Discharge / Air Seeder Hose

## Chemical-Resistant Hose

### PVC Hose

#### PVC Layflat Hose / Water Discharge PVC


Discharge hose for water, light chemicals, and pumping service in the agricultural, rental, construction, marine, and irrigation industries.

**Construction:** Tube/cover are PVC, reinforced with 3 ply polyester yarns, one longitudinal ply and two spiral plies. Both tube/cover are extruded simultaneously to obtain maximum bonding.

**Features:**

- Strong, lightweight, non water-absorbing, and mildew proof hose that rolls up flat for easy storage.
- Resistant to oils, grease, and many chemicals and acids.
- Temp Range: -5°F to 130°F
- All Bulk Hose Priced Per Foot

Westward Part#	Description	ID	OD	Max working pressure
HOS73101	Blue PVC Lay-Flat / Discharge Hose 1" (100'/Roll)	1"	1.11"	150
HOS73102	Blue PVC Lay-Flat / Discharge Hose 1-1/2" (300'/Roll)	1-1/2"	1.56"	75
HOS73060	Blue PVC Lay-Flat / Discharge Hose 2" (300'/Roll)	2"	2.13"	65
HOSLFCE2-100	Blue PVC Lay-Flat Hose Assembly w/ C/E Cam-Locks 2" (100'/Roll)	2"	2.13"	65
HOSLFCE2-50	Blue PVC Lay-Flat Hose Assembly w/ C/E Cam-Locks 2" (50'/Roll)	2"	2.13"	65
HOS73103	Blue PVC Lay-Flat / Discharge Hose 2-1/2" (300'/Roll)	2-1/2"	2.56"	60
HOS73061	Blue PVC Lay-Flat / Discharge Hose 3" (300'/Roll)	3"	3.13"	60
HOSLF300-BRN	Brown PVC Lay-Flat / Discharge Hose 3" (100'/Roll)	3"	3.18"	100
HOSLFCE3-100	Blue PVC Lay-Flat Hose Assembly w/ C/E Cam-Locks 3" (100'/Roll)	3"	3.13"	60
HOSLFCE3-50	Blue PVC Lay-Flat Hose Assembly w/ C/E Cam-Locks 3" (50'/Roll)	3"	3.13"	60
HOS73104	Blue PVC Lay-Flat / Discharge Hose 4" (300'/Roll)	4"	4.06"	45
HOSLFCE4-100	Blue PVC Lay-Flat Hose Assembly w/ C/E Cam-Locks 4" (100'/Roll)	4"	4.14"	60
HOSLFCE4-50	Blue PVC Lay-Flat Hose Assembly w/ C/E Cam-Locks 4" (50'/Roll)	4"	4.14"	60
HOS73105	Blue PVC Lay-Flat / Discharge Hose 6" (300'/Roll)	6"	6.07"	40



Westward Parts can source many other special order items that are not listed in this catalogue, please visit our website at [westwardparts.com](http://westwardparts.com) or call us directly at 1-888-937-7278. Our team will help you find what you need.

The product images shown are for illustration purposes only and may not be an exact representation of the product.

## Petroleum Hose

## Chemical-Resistant Hose

### Fuel Transfer Hose

#### Farm Tank Hose

A multi-use type hose for dispensing gasoline, grease, kerosene, and petroleum oils from farm and barrel type pumps. It is for agricultural, construction and industrial service where UL approval is not required.

Westward Part#	Description
HOSFTH3/4	Farm Tank Hose 3/4" (500'/Reel)
HOSFTH1	Farm Tank Hose 1" (400'/Reel)



HOSFTH1

#### Gravity Tank Hose - Assemblies Without Static Wire

##### Features:

- Recommended for dispensing gasoline, up to 15% ethanol, diesel fuel, kerosene, and oil.
- Not recommended for bio-diesel. Oil-resistant tube and cover.
- Spiral reinforced with synthetic yarn. Coupled Male x Male. 8" internal spring guards on each end prevent the hose from kinking off at the coupling, extending the life of the hose 3 to 4 times.
- NOT for commercial pump use.

Westward Part#	Description
HOSFTH3/4-14	Gravity Tank Hose 3/4" X 14' Assembly W/ Ends
HOSFTH1-14	Gravity Tank Hose 1" X 14' Assembly W/ Ends



HOSFTSW3-4-14

#### Farm Fuel Transfer Hose - Assemblies

Designed for use with 12 volt and 110 volt electric pumps to dispense gasoline, 15% ethanol, diesel, B10/ B20 biodiesel, kerosene, and oil. This high quality hose is constructed with a built in static wire to dissipate static electricity associated with electric pumps. It is coupled with male fittings on each end and internal spring guards, which prevent kinking at the fittings and dramatically extends the life of the assembly.

##### Features:

- Tube/Cover Material: NBR
- Reinforcement: 2-Ply Synthetic Plies
- Temperature: -20°F to 160°F
- Fittings: Male Pipe Thread x Male Pipe Thread Crimped

Westward Part#	Description
HOSFTSW3/4-14	Fuel Hose W/Static Wire 3/4" X 14' Assembly W/Ends
HOSFTSW1-14	Fuel Hose W/ Static Wire 1"X 14' Assembly W/ Ends



HOSFTH1-14

Westward Parts can source many other special order items that are not listed in this catalogue, please visit our website at [westwardparts.com](http://westwardparts.com) or call us directly at 1-888-937-7278. Our team will help you find what you need.

The product images shown are for illustration purposes only and may not be an exact representation of the product.

## Tubing and Accessories

## Chemical-Resistant Hose

### Nylon Tubing

#### Nylon Tubing/Gauge Tubing

Westward Part#	Description
HOS73000	1/8" OD Gauge Tubing (100')



### EVA Tubing


#### Non-Reinforced Natural EVA - Boxed

Ethyl Vinyl Acetate (EVA) plastic tubing is weather resistant and has a chemical resistance to most insecticides and herbicides including Monsanto's Lasso®. This tubing is most commonly used in the application of liquid fertilizers, phosphates, and the "open end" discharge of anhydrous ammonia. Do not use this tubing for anhydrous ammonia under pressure.

##### Features:

- Tube/Cover Material: EVA
- Temperature: -50°F to 125°F
- Cover Color: Natural Translucent
- Packaging: Box

Westward Part#	Description	ID	OD	Max working pressure
HOS73034	EVA Tubing 1/4" ID X 1/8" (100'/Box)	1/4"	.375"	60
HOS73030	EVA Tubing 3/8" ID X 1/8" (100'/Box)	3/8"	0.625"	120
HOS73031	EVA Tubing 1/2" ID X 1/8" (100'/Box)	1/2"	.75"	120
HOS73032	EVA Tubing 3/4" ID X 1/8" (100'/Box)	3/4"	1"	120
HOS73035	NEXVA EVA Tubing 7/8" (100')	7/8"	1.125"	100
HOS73033BLK	Black NEXVA T EVA Tubing 1" (100')	1"	1.250"	75
HOS73033	EVA Tubing 1" ID X 1/8" (100'/Box)	1"	1.25"	120



#### Reinforced Natural EVA - Bulk

Reinforced Ethyl Vinyl Acetate (EVA) plastic tubing has a higher working pressure, and is more kink resistant than non-reinforced EVA. All EVA is weather resistant and has a chemical resistance to most insecticides and herbicides, including Monsanto's Lasso®. This tubing is most commonly used in the application of liquid fertilizers, phosphates, and the "open end" discharge of anhydrous ammonia. Do not use this tubing for anhydrous ammonia under pressure.

##### Features:

- Tube/Cover Material: EVA
- Reinforcement: Braided Synthetic Cord
- Temperature: -50°F to 125°F
- Cover Color: Natural Translucent

Westward Part#	Description	ID	OD	Max working pressure
HOS73064	EVA Tubing Reinforced 3/8" ID (300'/Roll)	3/8"	.59"	250
HOS73065	EVA Tubing Reinforced 1/2" ID (300'/Roll)	1/2"	.72"	250
HOS73066	EVA Tubing Reinforced 5/8" ID (200'/Roll)	5/8"	.87"	200
HOS73067	EVA Tubing Reinforced 3/4" ID (300'/Roll)	3/4"	1"	150
HOS73068	EVA Tubing Reinforced 1" ID (200'/Roll)	1"	1.31"	150
HOS73063	EVA Tubing Reinforced 1/4" ID (300'/Roll)	1/4"	.39"	250



## Tubing and Accessories

## Chemical-Resistant Hose

### Clear Vinyl Tubing

#### Non-Reinforced Clear Vinyl - Boxed

Clear, flexible, and lightweight polyvinyl chloride tubing that provides full view of flowing product and is great for sight gauges on storage tanks. Tubing is FDA approved. Rated good to excellent for acids, fair to excellent for alkalies, and excellent for most solvents. Do not use for ketones, esters, and some aromatic hydrocarbons.

#### Features:

- Tube/Cover Material: Vinyl
- Temperature: -20°F to 150°F
- Cover Color: Clear

Westward Part#	Description	ID	OD	Max working pressure
HOS73037	Vinyl Tubing 1/4" ID (100'/Box)	1/4"	.5"	70
HOS73040	Vinyl Tubing 3/8" ID (100'/Box)	3/8"	.63"	60
HOS73041	Vinyl Tubing 1/2" ID (100'/Box)	1/2"	.75"	45
HOS73042	Vinyl Tubing 5/8" ID (100'/Box)	5/8"	.88"	40
HOS73043	Vinyl Tubing 3/4" ID (100'/Box)	3/4"	1"	35
HOS73044	Vinyl Tubing 1" ID (100'/Box)	1"	1.25"	25



HOS73037

Westward Parts can source many other special order items that are not listed in this catalogue, please visit our website at [westwardparts.com](http://westwardparts.com) or call us directly at 1-888-937-7278. Our team will help you find what you need. The product images shown are for illustration purposes only and may not be an exact representation of the product.

## Material Handling Hose

## Gran Van Hose

### ARS Suction

#### Material Handling Rubber

- Provides 3 times the wear resistance of resin hoses
- SBR blended tube provides exceptional wear resistance
- Flexible to -40F
- Used in a variety of material handling application where a superior resistance to abrasion is required, such as transfer of crushed rock, sand, pea gravel, cement, dry fertilizer, grain and ore.
- Cover and tube are specially formulated static dissipative compound

Westward Part#	Description	ID	OD	Max working pressure
HOSARS200	2" ARS Flexlite Hose	2"	2.35"	40
HOSARS300	3" ARS Flexlite Hose	3"	3.50"	35
HOSARS400	4" ARS Flexlite Hose	4"	4.63"	30
HOSARS500	5" ARS Flexlite Hose	5"	5.76"	30
HOSARS600	6" ARS Flexlite Hose	6"	6.73"	30



HOSARS200

### Lightweight

#### Bulk Material Handling Hose - Bulk/Uncoupled

This bulk material handling hose is constructed of an abrasion resistant, rubber compound that is also static-dissipative. Specifically designed for products that can be moved by air, such as rock wool, saw dust, and fiberglass, this hose is great for use in ventilation systems where dust is a work hazard, like grain elevators and cement plants. Hose is also ideal for material vacuuming applications like grain vacs.

#### Features:

- Tube Material: Static-dissipating Rubber
- Reinforcement: Black Rigid PVC Helix
- Cover Material: PVC Corrugated
- Temperature: -30°F to 140°F
- Cover Color: Black
- Negative Pressure (in/HG): 28

Westward Part#	Description	ID	OD	Max working pressure
HOSGV400	Grain Vac Hose 4" (100'/Roll)	4"	4.55"	25
HOSGV500	Grain Vac Hose 5" (100'/Roll)	5"	5.65"	25
HOSGV600	Grain Vac Hose 6" (100'/Roll)	6"	6.78"	25



HOSGV400

Westward Parts can source many other special order items that are not listed in this catalogue, please visit our website at [westwardparts.com](http://westwardparts.com) or call us directly at 1-888-937-7278. Our team will help you find what you need. The product images shown are for illustration purposes only and may not be an exact representation of the product.

## Air/ Water/ Multi-Purpose Hose

## Water Hose

## EPDM Hose

## 200 PSI Multipurpose (AG200) -Bulk/Uncoupled

Versatile general purpose hose which is excellent for air, water, and many agricultural chemicals including LASSO® herbicide. The EPDM tube and cover resists heat, sunlight, ozone, and weathering. Its RMA Class C tube makes it suitable for oil mist lubricating air lines.

Do not use for transferring petroleum products

## Features:

- Tube/Cover Material: EPDM
- Reinforcement: Spiral Textile Cord
- Maximum PSI: 200
- Temperature: -40°F to 212°F

Westward Part#	Description	ID	OD	Max working pressure
HOS73010	EPDM Hose 1/4" X 2 Fiber Braid (500'/Reel)	1/4"	.5"	200
HOS73012	EPDM Hose 3/8" X 1 Fiber Braid (500'/Reel)	3/8"	.63"	200
HOS73014	EPDM Hose 1/2" X 1 Fiber Braid(500'/Reel)	1/2"	.813"	200
HOS73016	EPDM Hose 5/8" X 1 Fiber Braid (500'/Reel)	5/8"	.88"	200
HOS73018	EPDM Hose 3/4" X 1 Fiber Braid(500'/Reel)	3/4"	1.125"	200
HOS73020	EPDM Hose 1" X 1 Fiber Braid (500'/Reel)	1"	1.391"	200
HOS73027	EPDM Hose 2" X 2 Fiber Braid (300'/Reel)	2"	2.5"	150



## 300 PSI Multipurpose (AG300) - Bulk/Uncoupled

Versatile general purpose hose which is excellent for air, water, and many agricultural chemicals including LASSO® herbicide. The EPDM tube and cover resists heat, sunlight, ozone, and weathering. Its RMA Class C tube makes it suitable for oil mist lubricating air lines.

Do not use for transferring petroleum products.

## Features:

- Tube/Cover Material: EPDM
- Reinforcement: Spiral Textile Cord
- Maximum PSI: 300
- Temperature: -40°F to 212°F
- Standard Reel: 500'

Westward Part#	Description	ID	OD	Max working pressure
HOS73011	EPDM Hose 1/4" X 2 Fiber Braid (500'/Reel)	1/4"	.56"	300
HOS73013	EDPM Hose 3/8" x 2 Fiber Braid (500'/Reel)	3/8"	.72"	300
HOS73015	EPDM Hose 1/2" X 4 Fiber Braid (500'/Reel)	1/2"	.84"	300
HOS73017	EPDM Hose 5/8" X 4 Fiber Braid (500'/Reel)	5/8"	1.06"	300
HOS73019	EPDM Hose 3/4" X 4 Fiber Braid (500'/Reel)	3/4"	1.16"	300
HOS73021	EPDM Hose 1" x 4 Fiber Braid (500'/Reel)	1"	1.39"	300



Westward Parts can source many other special order items that are not listed in this catalogue, please visit our website at [westwardparts.com](http://westwardparts.com) or call us directly at 1-888-937-7278. Our team will help you find what you need.

The product images shown are for illustration purposes only and may not be an exact representation of the product.



## Air/ Water/ Multi-Purpose Hose

## Water Hose

### EPDM Hose

#### Series 7093 (Black) GST II General Service Air & Water Hose

GST® II hose is a versatile general purpose hose designed to handle air, mild chemicals and water. The hose construction incorporates a tube that is compatible with light oil mists found in air tool lubricating systems, and the multiple plies of textile reinforcement provide flexibility. The cover is resistant to abrasion, heat and ozone, and is available in multiple standard colors for color-coded identification.

##### Features:

- Tube: Black EPDM; ARPM Class C oil resistance
- Reinforcement: Multiple textile plies
- Cover: Black EPDM; smooth finish
- Temp. Range: -40°F to +212°F (-40°C to +100°C)
- Brand Method: White ink on black hose
- Industry Standards: ARPM Class C oil resistant tube; ARPM IP-7 (7031R only)
- Applications: Air (including oil mist), mild chemicals, water. Agriculture, construction, general industrial
- Vacuum: Not recommended
- Compare to: Boston Bosflex A/W; Gates Adapta Flex; Thermoid Valuflex GS; Veyance Horizon General Purpose

Westward Part#	Description	ID	OD	Max working pressure
<b>HOS73022</b>	EPDM Hose 1-1/4" X 2 Fiber Braid (250'/Reel)	1-1/4"	1.78"	200
<b>HOS73023</b>	EPDM Hose 1-1/2" X 2 Fiber Braid (200'/Reel)	1-1/2"	2.03"	200



HOS73022

### PVC Hose

#### General Purpose

Use when a clear hose needing higher working pressures and reinforcement is required. Good for applications such as air, water, and pneumatic lines.

**Construction:** Profile formulated to comply with FDA requirements. Clear polyvinyl chloride with a synthetic cord

##### Features:

- Temp Range: -20°F to 150°F (higher temperatures, lower working pressures).
- Warning: Not for transfer of Anhydrous Ammonia.

Westward Part#	Description	ID	OD	Max working pressure
<b>HOS73045</b>	Reinforced Vinyl Tubing 1/4" ID (300'/Roll)	1/4"	.43"	250
<b>HOS73046</b>	Reinforced Vinyl Tubing 3/8" ID (300'/Roll)	3/8"	.59"	250
<b>HOS73047</b>	Reinforced Vinyl Tubing 1/2" ID (300'/Roll)	1/2"	.71"	250
<b>HOS73048</b>	Reinforced Vinyl Tubing 5/8" ID (300'/Roll)	5/8"	.87"	200
<b>HOS73049</b>	Reinforced Vinyl Tubing 3/4" ID (300'/Roll)	3/4"	1.02"	180
<b>HOS73039</b>	Reinforced Vinyl Tubing 1" ID (200'/Roll)	1"	1.30"	150
<b>HOS73038</b>	Reinforced Vinyl Tubing 1-1/4" ID X (100'/Roll)	1-1/4"	1.61"	100



Westward Parts can source many other special order items that are not listed in this catalogue, please visit our website at [westwardparts.com](http://westwardparts.com) or call us directly at 1-888-937-7278. Our team will help you find what you need.

The product images shown are for illustration purposes only and may not be an exact representation of the product.

## Air/ Water/ Multi-Purpose Hose

## Water Hose

### General Purpose - Wingfoot Hose

A good-quality, economical general purpose hose for industrial air service, compressor lines, pneumatic tools, low-pressure spray and many other applications where the need for oil resistance is moderate. Nonconductive, minimum electrical resistance greater than one (1) megohm per inch of length of hose at 1000 V DC. Available in 200 and 300 psi working pressures.

#### Features:

- Construction Tube: Nitrile synthetic rubber, RMA Class A (high oil resistance)
- Cover: Red, Blue, or Black Chemivic™ synthetic rubber, RMA Class B (medium oil resistance)
- Reinforcement: Spiral synthetic yarn
- Temperature: -20 °F to 190 °F (-29 °C to 88 °C)
- Branding: Example: VARIFLEX® Nonconductive 1/2" (12.7 mm) 200 psi WP.
- Made in USA

Westward Part#	Description	ID	OD	Max working pressure
HOSWF4		1/4"	.543"	300
HOSWF6	Wingfoot Hose 3/8" (500'/Reel)	3/8"	.688"	300
HOSWF8	Wingfoot Hose 1/2" (500'/Reel)	1/2"	.858"	300
HOSWF10	Wingfoot Hose 5/8" (500'/Reel)	5/8"	1.015"	300
HOSWF12	Wingfoot Hose 3/4" (500'/Reel)	3/4"	1.188"	300
HOSWF16	Wingfoot Hose 1" (450'/Reel)	1"	1.500"	300
HOSWF20	Wingfoot Hose 1-1/4" (400'/Reel)	1-1/4"	1.797"	250
HOSWF24	Wingfoot Hose 1-1/2" (300'/Reel)	1-1/2"	2.094"	250



HOSWF4

## Pressure Washer Hose

## Water Hose

### Cleaning Equipment

One of the most popular pressure washer hoses on the market, for use on pressure washer machines with working pressures up to 3000 psi.

Westward Part#	Description	ID	OD	Max working pressure
HOST104HDS	Pressure Washer Hose 1/4" (500'/Reel)	1/4"	.532"	3000
HOST106HDS	Pressure Washer Hose 3/8" (500'/Reel)	3/8"	.693"	3000



HOST104HDS

Westward Parts can source many other special order items that are not listed in this catalogue, please visit our website at [westwardparts.com](http://westwardparts.com) or call us directly at 1-888-937-7278. Our team will help you find what you need.

The product images shown are for illustration purposes only and may not be an exact representation of the product.

Westward Parts can source many other special order items that are not listed in this catalogue, please visit our website at **westwardparts.com** or call us directly at **1-888-937-7278**. Our team will help you find what you need.

Parts offered by Westward Parts Services Ltd. are provided by different manufacturers. The use of OEM part numbers are for identification purposes only - No implication is made that the parts are, in fact, the OEM part (unless specified otherwise). The product images shown are for illustration purposes only and may not be an exact representation of the product.

This catalogue is intended for quick reference use. While a great deal of effort has been made to ensure application information, descriptions, and specifications are accurate, Westward Parts Services Ltd. cannot guarantee accuracy as a result of ever-changing model information, product updates, and superseded parts. Westward Parts Services Ltd. will not be liable to any third party should any of the information contained within this catalogue be in error.

***Westward has the part!***

Westward Parts offers the most comprehensive range of products to meet the needs of all agricultural and industrial customers.



## Agriculture Parts

- Bearings, Seals, Flanges, O-Rings
- 3 Point Hitch Parts or Tillage Tools
- PTO Drives, Adapters, Yokes, Crosses
- Canvas, Swather Parts, Canvas Repair
- Combine Repair Parts
- Harrow Parts, Pickup & Harrow Tines
- Pickup Reel Parts
- Cutting Parts & Guards, Ag Accessories

## Estate Equipment

- Cameras & Accessories
- Fencing Equipment
- Hay & Bale Handling Equipment
- Lawn & Garden
- Material Movement
- Estate Sprayers & Accessories
- Tillage Equipment
- Water, Transfer & Trash Pumps

## Sprayer Parts

- Pumps & Couplers
- Valves, Manual & Electric
- Tips, Strainers, Filters
- Nozzle Bodies, Caps, Boom Clamps
- Hose, Fittings, Cam Locks
- Handguns
- Pressure Washer Parts
- Booms, Tanks, Accessories

## Industrial Parts

- Bearings, Seals, Flanges, O-Rings
- Sheaves, Pulleys, Sprockets, Weld-ons
- Hardware, Drawpins, Wire Rope, Lubricants
- Chain, V-Belts, Chain Tools
- PTO Drives, Adapters, Yokes, Crosses
- Hubs, Wheels, Spindles, Casters
- Belting Seals and Shields
- Hydraulic Fittings, Couplers, Cylinders

CANADA'S EXCLUSIVE DISTRIBUTOR FOR

**MacDon** Performance Parts



**1-888-937-7278**

**WESTWARD PARTS**



For 45 years, Westward Parts continues to  
be the premier provider of Quality Agricultural  
Parts and Equipment in Western Canada.

[www.westwardparts.com](http://www.westwardparts.com)

***Westward has the part!***