

SPRAYER

PARTS CATALOGUE

Nozzles and Nozzle Accessories ▪ Valves and Manifolds ▪ Gauges and Calibration ▪ Fittings & Cam Locks ▪ Hose ▪ Pumps ▪ Spray Guns and Accessories ▪ Tanks and Tank Components ▪ Monitors, Accessories and more!



Westward has the part!

Westward has the part! That's our commitment to you, and that's what sets us apart. Westward Parts has over 45 years of expertise with all makes of agricultural parts, sprayer parts, sprayers, as well as ground maintenance and estate equipment. Our Canadian dealers are served from three different warehouse locations across the country, and our Australian dealers are served through the MacDon Parts Distribution Centre in Melbourne. Westward Parts offers our dealers the most comprehensive product portfolio and exclusive product offerings. And it will all be delivered on time, with an enjoyable customer service experience that won't let you down.

Westward Parts Distribution:

- 📍 **RED DEER, AB**
Canada
- 📍 **REGINA, SK**
Canada
- 📍 **WINNIPEG, MB**
Canada
- 📍 **MELBOURNE**
Australia



6517 - 67 St.
Red Deer, AB T4P 1A3
1-888-937-7278
Fx: 1-800-661-4508

201 Henderson Dr.
Regina, SK S4N 7E2
1-888-937-7278
Fx: 1-800-721-2977

1435 St. James St.
Winnipeg, MB R3H 0W9
1-888-937-7278
Fx: 1-800-257-8338

WWW.WESTWARDPARTS.COM

How to Order

Welcome to the Westward Parts Sprayer Parts Catalogue!

This catalogue is divided into 9 sections:

1	Nozzles and Nozzle Accessories	
2	Valves and Manifolds	
3	Gauges and Calibration	
4	Fittings & Cam Locks	
5	Hose	
6	Pumps	
7	Spray Guns and Accessories	
8	Tanks and Tank Components	
9	Monitors and Accessories	

Color Coded
For easier navigation!



Westward Parts Authorized Dealers can now order parts in two easy ways!
You can now order by **Manufacturer Number**, or by **Westward Part Number**.

	 Online	 Phone	 Fax
Manufacturer #	-	☒	☒
Westward Part #	☒	☒	☒

Please contact Westward Parts
Customer Service Team for assistance.
1-888-937-7278

A cross reference for Manufacturer Part Number/ Westward Parts Number can be found at the back of each section.

Note: Some of the items in this catalogue are not listed with a Westward Parts Number. If you would like to receive a quote or request that we add an item to our catalogue offer, please contact us at 1-888-937-7278 for assistance.

Not a Dealer? [Find your dealer at www.WestwardParts.Com/Find-A-Dealer](http://www.WestwardParts.Com/Find-A-Dealer)

Sprayer Parts Catalogue

Section 1 - Nozzles and Nozzle Accessories

TeeJet Tips, Caps and Accessories	1-1
Hypro Tips, Caps and Accessories	1-38
Wilger Tips, Caps and Accessories.....	1-50
GreenLeaf Technologies Tips, Caps and Accessories	1-65
Tip Strainers.....	1-81
TeeJet Nozzle Bodies and Accessories.....	1-83
Hypro Nozzle Bodies and Accessories	1-100
Wilger Nozzle Bodies and Accessories	1-107
Inline Strainers.....	1-118
Banjo Clamps.....	1-136
TeeJet Clamps.....	1-138
Wilger Clamps	1-139
Hypro Clamps	1-141
Cross Reference	1-142

Section 2 - Valves and Manifolds

Banjo Micro Valves	2-1
Banjo Ball Valves.....	2-3
Banjo Nozzle Valves.....	2-9
Banjo Electric Valves.....	2-10
Banjo Manifold Valves	2-20
Banjo Manifold Flange Connections.....	2-24
Banjo Dry-Mates.....	2-28
Banjo Spinweld Valves	2-32
Banjo FDA Union Valve and Adapter	2-32
TeeJet Electric Valves.....	2-33
TeeJet Manual Shutoff Ball Valves	2-46
TeeJet Regulating Valves.....	2-48
TeeJet Valves.....	2-50
Wilger Boom End Flush Valves	2-51
TIR Solenoid Valves.....	2-52
Greenleaf Incorporated Poly Shutoff Valves.....	2-55
Other Brands Valves	2-56
TeeJet Flow Indicators	2-58
Banjo Flow Indicators	2-59
Wilger Flow Indicators.....	2-60
Cross Reference	2-64



Sprayer Parts Catalogue

Section 3 - Gauges and Calibration

Gauges, Sensors, Wiring	3-1
Calibration Equipment	3-4
Cross Reference	3-6



Section 4 - Fittings & Cam Locks

Couplings	4-1
Fittings	4-33
Hose Barbs, Menders, Sharks	4-55
Garden, Hose Parts, Accessories	4-59
Tank and Tanks Components	4-64
Cable Management	4-70
Sealant / Fastener	4-71
Specialty Strainers	4-72
Cross Reference	4-73



Section 5 - Hose

Chemical Resistant Suction & Discharge Hose - Air Seeder Hose

PVC Suction Hose - Air Seeder Hose	5-1
Poly Rubber Suction	5-1
Medium-duty polyurethane dry material handling hose	5-2
EPDM Hose	5-2
PVC Layflat Hose / Water Discharge PVC	5-3

Petroleum Hose

Farm Tank Hose	5-4
Gravity Tank Hose - Assemblies Without Static Wire	5-4
Farm Fuel Transfer Hose - Assemblies	5-4

Tubing and Accessories

Nylon Tubing/Gauge Tubing	5-5
Non-Reinforced Natural EVA - Boxed	5-5
Reinforced Natural EVA - Bulk	5-5
Non-Reinforced Clear Vinyl - Boxed	5-6

Grain Vac Hose - Material Handling Hose

Material Handling Rubber- ARS Suction	5-7
Bulk Material Handling Hose - Bulk/Uncoupled- Lightweight	5-7



Sprayer Parts Catalogue

Section 5 - Hose

Air, Water, Multi-Purpose Hose

200 PSI Multipurpose (AG200) -Bulk/Uncoupled - EPDM Hose	5-8
300 PSI Multipurpose (AG300) - Bulk/Uncoupled - EPDM Hose	5-8
Series 7093 (Black) GST II General Service Air & Water Hose - EPDM Hose	5-9
General Purpose - PVC Hose	5-9
General Purpose - Wingfoot Hose.....	5-10

Pressure Washer Hose

Cleaning Equipment	5-10
--------------------------	------



Section 6 - Pumps, Replacement Parts and Accessories

Ace Pumps

Application Information	6-1
Hydraulic Driven Centrifugal Pumps.....	6-3
PTO Belt Driven Centrifugal Pumps	6-32
Gasoline Engine Driven Centrifugal Pumps	6-38
Belt Driven Centrifugal Pumps	6-45

Hypro Pumps

Application Information	6-55
Centrifugal Pumps	6-58
Transfer Pumps.....	6-74
Roller Pumps	6-77
Diaphragm Pumps	6-88
Other Pumps	6-91
Shurflo Pumps	6-93
Piston & Plunger Pumps	6-105

Banjo Pumps

Centrifugal Pumps	6-111
-------------------------	-------

Other Brands Pumps

Diaphragm Pumps	6-117
Electric Diaphragm Pumps	6-122
Cross Reference	6-124



Sprayer Parts Catalogue

Section 7 - Spray Guns, Replacement Parts and Accessories

Hypro Handguns.....	7-1
TeeJet Handguns	7-2
Other Brands Handguns	7-9
Pressure Washer Parts.....	7-10
Cross Reference.....	7-11



Section 8 - Tanks, Tank Components and Accessories

Sprayer Tanks.....	8-1
Tank Saddles	8-5
Tank Agitator & Eductor	8-6
Tank Cleaning Equipment	8-8
Tank Fittings.....	8-11



Section 9- Monitors and Accessories

Control Systems.....	9-1
----------------------	-----



Westward Parts can source many other special order items that are not listed in this catalogue, please visit our website at **westwardparts.com** or call us directly at **1-888-937-7278**. Our team will help you find what you need.

Parts offered by Westward Parts Services Ltd. are provided by different manufacturers. The use of OEM part numbers are for identification purposes only - No implication is made that the parts are, in fact, the OEM part (unless specified otherwise). The product images shown are for illustration purposes only and may not be an exact representation of the product.

This catalogue is intended for quick reference use. While a great deal of effort has been made to ensure application information, descriptions, and specifications are accurate, Westward Parts Services Ltd. cannot guarantee accuracy as a result of ever-changing model information, product updates, and superseded parts. Westward Parts Services Ltd. will not be liable to any third party should any of the information contained within this catalogue be in error.

Westward has the part!

Handgun Assemblies

Handguns

3381-0010 and 3381-0011

- Adjustable pattern spray gun
- 17" (43 cm) or 21" (53 cm) barrel
- 3mm or 4mm nozzle
- 1/2" (13 mm) MNPT inlet



3381-0010/3381-0011

3381-0013

- Adjustable pattern spray gun
- 7" (18 cm) barrel
- 3mm nozzle
- 1/2" (13 mm) MNPT inlet


HYPRO® · SHURFLO®


3381-0013

Ordering Information

Part Number	Barrel Length		Noz- zle	Max PSI	Max BAR	Max GPM	Max LPM
	US Units	Metric Units					
3381-0010	17"	43 cm	3mm	1200	83	25	95
3381-0011	21"	53 cm	4mm	1200	83	30	114
9920-KIT10/11	Repair Kit						
9920-248	Swivel Kit						

Ordering Information

Part Number	Max PSI	Max BAR	Max GPM	Max LPM
3381-0013	700	40	19	72
9920-248	Swivel Kit			

Tree Spraying Guide Hypro Diaphragm Pump Gas Engine Applications

Spray Height	Pump/Engine Model	Engine	Shaft	Spray Gun	Nozzle
30-35 ft.	9910-D252GRGI58 (w/o engine) 9910-D252GRGI (w/o engine) D252GRGI-25 (w/2.5 hp PowerPro™) D252GRGI-55 (w/5.5 hp PowerPro™) 6 GPM; 290 PSI	Min. 2.5 hp SAE j609a flange mount	5/8" 3/4" 5/8" 3/4"	3381-0010 or 3381-0013	3385-3000
35-40 ft.	9910-D30GRGI (w/o engine) D30GRGI-65 (w/6.5 hp PowerPro™) D30HRGI-65 (w/6.5 hp PowerPro™) D30HRGI-65E (w/6.5 hp PowerPro™) 9.5 GPM; 580 PSI	Min. 5.0 hp SAE j609a flange mount	3/4" 3/4" 3/4" 3/4"	3381-0010 or 3381-0013	3385-3000
45-50 ft.	9910-D50 (w/o engine, controller or gearbox) 14 gpm; 580 psi	Min 8.0 hp SAE j609a flange mount	1"	3381-0011	3385-4000
45-50 ft.	9910-D503GRGI (w/o engine) 15 gpm; 580 psi	Min 8.0 hp SAE j609a flange mount	1"	3381-0011	3385-4000
50-57 ft.	9910-D813GRGI (w/o engine) 21 gpm; 725 psi	Min 14.0 hp SAE j609a flange mount	1"	3381-0011	3385-4500
60-68 ft.	9910-D1064GRGI (w/o engine) 28 gpm; 725 psi	Min 18.0 hp SAE j609a flange mount	1"	3381-0011	3385-6000

All GRGI pump models come complete with gear reduction and control valve.

Performance Chart for Models 3381-0010, 3381-0011 and 3381-0013 Spray Guns

Hypro Model Number	Orifice Diameter In MM	Pressure In PSI** Performance	200 PSI Setting		350 PSI Setting		500 PSI Setting		600 PSI Setting		650 PSI Setting		700 PSI Setting		850 PSI Setting	
			Cone	Straight	Cone	Straight	Cone	Straight	Cone	Straight	Cone	Straight	Cone	Straight	Cone	Straight
3385-1500	1.5	capacity in gpm max throw (ft)*	1.14 9.2	1.26 21.5	1.48 10.3	1.7 25.2	1.8 11.2	2 28	1.9 12.1	2.2 31.8	2 12.1	2.3 32	2.1 12.3	2.4 32.3	2.2 13.1	2.5 34.3
3385-2300	2.3	capacity in gpm max throw (ft)*	2.1 11.4	2.7 29	2.7 12.9	3.7 33.9	3.4 14.8	4.5 37.9	3.8 16.6	4.9 41.5	3.8 17	5 41.7	3.9 17.7	5.1 42	4.2 19	5.8 45.7
3385-3000	3	capacity in gpm max throw (ft)*	2.9 11.7	4.6 29.2	3.7 12.9	6.3 33.9	4.8 13.8	7.5 36.2	5.2 15.6	8.4 40.8	5.3 16	8.5 40.7	5.4 16.2	8.6 42	6 17	9.6 44.1
3385-3500	3.5	capacity in gpm max throw (ft)*	5.8 13.6	6 36.2	7.9 19	8.2 41.2	9.6 22.6	9.9 45.3	10.7 25.5	11.1 50	11 25.5	11.3 51	11.2 27	11.6 51.5	12.4 28.8	12.8 54
3385-4000	4	capacity in gpm max throw (ft)*	7 15.1	7.3 37.7	9.6 20.6	9.9 42.8	11.6 24.3	12 47	12.9 27.2	13.5 53	13.2 27.2	13.8 54	13.6 28.5	14.1 55	15 29	15.6 59
3385-4500	4.5	capacity in gpm max throw (ft)*	8.2 18.1	8.9 39.2	11.1 22.2	12 44.3	13.4 26	14.5 50.1	15 30.6	16.3 54	15.4 30.6	16.6 56	15.7 31	17 57	17.4 31.5	18.9 62
3385-5000	5	capacity in gpm max throw (ft)*	9.8 19.6	10.2 40.7	13.3 23.8	13.8 47	16 27.5	16.7 53.3	18 32.3	18.7 59	18.4 32.3	19.1 61	18.9 32.8	19.5 62	20.8 32.8	21.6 67
3385-5500	5.5	capacity in gpm max throw (ft)*	10.7 19.6	11.5 42.2	14.4 23.8	15.6 50.7	17.4 29	18.8 57	19.6 34	21 63	20 34	21.5 64	20.4 34.5	22 65	22.6 34.5	24.4 70
3385-6000	6	capacity in gpm max throw (ft)*	11.5 21.1	12.6 43.7	15.6 25.3	17.1 54	18.8 30.7	20.6 60	21 35.6	23.2 66	21.5 35.6	23.7 67	22 36	24.2 68	24.4 36	26 9 74
3385-7000	7	capacity in gpm max throw (ft)*	11.5 21.1	13.5 46.8	15.6 25.3	18.4 57	18.8 30.7	22.2 63	21 37.4	25 70	21.5 37.4	25.4 71	22 38	26 72	24.4 38	29 77

*Figures shown are guidelines for vertical throw.

** Pressures based on relief valve settings at straight throw.

Handgun Assemblies

Handguns

For spot spraying, tree spraying, livestock spraying and power washing at pressures from 30 to 800 PSI.

To operate spray gun, handle is rotated 360° from shutoff to maximum flow position. As handle is turned, spray changes from initial cone spray through intermediate cone spray to straight stream. Spray tips are interchangeable orifice discs made of corrosion- and erosion-resistant stainless steel.

Choice of Materials and Capacities



GunJet Number AA2

Overall length 24", weight 3½ pounds, brass. ¾" garden hose thread (F) inlet connection. Also available in aluminum as GunJet AA2-AL, weight 1¼ pounds.



GunJet Number AA2A

Overall length 15", weight 2½ pounds, brass. ¾" garden hose thread (F) inlet connection. Also available in aluminum as GunJet AA2A-AL, weight 1 pound. Same design as GunJet AA2.

GUNJET NUMBER	ORIFICE DISC NUMBER	PERFORMANCE	LIQUID PRESSURE IN PSI			
			100 PSI		800 PSI	
			A	C	A	C
AA2-20	AY-SS 20	Capacity – GPM	.53	.90	1.5	2.5
		Max. Vert. Throw – ft.	—	25	—	33
		Max. Horiz. Throw – ft.	6	35	8	42
AA2-30	AY-SS 30	Capacity – GPM	.79	1.4	2.2	4.0
		Max. Vert. Throw – ft.	—	27	—	34
		Max. Horiz. Throw – ft.	7	38	9	45
AA2-45	AY-SS 45	Capacity – GPM	1.2	2.3	3.4	6.5
		Max. Vert. Throw – ft.	—	30	—	36
		Max. Horiz. Throw – ft.	8	41	9	48
AA2-60	AY-SS 60	Capacity – GPM	1.6	3.6	4.5	10
		Max. Vert. Throw – ft.	—	32	—	40
		Max. Horiz. Throw – ft.	9	44	10	52
AA2-90	AY-SS 90	Capacity – GPM	2.3	4.9	6.7	14
		Max. Vert. Throw – ft.	—	35	—	44
		Max. Horiz. Throw – ft.	10	47	12	57
AA2-120	AY-SS 120	Capacity – GPM	3.2	6.4	9.0	17
		Max. Vert. Throw – ft.	—	37	—	48
		Max. Horiz. Throw – ft.	11	49	13	62
AA2-180	AY-SS 180	Capacity – GPM	4.7	11	13	31
		Max. Vert. Throw – ft.	—	37	—	48
		Max. Horiz. Throw – ft.	12	49	14	62

How to order:

For complete gun, specify GunJet spray gun number and material.

Example: AA2-20, Brass or


AA2-AL20, Aluminum

To order orifice disc only, specify orifice disc number.


Example: AY-SS 20

GunJet® **TeeJet®**
TECHNOLOGIES

SETTING "A"
WIDE ANGLE CONE SPRAY



SETTING "C"
STRAIGHT STREAM SPRAY



GunJet Number AA143

Overall length 22¼", weight 1¼ pounds and only available in aluminum. Inlets are available with ¾" or GH (Garden Hose) female threads.

GUNJET NUMBER	ORIFICE DISC NUMBER	PERFORMANCE	LIQUID PRESSURE IN PSI			
			100 PSI		800 PSI	
			A	C	A	C
AA143-AL-*-2	D2	Capacity – GPM	.36	.36	1.0	1.0
		Max. Vert. Throw – ft.	—	22	—	26
		Max. Horiz. Throw – ft.	10	33	11	35
AA143-AL-*-4	D4	Capacity – GPM	.82	.82	2.3	2.3
		Max. Vert. Throw – ft.	—	27	—	32
		Max. Horiz. Throw – ft.	10	36	11	40
AA143-AL-*-6	D6	Capacity – GPM	1.7	1.8	4.9	5.1
		Max. Vert. Throw – ft.	—	33	—	38
		Max. Horiz. Throw – ft.	10	46	11	54
AA143-AL-*-8	D8	Capacity – GPM	2.8	3.3	8.1	9.4
		Max. Vert. Throw – ft.	—	35.5	—	42
		Max. Horiz. Throw – ft.	10	54	11	60
AA143-AL-*-10	D10	Capacity – GPM	3.9	4.9	11.2	13.9
		Max. Vert. Throw – ft.	—	37.5	—	44.5
		Max. Horiz. Throw – ft.	10.5	55	12	62

*Inlet size ¾" or GH.

How to order:

Examples: AA143-AL-3/4-6

AA143-AL-GH-6


To order orifice disc only, specify orifice disc number. Example: D2



Handgun Assemblies

Handguns

AA43 GunJet



Designed and built for heavy duty service. Stem extends through extension to valve seat located directly behind orifice disc for drip-free shutoff and instant operating response. Convenient trigger-lock for continuous spraying.

- Number AA43L for operating pressures up to 200 PSI
- Number AA43H for operating pressures up to 800 PSI
- Trigger handle control: ALL MODELS have 1/2" NPT or BSPT (F) inlet connections
- Exposed packing nut for easy adjustment of packing
- Available in aluminum or brass



Hardened Stainless Steel -Type D Orifice Discs


Choose one of five interchangeable orifice disc capacities. Other sizes may be available upon request. Discs are corrosion- and erosion-resistant.



Hardened Stainless Steel-Type DX-HSS Spray Tips


For spraying trees and other applications where maximum spray throw is required. Write for Data Sheet 6990.

SETTING "A" WIDE ANGLE CONE SPRAY



As trigger is drawn back, valve moves from shutoff position to initial wide angle spray, to continuously narrower cone sprays, to final

SETTING "C" STRAIGHT STREAM SPRAY



straight stream. Knurled ring behind trigger is adjustable to stop trigger at any desired position.

GunJet®

TeeJet®
TECHNOLOGIES

Type 43L & 43H GunJet Spray Guns

MODEL NUMBER	OPERATING PRESSURE RANGE (PSI)	MATERIAL	OVERALL LENGTH (INCHES)
AA(B)43L-AL	Up to 200	Aluminum	22
AA(B)43H-AL	200-800	Aluminum	

(B) = BSPT



Type 43A GunJet Spray Guns

MODEL NUMBER	OPERATING PRESSURE RANGE (PSI)	MATERIAL	OVERALL LENGTH (INCHES)
AA(B)43LA-AL	Up to 200	Aluminum	13
AA(B)43HA-AL	200-800	Aluminum	

(B) = BSPT

Type 43LC-1/2 & 43HC-1/2 and GunJet Spray Guns

Types 43LC-1/2 and 43HC-1/2 have 1/2" NPT (F) outlet connections. Inlet connections are 1/2" NPT or BSPT (F).

MODEL NUMBER	OPERATING PRESSURE RANGE (PSI)	MATERIAL	OVERALL LENGTH (INCHES)
AA(B)43LC-1/2	Up to 200	Brass	8
AA(B)43HC-1/2	200-800	Brass	

(B) = BSPT



GUNJET NUMBER	ORIFICE DISC NUMBER	PERFORMANCE	LIQUID PRESSURE IN PSI									
			40 PSI		100 PSI		200 PSI		400 PSI		800 PSI	
			A	C	A	C	A	C	A	C	A	C
AA(B)43L-AL2 AA(B)43H-AL2	D2	Capacity - GPM	.29	.30	.45	.47	.64	.66	.90	.94	1.3	1.3
		Max. Vert. Throw - ft.	—	22	—	22	—	23	—	24	—	26
		Max. Horiz. Throw - ft.	10	32	10	33	10	34	10.5	35	11	35
AA(B)43L-AL4 AA(B)43H-AL4	D4	Capacity - GPM	.60	.61	.92	.94	1.3	1.3	1.8	1.9	2.6	2.7
		Max. Vert. Throw - ft.	—	26	—	27	—	28	—	30	—	32
		Max. Horiz. Throw - ft.	10	36	10	36	10.5	37	11	39	11	40
AA(B)43L-AL6 AA(B)43H-AL6	D6	Capacity - GPM	1.2	1.3	1.9	2.0	2.7	2.9	3.8	4.1	5.3	5.8
		Max. Vert. Throw - ft.	—	31.5	—	33	—	34.5	—	36.5	—	38
		Max. Horiz. Throw - ft.	10	44	10	45	10.5	46	11	48	11	50
AA(B)43L-AL8 AA(B)43H-AL8	D8	Capacity - GPM	2.0	2.5	3.1	3.4	4.4	4.8	6.2	6.8	8.8	9.6
		Max. Vert. Throw - ft.	—	33	—	35.5	—	38	—	40.5	—	42
		Max. Horiz. Throw - ft.	10	45	10	46	10.5	47	11	49	11	51
AA(B)43L-AL10 AA(B)43H-AL10	D10	Capacity - GPM	2.6	3.2	4.1	5.0	5.8	7.1	8.2	10	10.2	14.1
		Max. Vert. Throw - ft.	—	35	—	37.5	—	40	—	42.5	—	44.5
		Max. Horiz. Throw - ft.	10	46	10.5	49	11	50	11.5	52	12	54

(B) = BSPT

How to order:

Specify complete GunJet spray gun number and material.

Example: AA(B)43L-AL4 Aluminum

Handgun Assemblies

Handguns

Lawn Spray Guns

Features:

- Interchangeable nozzle tips are color-coded for easy identification of nozzle tip size
- Nozzle tips provide a 45° full cone "showerhead" spray pattern
- Convenient trigger lock for continuous spraying
- Options available: hose shank swivel for inlet connection and extension wand and adapters for low-volume and spot spraying
- Maximum operating pressure of 200 PSI (14 bar)
- Made of Nylon with Viton® O-rings and stainless steel springs



MODEL NUMBER	NOZZLE TIP NUMBER	CAPACITY (GPM) AT VARIOUS PRESSURE*						
		2 PSI	4 PSI	6 PSI	8 PSI	10 PSI	15 PSI	20 PSI
25660-1.5	CP25670-1.5-NY	1.4	1.9	2.3	2.6	2.9	3.4	4.0
25660-3.0	CP25670-3.0-NYB	2.0	2.7	3.2	3.6	4.1	4.9	5.6
25660-4.0	CP25670-4.0-NY	2.3	3.1	3.7	4.3	4.7	5.6	6.4

*Pressure measured at spray nozzle.



Model 25660

Repair Kit

Westward Part#	Description
SPPPK-AB-25660-KIT	Lawn Spray Gun Repair Kit



25990 Swivel

Allows operator to concentrate on application without hose interference. 3/4" (M) NPT connection with 1/2" hose shank. Maximum pressure 150 PSI (10 bar).

25657-NYB Adapter

Replaces shower nozzle to allow extension wand or standard TeeJet tip to be attached directly to lawn spray gun. 3/4" (F) GHT inlet with 11/16"-16 TeeJet thread outlet. Maximum pressure 150 PSI (10 bar). Ask our sales team for adjustable ConeJet® nozzles.

22665 Extension Wand

For low volume and spot spraying applications. Available in both 15" and 24" (38 cm and 61 cm) lengths, the extension fits on 25657-NYB adapter. Maximum pressure 150 PSI (10 bar).

CP22673-PP & CP22664-PP Adapters

Used for attaching standard TeeJet tips or adjustable ConeJet nozzles. Ask our sales team for adjustable ConeJet nozzles.

How to order:

For complete gun, specify GunJet spray gun number and material.

Example: 25657-NYB

Westward Parts can source many other special order items that are not listed in this catalogue, please visit our website at westwardparts.com or call us directly at 1-888-937-7278. Our team will help you find what you need.

The product images shown are for illustration purposes only and may not be an exact representation of the product.

Handgun Assemblies

Handguns

PW4000A

The model PW4000A GunJet is a durable high-pressure spray gun that offers comfort and control. Trigger locks into an off position to prevent accidental discharge. The PW4000A operates at up to 4,000 PSI (275 bar) and provides flow rates up to 10 GPM (38 l/min). Liquid temperatures up to 300°F (150°C). Available with 1/4" or 3/8" NPT or BSPT inlet and outlet connections.

PW4000AS

The model PW4000AS has the same features as PW4000A except available with a 3/8" NPT or BSPT swivel inlet.



AA30A

Maximum pressure rating of 1,500 PSI (105 bar) with 5 GPM (19 l/min), 200°F (93°C) and 1/4" (F) NPT or BSPT inlet thread. Materials including Nylon handles and trigger guards, forged brass valve bodies, Buna-N or Viton® stem seals, Teflon® valve seats and stainless steel working parts mean long, productive equipment life.

How to order:

Specify model number.
Example: AA(B)30A-1/4
(B) = BSPT



AA23L-7676

The AA23L-7676 GunJet spray gun (shown above) is also available without extension as GunJet spray gun AA23L. Flow rates up to 5 GPM (19 l/min). Maximum operating pressure of 250 PSI (17 bar). Inlet 1/4" NPS (M) thread. Strong aluminum alloy body. When used with extension, the valve stem extends through the entire extension length for drip-free shutoff immediately behind the spray tip. Accommodates all interchangeable TeeJet® spray tips.

GUNJET NUMBER	EXTENSION LENGTH
AA23L	Without Extension
AA23L-7676-8	8" (203 mm)
AA23L-7676-18	18" (457 mm)
AA23L-7676-24	24" (610 mm)
AA23L-7676-36	36" (914 mm)
AA23L-7676-48	48" (1,219 mm)

How to order:

Specify model number.
Example: AA23L

GunJet® TeeJet® TECHNOLOGIES

How to order:

Specify model number.
Example: (B)PW4000A –
3/8" inlet and 1/4" outlet
(B)PW4000A-1/4x1/4 –
1/4" inlet and outlet
(B)PW4000A-3/8x3/8 –
3/8" inlet and outlet
(B) = BSPT



AA30L-PP

This new version of the standard AA30L GunJet spray gun is constructed of polypropylene for excellent corrosion resistance. The maximum pressure rating is 150 PSI (10 bar) with flow rates up to 5 GPM (19 l/min). Liquid inlet connection available in 1/4" (F) NPT or BSPT. Wetted parts are polypropylene, stainless steel and Viton.

How to order:

Specify model number.
Example: AA(B)30L-PP
(B) = BSPT



AA30L-22425

The AA30L-22425 GunJet spray gun (shown above) is also available without extension as GunJet spray gun AA30L. Flow rates up to 5 GPM (19 l/min). Maximum operating pressure of 250 PSI (17 bar). Outlet connection is 11/16"-16 TeeJet® thread. Body and trigger molded of tough Nylon. When used with extension, the valve stem extends through the entire extension length for drip-free shutoff immediately behind the spray tip. Accommodates all interchangeable TeeJet spray tips.

GUNJET NUMBER	EXTENSION LENGTH
AA(B)30L-1/4	Without Extension
AA(B)30L-22425-8	8" (203 mm)
AA(B)30L-22425-18	18" (457 mm)
AA(B)30L-22425-24	24" (610 mm)
AA(B)30L-22425-36	36" (914 mm)
AA(B)30L-22425-48	48" (1,219 mm)

How to order:

Specify model number.
Example: AA(B)30L-1/4
(B) = BSPT

Handgun Assemblies

Handguns

TriggerJet® TeeJet®
TECHNOLOGIES

38720-PPB-X*



Model 50800

The 50800 TriggerJet spray gun is a lightweight spray gun designed for use with backpack, canister or other low-pressure sprayers. The TriggerJet is made of molded polypropylene for excellent chemical resistance and durability.

Features:

- Available with 15" (381 mm) polypropylene or 21" (533 mm) aluminum extension wand
- Available with 38720-PPB-X18 or X26 adjustable ConeJet® tips with a 30° offset
- Trigger lock permits locking gun in an open position for continuous flow
- Maximum operating pressure of 100 PSI (7 bar)
- 1/4" or 3/8" hose shank connection
- Approximate max. hose O.D.—1/2" (13 mm)
- Polypropylene strainer located inside handle to prevent tip clogging

MODEL NUMBER	DESCRIPTION	INLET CONNECTION	TIP NUMBER
50800-15-PP-300	15" (381 mm) Polypropylene Extension	1/4" Hose Barb Inlet	 38720-PPB-X18
50800-15-PP-406		3/8" Hose Barb Inlet	
50800-21-AL-300	21" (533 mm) Aluminum Extension	1/4" Hose Barb Inlet	 38720-PPB-X26
50800-21-AL-406		3/8" Hose Barb Inlet	
50800-15-PP-300-X26	15" (381 mm) Polypropylene Extension	1/4" Hose Barb Inlet	 38720-PPB-X26
50800-15-PP-406-X26		3/8" Hose Barb Inlet	
50800-21-AL-300-X26	21" (533 mm) Aluminum Extension	1/4" Hose Barb Inlet	 38720-PPB-X26
50800-21-AL-406-X26		3/8" Hose Barb Inlet	

How to order:

Specify GunJet Model number

Example: 50800-15-PP-300

50800 TriggerJet Less Extension and Tip

Feature:

- Can be fitted with any standard TeeJet® tip.

MODEL NUMBER	DESCRIPTION	INLET CONNECTION
50800-PP-300	TriggerJet, Less Extension	1/4" Hose Barb Inlet
50800-PP-406	TriggerJet, Less Extension	3/8" Hose Barb Inlet



Handgun Assemblies

Handguns

TriggerJet® TeeJet®
TECHNOLOGIES



Model 22670

The 22670 TriggerJet spray gun kit combines the 22650 TriggerJet spray gun with an extension wand and the items listed in features. Maximum pressure rating is 150 PSI (10 bar).

Features:

- 22650 TriggerJet spray gun with choice of 1/4" or 3/8" hose shank and a 1/4" NPT or BSPT (F) thread inlet connection.
- Trigger lock permits locking gun in an open position for continuous flow (optional)
- 22665 extension wand with choice of 15" (381 mm) or 24" (610 mm) lengths
- 38720-PPB-X8 adjustable ConeJet® spray tip with Viton® O-ring
- CP22673-PP 45° and CP22664-PP straight adapters (other capacities available)
- Accepts all standard TeeJet spray tips and tip strainers

MODEL NUMBER	EXTENSION LENGTH	INLET CONNECTION	TIP NUMBER
(B)22670-PP-15-1/4	15" (38 cm)	1/4" (F)	 38720-PPB-X8 (Standard nozzle shipped with TriggerJet)
22670-PP-15-300	15" (38 cm)	1/4" Hose Shank	
22670-PP-15-406	15" (38 cm)	3/8" Hose Shank	
(B)22670-PP-24-1/4	24" (61 cm)	1/4" (F)	
22670-PP-24-300	24" (61 cm)	1/4" Hose Shank	
22670-PP-24-406	24" (61 cm)	3/8" Hose Shank	

(B)=BSPT

How to order:

Specify model number.

Example: (B)22670-PP-15-1/4



22650-PP-*

Model 22650

The 22650 TriggerJet spray gun is a lightweight spray gun designed for use with backpack, canister or other low-pressure sprayers. The TriggerJet is made of molded polypropylene for excellent chemical resistance and durability.

Features:

- Choice of 1/4" or 3/8" hose shank and 1/4" NPT or BSPT (F) thread inlet connection
- Replaceable diaphragm made of Viton
- Trigger lock permits locking gun in an open position for continuous flow (optional)
- Maximum operating pressure of 150 PSI (10 bar)
- Accepts all standard TeeJet spray tips and tip strainers

MODEL NUMBER	EXTENSION LENGTH	INLET CONNECTION	TIP NUMBER
(B)22650-PP-1/4	NONE	1/4" (F)	NONE
22650-PP-300		1/4" Hose Shank	
22650-PP-406		3/8" Hose Shank	

(B)=BSPT

How to order:

Specify model number.

Example: (B)22650-PP-1/4



38720-PP Provides adjustable spray from solid stream to a hollow cone pattern. Made of polypropylene material for excellent chemical resistance. Fits any 11/16"-16 TeeJet® male thread bodies. 30° offset from horizontal incorporated into main tip body.


ADJUSTABLE CONEJET TIP NUMBER	PERFORMANCE	LIQUID PRESSURE IN PSI									
		20 PSI		30 PSI		40 PSI		60 PSI		100 PSI	
		SETTING		SETTING		SETTING		SETTING		SETTING	
		A	B	A	B	A	B	A	B	A	B
38720-PPB-X8	Capacity – GPM	0.097	0.33	0.12	0.40	0.13	0.47	0.16	0.57	0.21	0.74
	Spray Angle	66°	—	71°	—	74°	—	77°	—	80°	—
	Max. Throw – Ft.	3	34	3	37	3	38	3	38	4	38
38720-PPB-X12	Capacity – GPM	0.15	0.49	0.18	0.60	0.20	0.69	0.24	0.84	0.31	1.1
	Spray Angle	71°	—	75°	—	77°	—	78°	—	80°	—
	Max. Throw – Ft.	3.5	36	4	39	4	40	4	41	4	41
38720-PPB-X18	Capacity – GPM	0.20	0.68	0.24	0.81	0.28	0.92	0.34	1.1	0.42	1.4
	Spray Angle	61°	—	68°	—	80°	—	80°	—	80°	—
	Max. Throw – Ft.	4	38	4	41	4	42	4	42	6	42
38720-PPB-X26	Capacity – GPM	0.31	0.89	0.38	1.1	0.43	1.2	0.53	1.5	0.68	1.9
	Spray Angle	77°	—	82°	—	84°	—	86°	—	86°	—
	Max. Throw – Ft.	4	34	4.5	37	5	38	5.5	39	6	40

Handgun Assemblies

Handguns

Shutoff Valves and Spray Guns

Top quality hand valves for use with spray nozzles, extensions and handles to suit your application needs. Hand valve assemblies may be made from parts shown on this page. The "typical assembly" shown at right includes 4727 handle, 4688 valve, 4673-8 curved extension with swivel body, TeeJet cap and flat spray tip.



Typical Shutoff Valve Assembly



Valves



AA31

AA31 for pressures up to 500 PSI (35 bar)

Comfortable palm fitting gun. For use with any TeeJet spray tip. 1/4" NPS (M) inlet connection.

Forged brass body and nickel-plated steel trigger. Teflon® valve seat and packing, stainless steel valve stem. Weight 12 oz. (0.34 kg). Also supplied as 31-1/4F with 1/4" NPT (F) inlet connection.

13212
Garden Hose
Adapter for
36 Valve

4688 Trigger Valve with trigger lock. Max. flow rate 2 GPM (7.6 l/min), max pressure of 250 PSI (17 bar). 1/4" NPT (F) inlet connection, 11/16"-16 (M) outlet connection. Use with TeeJet and ConeJet® tips, adjustable ConeJet tips or MulteeJet® tips. Brass material.

6466 Trigger Valve, same as 4688, less trigger lock, with extra long trigger. Brass material.


6104 Trigger Valve with trigger lock. Same as 4688 except with 1/4" NPT (F) inlet and outlet connections. Brass material.

6590 Trigger Valve, same as 6104, less trigger lock, with extra long trigger. Brass material.

13212 Adapter, 3/8" NPT (M) outlet, 3/4" garden hose thread inlet for use with 3/8" 36 valve. Brass material.

Valve Handles

Choice of valve handles—for above valves



Outlet connections are 1/4" NPT (M) to fit 1/4" NPT (F) inlets of all valves shown. Choice of types for every need.

(B)4727 Sure Grip Handle, brass, rubber-covered, 1/4" NPS (M) or BSPT hose inlet connection.

4754 Sure Grip Handle, brass, rubber-covered, 3/4" garden hose thread (F) inlet connection.

4725 Handle, made of 1/8" brass pipe with bushing. Slip hose over pipe to form handle.

Extensions for Valves and Spray Guns




High-Pressure Curved Extensions

9527—for pressures to 1,000 PSI (70 bar). Fits models 23H and 31 GunJet spray guns.

For Pressures up to 1,000 PSI

EXTENSION TYPE AND NUMBER	EXTENSION LENGTH IN INCHES (millimeters)
9527-8	8" (203 mm)
9527-18	18" (457 mm)
9527-24	24" (610 mm)
9527-36	36" (914 mm)
9527-48	48" (1,219 mm)



22665-PP

TriggerJet® Extension

22665-PP is for use with 22650-PP TriggerJet spray gun. Maximum pressure rating of 150 PSI (10 bar). Available in 15" and 24" (38 and 61 cm) lengths.

Straight and Curved Extensions

4673 and 6671—for pressures to 125 PSI (9 bar). 7715—for pressures to 250 PSI (17 bar). Fits models 23L and 31 GunJet® spray guns and trigger valves.

STRAIGHT WITH FIXED BODY	CURVED WITH SWIVEL BODY	CURVED WITH FIXED BODY	EXTENSION LENGTH
7715-8	4673-8	6671-8	8" (203 mm)
7715-18	4673-18	6671-18	18" (457 mm)
7715-24	4673-24	6671-24	24" (610 mm)
7715-30	4673-30	6671-30	30" (762 mm)
7715-36	4673-36	6671-36	36" (914 mm)
7715-48	4673-48	6671-48	48" (1,219 mm)

Handgun Assemblies

Other Brands Handguns

Gun & Wand Assemblies

Industrial Cold Water Spray Gun:

PSI: 5000
Temp: 210°F
GPM: 10.5
Outlet: 1/4" FNPT
Inlet: 3/8" FNPT



Westward Part#	Description
SPP78083	ST1500 Industrial Spray Gun

Rear Load Spray Gun

Industrial Hot Water Trigger Gun:

PSI: 4500
Temp: 300°F
GPM: 9
Outlet: 1/4" FPT
Inlet: 3/8" FPT



Westward Part#	Description
SPP78084	ST2500 The 880 Spray Gun

Front Load Spray Gun

Pressure washer Trigger Gun:

PSI: 3000
Temp: 210°F
GPM: 10.5
Outlet: 1/4" FNPT
Inlet: 3/8"



Westward Part#	Description
SPP78105	Front Load Spray Gun

Accessories

Rotary Nozzle

This rotary nozzle cleans faster than a regular nozzle. It is great for stripping paint or cleaning concrete surfaces. Use this with any pressure washer equipped with quick connect
PSI: 3000
GPM: 4



Westward Part#	Description
SPP74246	1/4" Quick Connect Rotary Nozzle

Westward Parts can source many other special order items that are not listed in this catalogue, please visit our website at westwardparts.com or call us directly at 1-888-937-7278. Our team will help you find what you need.

The product images shown are for illustration purposes only and may not be an exact representation of the product.

Accessories

Other Brands

Pressure Washer Parts

Pump Oil & Small Engine Oil

Volume: 1 Litre

Westward Part# SPP74225

Westward Part#	Description
SPP74225	1L Pump Oil



Rubber Hose

Westward Part#	Description
SPP75227	50' 4000PSI 3/8" QC SS Coupler & Plug
SPP75225	50' 6000 PSI 3/8" Rubber Hose



SPP75227



SPP75225

Pump Saver Anti Freeze Solution

Volume: 16 OZ

Westward Part# SPP85.490.046

Mfr Part #	Description
85.490.046	Pump Anti-Freeze Solution 16oz



VRT3 Unloader

Westward Part#	Description
SPP78087	VRT3 Unloader



SPP78087

Quick Connect Spray Nozzles

0 Degree 85.201... + Size (#20 - 100)

15 Degree 85.216... + Size (#20 - 100)

25 Degree 85.226... + Size (#20 - 100)

40 Degree 85.241... + Size (#20 - 100)

EX. 85.201.030 = Quick Connect, 0 Degree, #3 Nozzle



Westward Part#	Description
SPP75594	Green Quick Connect Nozzle 060
SPP75595	Green Quick Connect Nozzle 045



SPP75594

Cleaning Nozzle

Westward Part#	Description
SPP74244	1/4" Drain Cleaning Nozzle



SPP74244

Adapter

Westward Part#	Description
SPP78096	M22 x 1-1/2" FNPT Adapter



SPP78096

Steel Plug

Westward Part#	Description
SPP78126	1/2" MNPT Steel Plug



SPP78126

Seal Kit

Westward Part#	Description
SPP70960	Seal Kit for AXD and AXS Pumps 2000 PSI
SPP70962	Pressure Washer Pump Seal Kit



SPP70960

Valve Kit

Westward Part#	Description
SPP1800.0020.00	Diaphragm
SPP70965	Valve Kit (6 Valves and O-Rings)



SPP70965

Westward Parts can source many other special order items that are not listed in this catalogue, please visit our website at westwardparts.com or call us directly at 1-888-937-7278. Our team will help you find what you need.

The product images shown are for illustration purposes only and may not be an exact representation of the product.

Section 7. Spray Guns and Accessories

Reference

Handguns - TeeJet

Handgun Assemblies - TeeJet

Mfr Part #	Westward Part #	Description	Page
22670-PP-15-1/4	SPP74020	15" Poly Gun 1/4" FPT	7-7
22670-PP-24-1/4	SPP22670-PP-24-1/4	24" Poly Gun 1/4" FPT	7-7
AA143-AL-GH-6	SPP74013	GunJet Model AA18 Aluminum	7-2
AA18-AL6	SPP74011	20" Aluminum Gun 1/4" NPT Inlet	7-2
AA23L-7676-18	SPP74001	18" Pistol Spray Gun with 1/4" FPT	7-5
AA23L-7676-24	SPP74002	24" Pistol Spray Gun with 1/4" FPT	7-5
AA23L-7676-36	SPP74003	36" Pistol Spray Gun Extension with 1/4" FPT	7-5
AA2A-AL45	SPP74015	15" Aluminum Gun 3/4" FGHT Inlet	7-2
AA43HA-14	SPP74008	14" Brass Gun 1/2" NPT Inlet	7-3
AA43H-AL6	SPP74006	23" Aluminum Gun 1/2" NPT Inlet	7-3
AA43L-AL10	SPPAA43L-AL10	22" Aluminum Gun 1/2" NPT Inlet	7-3

Handgun Parts, Accessories - TeeJet

Mfr Part #	Westward Part #	Description	Page
22650-PP-1/4	SPP74198	TriggerJet Spray Gun	7-7
22665-15-PP	SPP74199	15" Lance	7-7
38720-PPB-X26	SPP38720-PPB-X26	ConeJet Adjustable Nozzle	7-7
38720-PPB-X8	SPP75591	ConeJet Adjustable Nozzle	7-7
4688	SPP74406	Brass Trigger Valve	7-8
4727	SPP74217	Sure Grip Valve Handle	7-8
50800-21-AL-406	SPP50800-21-AL-406	21" Aluminum Extension	7-6
6104	SPP74408	Brass Trigger Valve	7-8
6590	SPP74409	Brass Trigger Valve	7-8
9527-24	SPP74426	24" 1,000 PSI High Pressure Curved Extension	7-8
CP25670-3.0-NYB	SPPCP25670-3.0-NYB	Black Lawn Spray Gun Nozzle	7-4
CP25670-4.0-NY	SPPCP25670-4.0-NY	Red Lawn Spray Gun Nozzle	7-4
PK-AB-25660-KIT	SPPPK-AB-25660-KIT	Lawn Spray Gun Repair Kit	7-4

Handguns - Other Brands

Westward Part #	Description	Page
SPP74246	1/4" Quick Connect Rotary Nozzle	7-9
SPP78083	ST1500 Industrial Spray Gun	7-9
SPP78084	ST2500 The 880 Spray Gun	7-9
SPP78105	Front Load Spray Gun	7-9

Pressure Washer Parts - Other Brands

Westward Part #	Description	Page
SPP1800.0020.00	Diaphragm	7-10
SPP50.002.012	50.002.012 2" Replacement Strainer	7-10
SPP70960	Seal Kit for AXD and AXS Pumps 2000 PSI	7-10
SPP70962	Pressure Washer Pump Seal Kit	7-10
SPP70965	Valve Kit (6 Valves and O-Rings)	7-10
SPP74225	1L Pump Oil	7-10
SPP74244	1/4" Drain Cleaning Nozzle	7-10
SPP74591	Brass 1/2" MNPT Quick Coupler	7-10
SPP75225	50' 6000 PSI 3/8" Rubber Hose	7-10
SPP75227	50' 4000PSI 3/8" QC SS Coupler & Plug	7-10
SPP75235	Thermal Valve 1/2" MNPT	7-10
SPP75594	Green Quick Connect Nozzle 060	7-10
SPP75595	Green Quick Connect Nozzle 045	7-10
SPP75597	Thermal Valve 3/8" MNPT	7-10
SPP78039	100 ft. High Pressure Hose c/w 3/8" Plug & 3/8" Coupler	7-10
SPP78087	VRT3 Unloader	7-10
SPP78096	M22 x 1-1/2" FNPT Adapter	7-10
SPP78106	3/8" SS Swivel	7-10
SPP78107	1/4" SS Swivel	7-10
SPP78108	3/8" Brass Swivel	7-10
SPP78120	1/2" FNPT Brass Quick Coupler	7-10
SPP78123	1/2" Steel FNPT Plug	7-10
SPP78126	1/2" MNPT Steel Plug	7-10
SPP85.300.024	Thermal Valve 1/2" MNPT	7-10
SPP85.490.046	Pump Anti-Freeze Solution 16oz	7-10

Some of the items in this Catalogue are not listed with a Westward Parts Number. If you would like to receive a quote or request that we add an item to our catalogue, please contact us at **1-888-937-7278**

Westward Parts can source many other special order items that are not listed in this catalogue, please visit our website at **westwardparts.com** or call us directly at **1-888-937-7278**. Our team will help you find what you need.

Parts offered by Westward Parts Services Ltd. are provided by different manufacturers. The use of OEM part numbers are for identification purposes only - No implication is made that the parts are, in fact, the OEM part (unless specified otherwise). The product images shown are for illustration purposes only and may not be an exact representation of the product.

This catalogue is intended for quick reference use. While a great deal of effort has been made to ensure application information, descriptions, and specifications are accurate, Westward Parts Services Ltd. cannot guarantee accuracy as a result of ever-changing model information, product updates, and superseded parts. Westward Parts Services Ltd. will not be liable to any third party should any of the information contained within this catalogue be in error.

Westward has the part!

Westward Parts offers the most comprehensive range of products to meet the needs of all agricultural and industrial customers.



Agriculture Parts

- Bearings, Seals, Flanges, O-Rings
- 3 Point Hitch Parts or Tillage Tools
- PTO Drives, Adapters, Yokes, Crosses
- Canvas, Swather Parts, Canvas Repair
- Combine Repair Parts
- Harrow Parts, Pickup & Harrow Tines
- Pickup Reel Parts
- Cutting Parts & Guards, Ag Accessories



Sprayer Parts

- Pumps & Couplers
- Valves, Manual & Electric
- Tips, Strainers, Filters
- Nozzle Bodies, Caps, Boom Clamps
- Hose, Fittings, Cam Locks
- Handguns
- Pressure Washer Parts
- Booms, Tanks, Accessories



Estate Equipment

- Cameras & Accessories
- Fencing Equipment
- Hay & Bale Handling Equipment
- Lawn & Garden
- Material Movement
- Estate Sprayers & Accessories
- Tillage Equipment
- Water, Transfer & Trash Pumps

Industrial Parts

- Bearings, Seals, Flanges, O-Rings
- Sheaves, Pulleys, Sprockets, Weld-ons
- Hardware, Drawpins, Wire Rope, Lubricants
- Chain, V-Belts, Chain Tools
- PTO Drives, Adapters, Yokes, Crosses
- Hubs, Wheels, Spindles, Casters
- Belting Seals and Shields
- Hydraulic Fittings, Couplers, Cylinders

CANADA'S EXCLUSIVE DISTRIBUTOR FOR

MacDon Performance Parts



1-888-937-7278

 **WESTWARD PARTS**



For 45 years, Westward Parts continues to
be the premier provider of Quality Agricultural
Parts and Equipment in Western Canada.

www.westwardparts.com

Westward has the part!